2201

LECHLADE - ST. JOHNS LOCK

1913 - 1930

782704

FORM A. BRITISH RAINFALL.

12 JAN 1914

2201

REGISTER 19 13.

Kept at St. John's Lock, Le

in the County of Gloucestersh

by R. A. Swarbrick

· Long.

tion 9 a.m.

y Station

n Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 1½ in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·19	·11	·12	·13	·00	·00	·00	1·05	·00	·11	·04	1
2	·00	·08	·00	·03	·00	·00	·00	·00	·16	·18	·04	·00	2
3	·01	·00	·11	·00	·32	·00	·00	·00	·00	·01	·00	·13	3
4	·39	·00	·02	·00	·09	·04	·00	·00	·00	·20	·00	·12	4
5	·00	·01	·00	·00	·00	0·5	·10	·00	·03	·02	·02	·04	5
6	·00	·03	·18	·00	·29	·10	·68	·00	·00	·36	·00	·39	6
7	·00	·18	·00	·00	·13	·09	·00	·00	·00	·23	·15	·00	7
8	·00	·05	·00	·00	·09	·05	·00	·00	·00	·61	·00	·00	8
9	·00	·17	·00	·00	·01	·02	·13	·38	·21	·00	·01	·00	9
10	·13	·00	·01	·11	·05	·00	·00	·04	·00	·00	·53	·00	10
11	·64	·00	·00	·55	·09	·00	·20	·04	·00	·10	·52	·00	11
12	·00	·00	·00	·00	·22	·00	·00	·01	·03	·00	·21	·00	12
13	·15	·00	·00	·00	·01	·01	·00	·00	·20	·00	·19	·00	13
14	·05	·01	·11	·05	·00	·00	·13	·06	·00	·01	·00	·00	14
15	·09	·13	·24	·46	·00	·00	·41	·00	·07	·00	·00	·00	15
16	·08	·00	·35	·10	·00	·00	·00	·00	·00	·00	·00	·00	16
17	·01	·01	·03	·11	·00	·06	·11	·00	·00	·00	·00	·00	17
18	·04	·00	·06	·13	·03	·00	·03	·00	·03	·00	·00	·00	18
19	·41	·00	·05	·01	·00	·01	·02	·00	·24	·20	·00	·02	19
20	·15	·00	·11	·03	·00	·00	·00	·00	·00	·24	·06	·00	20
21	·00	·00	·22	·08	·24	·00	·01	·00	·00	·00	·24	·00	21
22	·50	·00	·30	·21	·01	·00	·00	·00	·23	·00	·00	·00	22
23	·00	·00	·00	·00	·00	·08	·00	·03	·00	·00	·01	·10	23
24	·01	·00	·00	·09	·00	·00	·00	·00	·00	·00	·00	·00	24
25	·00	·13	·00	·10	·00	·00	·00	·00	·00	·00	·00	·01	25
26	·00	·04	·00	·15	·00	·00	·00	·10	·00	·21	·00	·11	26
27	·00	·00	·08	·04	·00	·00	·00	·00	·00	·17	·00	·00	27
28	·39	·00	·13	·19	·00	·00	·00	·00	·00	·22	·00	·00	28
29	·00	×	·42	·54	·08	·00	·00	·00	·00	·13	·00	·02	29
30	·14	×	·00	·00	·00	·00	·00	·00	·00	·21	·00	·00	30
31	·00	×	·05	×	·01	×		·07	×	·00	×	·00	31
Total	3·22	1·03	2·58	3·10	1·80	·57	1·62	·73	2·25	2·90	2·09	·98	YEAR'S TOTAL 22·81
Rain Days.	17	12	18	19	16	10	9	8	10	15	12	10	156

W.7,000, XI. 13

BRITISH RAINFALL FORM A.

2201

12 JAN 1914

REGISTER 19 13.

7

Kept at St. John's Lock, Lechlade,

in the County of Gloucestershire

by R. A. Swarbrick

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 1½ in.

" " " " Sea Level 239 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·19	·11	·12	·13	·00	·00	·00	1·05	·00	·11	·04	1
2	·00	·08	·00	·03	·00	·00	·00	·00	·16	·18	·04	·00	2
3	·01	·00	·11	·00	·32	·00	·00	·00	·00	·01	·00	·13	3
4	·39	·00	·02	·00	·09	·04	·00	·00	·00	·20	·00	·12	4
5	·00	·01	·00	·00	·00	05	·10	·00	·03	·02	·02	·04	5
6	·00	·03	·18	·00	·29	·10	·68	·00	·00	·36	·00	·39	6
7	·00	·18	·00	·00	·13	·09	·00	·00	·00	·23	·15	·00	7
8	·00	·05	·00	·00	·09	·05	·00	·00	·00	·61	·00	·00	8
9	·00	·17	·00	·00	·01	·02	·13	·38	·21	·00	·01	·00	9
10	·13	·00	·01	·11	·05	·00	·00	·04	·00	·00	·53	·00	10
11	·64	·00	·00	·55	·09	·00	·00	·04	·00	·10	·52	·00	11
12	·00	·00	·00	·00	·22	·00	·00	·01	·03	·00	·21	·00	12
13	·15	·00	·00	·00	·01	·01	·00	·00	·20	·00	·19	·00	13
14	·05	·01	·11	·05	·00	·00	·13	·06	·00	·01	·00	·00	14
15	·09	·13	·24	·46	·00	·00	·41	·00	·07	·00	·00	·00	15
16	·08	·00	·35	·10	·00	·00	·00	·00	·00	·00	·00	·00	16
17	·01	·01	·03	·11	·00	·06	·11	·00	·00	·00	·00	·00	17
18	·04	·00	·06	·13	·03	·00	·03	·00	·03	·00	·00	·00	18
19	·41	·00	·05	·01	·00	·01	·02	·00	·24	·00	·00	·02	19
20	·15	·00	·11	·03	·00	·00	·00	·00	·00	·24	·06	·00	20
21	·00	·00	·22	·08	·24	·00	·01	·00	·00	·00	·24	·00	21
22	·50	·00	·30	·21	·01	·00	·00	·00	·23	·00	·00	·00	22
23	·00	·00	·00	·00	·00	·08	·00	·03	·00	·00	·01	·10	23
24	·01	·00	·00	·09	·00	·00	·00	·00	·00	·00	·00	·00	24
25	·00	·13	·00	·10	·00	·00	·00	·00	·00	·00	·00	·01	25
26	·00	·04	·00	·15	·00	·00	·00	·10	·00	·21	·00	·11	26
27	·00	·00	·08	·04	·00	·00	·00	·00	·00	·17	·00	·00	27
28	·39	·00	·13	·19	·00	·00	·00	·00	·00	·22	·00	·00	28
29	·00		·42	·54	·08	·00	·00	·00	·00	·13	·00	·02	29
30	·14		·00	·00	·00	·00	·00	·00	·00	·21	·00	·00	30
31	·00		·05		·01			·07		·00		·00	31
Total	3·22	1·03	2·58	3·10	1·80	·57	1·62	·73	2.25	2·90	2·09	·98	YEAR'S TOTAL 22·81
Rain Days.	17	12	18	19	16	10	9	8	10	15	12	10	156

W.7,000, XI. 13

354
2201

BRITISH RAINFALL
FORM A.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Lechlade

in the County of Gloucestershire 7

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			·03	·03			·06		1
2				·04			·33	·15			1·45	·24	2
3			·04	·11	·18		·21	·07			·01	·09	3
4	·13			·18	·07		·07	·15			·40	·25	4
5			·07	·19			·17	·66			·28	·09	5
6		·06	·04	·03	·03			·10			·23	·14	6
7		·15	·18	·13	·22	·05	·28	·01				·13	7
8	·02	·05	·61	·01	·08	·54	·15	·07				·05	8
9	·07		·35	·07	·04	·73		·06	·14				9
10	·03	·11	·03	·01	·09			·06	·20			·01	10
11		08	·23	·02		·42	·03				·10	·41	11
12		·05	·14				·26		·20		·03	·29	12
13		·26	·15						·19	·13	·04	·30	13
14		·17	·35				·02			·72	·10	·02	14
15	·01	·05	·06				·05		·10	·03	·24		15
16							·26	·16	·04				16
17		·20	·09									·19	17
18												·57	18
19		·09	·21				·26		·01		·05	·02	19
20		·11	·25			·10	·85	·02				·13	20
21		·45	·07							·12		·05	21
22			·02		·09	·07				·17			22
23		·11	·07		·03			·04		·09		·07	23
24			·07		·05		·02			·14	·08		24
25	·03		·24							·16	·01	·20	25
26			·06					·20		·04	·20	·23	26
27	·05							·01			·01	·19	27
28		·03	·04		·02						·34	·60	28
29	·03		·06		·01					·24	·17		29
30			·10							·16	·43	·32	30
31							·16			·05		·03	31
Total	·37	1·97	3·53	·82	·91	1·91	3·15	1·79	·88	2·05	4·23	4·62	YEAR'S TOTAL. 26·23
Rain Days.	8	15	24	11	12	6	16	15	7	12	19	24	169

W.7,000, XI. 13

82

2701
~~345~~
2201

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Lechlade, St Johns Loch

in the County of Gloucestershire

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·08	·04		·09		·05	·07	·17	·24	·05	·13	1
2	·19	·15	·22	·08			·01	1·10	·01	·37	·01	·10	2
3	1·09		·02	·13	·04		·02	·36		·01		·13	3
4	·01				·06		·48	·01				·57	4
5	·01	·20						·06				·20	5
6	·18	·03		·11			·37	·01				·14	6
7	·08	·30		·06			·11	·06				·12	7
8	·31	·14					·04	·05					8
9	·06			·20				·02				·70	9
10	·08		·01	·01				·01			·15	·02	10
11	·02		·08	·05								·04	11
12	·02	·02		·13	·36			·46		·02	·25		12
13	·03	·37			·80			·01	·02				13
14	·03	·03					·11	·23	·06	·02		·36	14
15	08 ·08				·04		·01	·25		·04		·14	15
16		·26			·18		·55				·04	·03	16
17		·40			1·32								17
18		·21	·01		·06								18
19		·01			·06		·23						19
20	·16			·04								·14	20
21	·04						·04			·14		·04	21
22	·12	·20	·48	·02	·06		·43		·02			·12	22
23		·06	·14			·26	·37		·11	·48		·39	23
24			·02	·08		·01	·08		·52	·58		·13	24
25						·49	·03			·01		·09	25
26		·04					·07					·29	26
27		·01				·06	·20		·01	·32		·03	27
28		·01				·01	·21		·68	·04			28
29		X					·36	·10		·01	·06	·02	29
30	·07	X				·07				·07	·19	·07	30
31		X		X		X		·01	X	1·21	X	·30	31
Total	2·90	2·52	1·02	·91	3·07	·90	3·77	2·81	1·60	3·56	·75	4·30	YEAR'S TOTAL 28·11
Rain Days.	19	18	9	11	11	6	20	16	9	15	7	24	165

W. 8,000. X. 14.

82

2201 2249 308

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Lechlade

in the County of Gloucestershire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·02		·21	·04	·13			·05	·49		1
2	·36		·04		·36					·84	·05		2
3		·35			·03		·01		·03	·21	·06		3
4	·18	·11			·12	·16			·10	·50	·27		4
5	·02	·02			·07	·06	·10			·09	·28		5
6		·12	·04		·01	·17	·40			·11	·30		6
7	·03		·04		·06	·05	·04			·05	·32	·17	7
8			·02		·19							·20	8
9	·02				·20	·12	·01						9
10		·39	·02	·07		·06							10
11		·12	·06	·07	·03	·28						·35	11
12		·02	·04	·04	·25	·02	·06			·02			12
13		·40	·22	·05			·01	·16		·04			13
14		·33	·07		·03			·09		·05			14
15		·09	·42	·02	·02		·10	·49					15
16	·05	·03	·22	·07			·12	·28					16
17	·08	·20		·05				·26	·26	·49			17
18		·05	·03	·07				·14	·16	·36	·56	·06	18
19	·04		·06	·28					·04		·26		19
20	·20		·32	·05								·45	20
21	·03		·83	·02								·59	21
22			·02	·05	·15					·10		·55	22
23		·19		·02				·06		·04	·04	·12	23
24				·01	·09	·16		·03		·12	·02	·27	24
25		·30	·11					·30			·10		25
26	·06	·06				·16		·03	·22	·10			26
27	·07	·03	·83				·10	·17	·04	·28			27
28		·64	·40			·02			·09	·10		·12	28
29		·20				·16		1·50		·26		·36	29
30		✕				·16				·46		·05	30
31		✕		✕		✕		·03	✕	·12	✕	·02	31
Total	1·18	3·65	3·81	·87	1·82	1·62	1·08	3·54	·94	4·39	2·75	3·31	YEAR'S TOTAL 28·96
Rain Days.	13	19	20	14	15	14	11	13	8	21	12	13	173

W. 8,000. X. 15.

2201

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Lechlade

in the County of Gloucestershire

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06	.04				.75	.14		.05		1
2	.03			.13		.14		.02					2
3	.02			.04			.03	.10		.50			3
4		.05	.04				.05			.45			4
5	.30			.12					.11	.25	.17		5
6						.06				.02	.16		6
7	.14						.39	.18		.35		.02	7
8	.24		.02	.12			1.08	.19	.04	.26	.07	.27	8
9	.02		.22	02	.12		.21	.39	.08		.05		9
10	.20		.24	.13	.10			.08		.04			10
11	.05		.42	24				.29	.30	.10	.02		11
12	.04		.02			.47		.19		.27			12
13			.17			.02		.42	.04	.02		.02	13
14			.02	.04									14
15								.15		.03		.10	15
16	.02	.12		12	.02					.45		.66	16
17		.03		.10	.50		.35	.03	.36	.06			17
18		.07			.02		.19		.56	.06			18
19		.32	.10						.07		.01		19
20		.16	.24		.43						.04		20
21			.12			.12					.03		21
22			.07			.20		.06		.07			22
23		.15			.02	.06		.16					23
24		.14				.26	.02	.13		.24	.02		24
25		.06	.02						.04				25
26								.42	.09		.02		26
27		.02			1.40	.04		.74			.18		27
28			.12			1.14		.36					28
29		×	.02		.10	.62	.05	.06		.29		.17	29
30		×	.09				.42	.16					30
31		×	.04	×		×	.05		×	.04	×	.08	31
Total	1.06	1.12	2.03	1.10	2.71	3.13	2.84	4.88	1.83	3.50	.82	1.32	YEAR'S TOTAL 26.34
Rain Days.	10	10	18	11	9	11	11	20	11	18	12	7	148

W. 8,000, VIII. 16

Dh

under own stat by B (obs agrees)

80
~~272~~
2201

FORM A.
BRITISH RAINFALL.

30 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Lechlade

in the County of Gloucestershire

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·04	·04			·06		·03	·33	·04	1
2		·11		·10				·32		·05	·13	·10	2
3		·06		·09	·19			·35	·15	·03	·03	·02	3
4		·04	·02	·12				·03	·06	·02	·43		4
5		·18		·02	·43			·06	·02	·11			5
6		·10		·18						·05		·09	6
7	·14	·10		·04	·41	·01			·04	·15	·17		7
8	·02			·05					·12	·10		·05	8
9		·24		·18		·14	·29		·49	·22		·04	9
10	·04			·19			·38		·07	·10		·19	10
11	·06			·05	·03		·12		·29	·16	·08	·11	11
12		·12	·05		·32		·06		·07			·02	12
13					·06		·35		·27	·02		·23	13
14	·36		·09			·10	·59		·39	·10		·09	14
15	·65			·76	·02		·14		·04			·15	15
16	·39			·36		·02		·02	·12		—	·04	16
17	·28			·14	·02		·27	·03		·02		·06	17
18	·43					·36	·07		·19	·02		·20	18
19	·02	·03	·14	·07		·02	·05		·03	·05		·03	19
20	·03	·15		·44		·03	·30		·26	·03		·29	20
21				·07					·55	·07		·04	21
22	·14				·10		·15		·07	·02		·19	22
23	·05				·24		·17				·04		23
24		·06					·03		·03		·10		24
25							·29	·40			·02		25
26							·41		·04	·03	·12	·11	26
27		·02	·02			·02		·17	·13		·08	·04	27
28		·01	·16	·03							·12	·09	28
29		✕	·09		—				·98		·01	·03	29
30		✕	·15								·10	·02	30
31		✕	·12	✕		✕		·14	✕		✕		31
Total	2·61	1·25	·84	2·93	1·86	·70	3·67	1·58	~~4·77~~ 4 41	1·38	1·76	2·27	YEAR'S TOTAL 25·26 ~~25·62~~
Rain Days.	~~13~~	~~14~~	~~9~~	~~18~~	~~11~~	~~8~~	~~16~~	~~10~~	~~22~~	~~20~~	~~14~~	~~24~~	~~179~~ 177

W. 8,000, IX. 17.

8L

2004
~~237~~
2201

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Lechlade, St. John's Loch
in the County of Gloucestershire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24		.02		.03	.18	.09			.08		1.04	1
2	.10		.01		.08		.08	.02	.27	.04	.06	.12	2
3	.78		.13		.01	.08	.14		.42		.02	.38	3
4	.10		.43			.22	.01	.06	.23		.04	.18	4
5		.45	.53				.01		.26		.01	.18	5
6	.04	.01	.05		.49							.06	6
7	.05		.17	.03							.07		7
8	.08		.03	.14	.11								8
9	.04		.02	.17							.05		9
10	.03		.32	.10								.08	10
11	.03		.05	.07	.04		.53					.01	11
12			.12			.76	.03			.16	.03	.02	12
13	.07			.14					.02	.07			13
14	.38			.25			.03		.06	.01		.01	14
15	.09	.10	.01	.08	.02							.41	15
16	.04	.74									.11	.01	16
17		.21		.02							.14		17
18			.35					.17			.04	.03	18
19	.16	.17	1.19			.10	.87	.31	.05		.07	.01	19
20	.35	.05	.17			.10	.02	.30	.04		.04	.05	20
21	.09	.41				.07	.19	.01				.07	21
22		.17					.04		.14			.12	22
23						.03		.02		.25	.05		23
24				.03		.01				.63	.06	.14	24
25	.07					.01		.29				.06	25
26	.10		.09	.09			.11	.01	.10			.21	26
27	.04			.57				.47				.02	27
28			.15					.46			.19	.23	28
29	.02							.03		.06		.13	29
30				.19		.14		.28		.02	.21	.27	30
31													31
Total	2.90	2.31	3.84	1.88	.78	1.70	2.15	2.43	1.59	1.32	1.19	3.84	YEAR'S TOTAL 25.93
Rain Days.	21	9	18	13	7	11	13	13	10	9	16	24	164

25.93
65

W. 6,500, VII. 18. w w c

320

1917

2201

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Lechlade, St. John's Lock

in the County of Gloucestershire

by R. A. Swarbrick

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				24	·33		·24			·46	·02	18	1
2				06			·09	·20	·03	·11		·06	2
3		·04		12		·01	·76		·03	·13		·04	3
4			·07	04			·02	·38		·12			4
5			·09	07	·02		·68			·62			5
6			·12		·08		·31			·15		·02	6
7	·01		·02	05			·28						7
8	·02	·03		38	·02		·49						8
9	·16			2·00		·01		·01					9
10	·32	·06	·02	13		·10	·31				·01	·07	10
11	·29	·01	·09	22	·35	·05	·06						11
12	·06	·02	·02	07	·01	·60	·02	·02			·02		12
13	·06	·03	·29	02					·03			·02	13
14			·35	25		·14	·03		·03	·03	·22		14
15		·08	·09	14		·13			·05	·27	·05		15
16	·02			03	·04	·25	·03		·15	·05	·05		16
17	·03			11	·21	·01			·23	·01		·01	17
18	·01			06	·04	·02		·19	·28			·01	18
19		·02		17	·10	·09			·21				19
20	·02	·32		13		·29						·10	20
21				03			·04		·05			·02	21
22				12				·01	·07			·24	22
23							·45	·07				·26	23
24	·06		·10								·06	·07	24
25	·01	·07	·08				·29						25
26	·14		·12		1·22	·05	·10					·07	26
27	·21	·01	·03	18		·44	·02				·02	·15	27
28	·51		·02		·63		·02						28
29	·11		·03		·04	·06	·02				·05	·21	29
30	·02	X	·11	02		·10	·28		·25		·10	·17	30
31	·09	X	·07	X		X			X	·64	X	·16	31
TOTAL	2·15	·69	1·72	4·64	3·09	2·35	4·54	·88	1·41	2·59	·60	1·86	YEAR'S TOTAL 26·52
Days with ·01 in. or more	19	11	18	23	13	16	21	7	12	11	10	18	179
04	11	5	12	19	10	12	14	4	8	9	6	13	123

(44[illegible]). Wt.[illegible]58—218[illegible] 7500. 10/19. Gp.132. A.&E.W.

DL

RE

1

FORM A2.
BRITISH RAINFALL

26 JAN 1912

35-8

LECHLADE
CLAYDON HSE

GLOUCESTER

1911 - 1920

Kept at Claydon

in the County of E. G

by T. T. S. Metc

5 in.

e Ground 1 ft. in.

Sea Level 250 ft.

2202

Name

Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of thi … ent of rain, the selection and placi … tish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·02	·24			·02	·01		—	·04		1
2	·03			·04	·25			·09		·03	·20	·08	2
3			·01		·27					·02	·06	·04	3
4	·02		·11	·01		·01			·02	·12	·12	·40	4
5	·02		·01	·01				·47		·10	·02	·01	5
6	·25		·04								·03	·43	6
7	·02									·12	·56	·02	7
8	·17		·12								·01	·19	8
9	·09		·01								·03	·13	9
10	·04	·13	·16									·17	10
11	·16				·13						·68	·01	11
12	·01		·51		·02				·01		·60	·08	12
13			·02		·13				·36	·06	·01	·45	13
14		·01	·01									·34	14
15		·01	·01			·01					·12	·01	15
16						·17					·49	·09	16
17						·06					·01	·27	17
18		·29	·03	·03		·13				·02		·25	18
19				·02		·49			·27	·15	·05	·06	19
20	·01	·07	·11	·02					·16	·10		·40	20
21		·11	·01					·06	·01	·32		·05	21
22	·01	·01	·20	·01		·05		·03		·13		·63	22
23		·16	·08			·25			·08	·05		·14	23
24	·01	·08	·02			·31				·46		·15	24
25		·08	·01	·10	·15	·04			·05	·10		·04	25
26		·14		·17	·01	·02				·30	·15	·22	26
27		·28	·17	·06				·11	·25	·03	·10	·17	27
28		·29		·46				·16			·04	·01	28
29				·02		·28	·01		·15	·22	·01		29
30			·01	·06	·23	·02		·40	·01	·16			30
31					·01					·03			31
Total	·87	1·66	1·67	1·25	1·20	1·84	·03	1·33	1·37	2·52	3·33	4·84	TOTAL for year 21·91
No. of Rain Days	14	13	21	14	9	13	2	8	11	19	20	27	171

9,000, IX. '10.

DL

35-5

FORM A2. BRITISH RAINFALL

26 JAN 1912

2202

REGISTER OF RAINFALL IN 1911

Kept at Claydon House, Lechlade

in the County of E. Gloucestershire 7

by T. T. S. Metcalfe

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 250 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.02	.24			.02	.01			.04		1
2	.03			.04	.25			.09		.03	.20	.08	2
3			.01		.27					.02	.06	.04	3
4	.02		.11	.01		.01			.02	.12	.12	.40	4
5	.02		.01	.01				.47		.10	.02	.01	5
6	.25		.04								.03	.43	6
7	.02									.12	.56	.02	7
8	.17		.12								.01	.19	8
9	.09		.01								.03	.13	9
10	.04	.13	.16									.17	10
11	.16				.13						.68	.01	11
12	.01		.51		.02				.01		.60	.08	12
13			.02		.13				.36	.06	.01	.45	13
14		.01	.01									.34	14
15		.01	.01			.01					.12	.01	15
16						.17					.49	.09	16
17						.06					.01	.27	17
18		.29	.03	.03		.13				.02		.25	18
19				.02		.49			.27	.15	.05	.06	19
20	.01	.07	.11	.02					.16	.10		.40	20
21		.11	.01					.06	.01	.32		.05	21
22	.01	.01	.20	.01		.05		.03		.13		.63	22
23		.16	.08			.25			.08	.05		.14	23
24	.01	.08	.02			.31				.46		.15	24
25		.08	.01	.10	.15	.04			.05	.10		.04	25
26		.14		.17	.01	.02				.30	.15	.22	26
27		.28	.17	.06				.11	.25	.03	.10	.17	27
28		.29		.46				.16			.04	.01	28
29				.02		.28	.01		.15	.22	.01		29
30			.01	.06	.23	.02		.40	.01	.16			30
31					.01					.03			31
Total	.87	1.66	1.67	1.25	1.20	1.84	.03	1.33	1.37	2.52	3.33	4.84	TOTAL for year 21.91
No. of Rain Days	14	13	21	14	9	13	2	8	11	19	20	27	171

9,000, IX. '10.

82

Exa DB

358

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Claydon House, Lechlade

in the County of Gloucestershire

by T. T. S. Metcalfe

Rain Gauge { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft. 2202

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·36	·28		03	·51		·17	1
2			·13	·04		·18	31						2
3	·03		·06		·03	·09	·18	·47	·02		·02	·06	3
4	·17		·92		·14	·83	·01	·15			·21		4
5	·24	·05	·12		·03	·06		·34			·01	·03	5
6	·68	·19			·04		·30	·47				·15	6
7		·21	·02		·05	·53		·15				·07	7
8	·40	·11	·21			·02	·09	·13	·05			·08	8
9	·07	·05	·20	·08		·27	·01					·22	9
10	·01	·07				·17		·08			·07	·08	10
11	·12	·03	·01			·01		·02			·08	·29	11
12	·07	·35	·12		·02	·01	·03				·02		12
13		·02					·04	·08			·03		13
14	·08		·32		·41			·10		·01	·01		14
15	·07	·09	·01		·22	·32		·02			·01	·36	15
16	·48	·01	·08		·07	·02		·05		·07	·03	·02	16
17	1.14		·06			·04		·34			·01	·24	17
18	·12		·43		·03			·03		·03		·03	18
19	·06	·05	·01				·20	·32		·02		·01	19
20	·02	·02	·26				·04	·23		·27	·06		20
21	·01	·08	·32		·79			·19		·28			21
22	·62	·11	·05		·56	·09	13	·10		·03		·11	22
23	·24	·70	·41				·12	·36		·05	·06	·40	23
24	·02	·03	·02			·07	·02	·16		·01		·12	24
25						·07		·43		·03	·28	·42	25
26		·03					·22	·42		·44	·45	·07	26
27						·11	·28	·01		·62		·29	27
28		·08					·03	·43	·15	·26	·28	·85	28
29		·04				·14	·46		·67	·52	·01	·02	29
30						·25	·13		·14	·35			30
31			·04		·14		·42	·14		·02		·03	31
Total	4.65	2.32	3.87	·12	2.53	3.64	3.30	5.22	1.06	3.52	1.64	4.12	TOTAL for year 35.99
No. of Rain Days.	20	20	22	2	13	20	20	25	6	17	17	23	205

W. 8,000, X. '11.

DL √ 365

FORM A. BRITISH RAINFALL.

28 JAN

2202

REGISTER OF RAINFALL IN 1913

Kept at Lechlade, Claydon House Eng D.S.S

in the County of Gloucestershire 7

by T. T. S. Metcalfe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.20	12	.12	.07				1.14		.11	.04	1
2		.10		.07					.15	.21	.04	.01	2
3	.01	.01	.13		.28					.02		.15	3
4	.54	.02	.04		.25		.01			.27	.02	.15	4
5	.01	.02				.05	.08		.04	.02	.01	.05	5
6	.01	.05	.23		.27	.11	.71			.34	.03	.39	6
7		.28			.12	.09	.01			.25	.21		7
8		.07			.12	.01				.42			8
9		.19			.01	.02	.21	.33	.20	.01	.02		9
10	.12		.01	.19	.01	.01		.05			.49		10
11	.74	.01		.50	.07			.02		.11	.45	.01	11
12		.02			.26			.01	.07	.01	.25		12
13	.11								.16		.21		13
14	.08		.20	.03			.14	.06	.01	.10			14
15	.07	.08	.33	.71			.45		.06		.01		15
16	.08		.44	.02							.01		16
17	.01	.01	.07	.16		.07	.12		.02				17
18	.05		.06	.19	.02		.03		.03				18
19	.47		.08	.01		.02	.02		.22			.03	19
20	.18		.17	.05						.17	.08		20
21	.01		.18	.10	.26		.01				.31		21
22	.47		.30	.30	.02			.02	.26				22
23						.07		.03			.01	.11	23
24	.02			.09									24
25		.11		.20					.01	.02		.01	25
26		.05		.16				.12		.19		.16	26
27		.02	.09	.08						.06			27
28	.38		.14	.21						.20			28
29			.38	.59	.02			.01		.13		.02	29
30	.22									.23			30
31			.06		.02			.03					31
Total	3.60	1.24	3.03	3.78	1.80	.45	1.79	.68	2.37	2.76	2.26	1.13	YEAR'S TOTAL 24.89
Rain Days.	20	16	18	19	15	9	11	10	13	18	16	12	177

W. 7,500, XI. ·12

88

353

FORM A.
BRITISH RAINFALL.

28 JAN 1915

2202

REGISTER OF RAINFALL IN 1914

Kept at Lechlade

in the County of Gloucestershire 7

by T. T. S. Metcalfe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.04			.07	.34			.07		1
2				.03			.41	.15			1.25	.34	2
3	.01		.07	.11	.21		.19	.07			.02	.11	3
4	.15			.23	.12		.10	.68			.37	.33	4
5			.09	.23	.01		.20	.04			.21	.06	5
6		.04	.04	.05	.04		.01	.01			.15	.16	6
7		.22	.22	.14	.17	.07	.59	.08			.01	.14	7
8	.03	.04	.64	.02	.06	.59	.02	.08				.06	8
9	.07		.31	.10	.03	.72		.06	.13				9
10	.05	.12	.03	.06	.10			.01	.21				10
11		.08	.27	.04	.10	.49	.02				.12	.41	11
12		.07	.15			.01	.31		.22		.04	.31	12
13	.01	.37	.21						.23	.17	.05	.24	13
14		.19	.35				.20		.01	.71	.15	.03	14
15	.01	.06	.07				.12	.21	.23	.02	.26		15
16			.02						.03		.01		16
17		.21	.11						.01			.38	17
18		.01	.01				.36					.58	18
19		.09	.26				.92				.06	.01	19
20		.10	.25			.10		.06			—	.15	20
21		.40	.08					.01		.15		.10	21
22		.01	.04		.11	.09	.01	.04		.11			22
23		.05	.05		.03		.11			.09		.10	23
24			.08		.07		.03	.01		.18	.10		24
25	.05		.23					.23		.22	.01	.21	25
26			.06				.05	.03		.06	.12	.31	26
27	.05		.01								.02	.21	27
28		.05	.06		.03		.01				.42	.78	28
29	.04		.08		.04					.22	.23		29
30	.02		.13		—	.02				.17	.59	.44	30
31							.22			.05		.01	31
Total	.51	2.11	3.92	1.05	1.12	2.09	3.95	2.11	1.07	2.15	4.26	5.47	YEAR'S TOTAL 29.81
Rain Days.	12	17	27	11	14	8	20	17	8	12	21	23	190

W.7,000, XI. 13

8L

2309
346

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2202

Kept at Lechlade
Exe Dt
in the County of Gloucestershire
by T. T. S. Metcalfe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·09	·06		·11		·06	·05	·16	22	·04	·13	1
2	·31	·22	·25	·08		·02		1·19	·01	·46		·10	2
3	1·08	·01	·02	·15	·03		·02	·12		·01		·15	3
4	·01				·03		·45	·01				·67	4
5	·01	·26			·01			·06				·24	5
6	·23	·04		·12			·43					·24	6
7	·12	·34		·04			·14	·08				·11	7
8	·33	·20		·01			·03	·06			·02		8
9	·07			·21		·02		·01			·17	·71	9
10	·15		·02	·02				·41		·01		·01	10
11	·03		·09	·06	·02			·01			·71	·02	11
12	·05	·05		·18	·33			·16		·02	·54	·03	12
13	·03	·38		·01	·73				·02				13
14	·08	·04					·12	·03	·06	·02		·53	14
15	·13			·02	·04		·01	·13		·06	·04	·07	15
16		·41			·20		·65	·27				·02	16
17		·51			1·59			·01				·01	17
18		·25	·04		·02								18
19					·08		·21						19
20	·25			·05								·14	20
21	·08	·01					·04			·13		·05	21
22	·11	·24	·48	·04	·05		·52		·02			·13	22
23		·03	·26			·25	·28		·26	·63		·42	23
24			·02	·08		·01	·11		·57	·56		·19	24
25				·01		·57	·01		·01	·01		·20	25
26		·15					·10					·38	26
27		·02				·26	·28		·01	·39		·01	27
28		·03				·01	·40		·65	·01			28
29							·58	·10			·08	·02	29
30	·06	×		·01		·21				·06	·22	·05	30
31	·03	×		×		×	·01	·02	×	1·23	×	·27	31
Total	3·55	3·28	1·24	1·09	3·24	1·35	4·45	2·72	1·77	3·82	1·82	4·90	YEAR'S TOTAL 33·23
Rain Days.	20	19	9	16	13	8	20	17	10	15	8	26	181

W. 8,000. X. 14.

8L

Ex 82

2245
~~300~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2202

Kept at Lechlade, Claydon House
in the County of Gloucestershire
by T. T. S. Metcalfe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·01		·18	·04	·16		·02	·09	·38		1
2	·55	·02	·05		·38	·01			·01	·78	·04		2
3		·53			·01	·02	·01		·03	·33	·08		3
4	·22	·14			·13	·18			·09	·51	·37		4
5	·01	·02	·01		·08	·03	·15			·10	·20		5
6	·02	·15	·01		·04	·24	·45			·03	·31		6
7	·03		·10		·03	·03	·02		–	·10	·31	·17	7
8			·06		·17	·02						·23	8
9					·19	·08	·02						9
10		·40	·03	·07	·02	·19				·01		·01	10
11	·01	·06	·07	·07	·04	·20						·41	11
12	·01	·04	·03	·05	·23	·01	·06	·01		·06			12
13		·38	·22	·04	·01		·01	·13		·03			13
14		·30	·07		·03			·07		·02			14
15		·12	·36	·03			·01	·57		·03			15
16	·06	·03	·15	·12	·03		·18	·18		·01			16
17	·12	·21		·06				·20	·30	·50			17
18		·04	·02	·07				·12	·12	·33	·56	·15	18
19	·08		·07	·26					·03	·01	·39		19
20	·15		·38	·04							·01	·57	20
21	·09		·84	·01	·08		·02				·01	·67	21
22			·01	·02	·07	·02				·09		·57	22
23	·02	·19		·05		·01		·05		·05	·07	·11	23
24		·16		·01	·08	·29		·05		·13	·01	·20	24
25	–	·21	·14			·02		·27	·30	·04	·17		25
26		·17	·01		·02	·13		·04	·04	·12	·03		26
27	·09	·08	1·35			·04		·42	·05	·28			27
28		·61	·08			·08			·06	·03	·02	·15	28
29		·16				·17		1·59		·26		·37	29
30		X			·04	·16		·01		·40		·06	30
31		X		X		X		·02	X	·21	X	·01	31
Total	1·54	4·02	4·07	·90	1·86	1·97	1·09	3·73	1·05	4·55	2·96	3·68	YEAR'S TOTAL 31·42
Rain Days.	15	21	22	14	20	21	11	15	11	26	16	14	206

W. 8,000. X. 15.

8L Ex DL

2139
~~290~~

FORM A.
BRITISH RAINFALL.

2202

REGISTER OF RAINFALL IN 1917

Kept at Lechlade

in the County of Gloucestershire

by T. T. S. Metcalfe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·06		·02		·71	·15		·04		1
2			·02	·12		·11		·02			·01		2
3				·02			·04	·17		·62			3
4		·11	·14				·03	·16		·32		·01	4
5	·33		·07	·14		·03		·01	·10	·26	·12		5
6			·10	·08		·14			·01	·08	·16		6
7	·17						·34	·16		·19	·02	·03	7
8	·49		·03	·14			1·13	·25	·03	·33	·07	·28	8
9			·13	·03	·21		·04	·19	·16	·02	·03	·01	9
10	·22		·25	·17	·09			·11		·02			10
11	·07		·38	·30				·44	·42	·16	·02		11
12	·04	·01	·03	·02	·01	·03		·05		·28	·01		12
13			·22	·02		·03		·20	·03	·02			13
14			·02	·02				·15		·01			14
15								·07		·04		·03	15
16		·09		·07	·04		·05			·28		·64	16
17	·02	·02		·09	·47		·32	·05	·32	·06			17
18	·01	·07		·01	·01	·01	·27		·65	·02			18
19	·01	·40	·09			·01			·06		·01		19
20		·13	·21		·44	·04	·05				·03		20
21		·01	·11		·01	·32					·03		21
22			·09			·11		·06	·01	·08			22
23		·16			·02	·01		·30		·02		·04	23
24		·14	·01			·28	·01	·09		·20	·02	·01	24
25		·07	·05						·02	·01			25
26			·01		·03			·35	·10		·20		26
27					1·30	·04		·83					27
28			·03		·01	1·34		·47				·02	28
29			·02		·08	·38	·06	·06		·31	·01	·16	29
30	·02	×	·05				·33	·13					30
31		×	·08	×		×	·02	·05	×		×	·05	31
Total	1·38	1·21	2·21	1·29	2·72	2·90	2·69	5·08	2·06	3·33	·78	1·28	YEAR'S TOTAL 26·93
Rain Days.	10	11	23	15	13	16	13	24	13	21	15	11	185

W. 8,000, VIII. 16

1·31

87
~~27~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Lechlade

in the County of Gloucestershire

by T. T. S. Metcalfe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 2202
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·04	·03			·07		·02	·25	·05	1
2		·14		·12				·29	·02	·01	·05	·14	2
3		·03	·01	·15	·18			·33	·21	·02	·08	·01	3
4		·07		·02				·03	·07	·01	·57	·02	4
5		·13			·40			·11	·03	·15	·01		5
6	·13	·08		·22		·02				·10		·07	6
7	·01	·11		·02	·41				·11	·14	·17	·02	7
8		·01		·01					·17	·07		·03	8
9	·01	·23		·14		·16	·32		·58	·24	·01	·11	9
10	·07			·19			·35		·06	·14		·25	10
11	·01			·05			·03		·37	·14	·08	·13	11
12		·10	·05		·33		·03		·01			·02	12
13		·01			·08		·32		·32	·02		·24	13
14	·33		·08			·13	·60		·34	·11		·12	14
15	1·24			·49	·01		·19					·32	15
16	·25			·57		·08	·01	·03	·13			·03	16
17	·16			·13	·02		·44	·01	·01	·04		·08	17
18	·56					·35	·18		·20			·22	18
19	·02	·02	·15	·05			·03		·04	·03		·03	19
20		·17		·46		·02	·05		·25	·01	·01	·03	20
21	·05			·03		·01			·56	·04		·05	21
22	·13				·07		·17		·05	·07	·01	·23	22
23	·07				·22		·12	·02			·02	·02	23
24		·11					·08	·01	·03		·11		24
25							·26	·40		·02			25
26							·41		·03	·07	·13	·14	26
27		·02				·04		·19	·15		·10	·03	27
28		·06	·16	·02							·14	·08	28
29			·08						1·02		·01	·01	29
30		✕	·26						·03		·08	·05	30
31		✕	·05	✕		✕		·12	✕	·02	✕		31
Total	3·04	1·32	·84	2·71	1·75	·81	3·59	1·61	4·79	1·47	1·83	2·53	YEAR'S TOTAL 26·29
Rain Days.	14	16	8	17	10	8	17	12	24	21	17	27	191

W. 8,000, IX. 17.

81 Ex 81 2005 ~~252~~

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

2202

Kept at Lechlade, Claydon House

in the County of Gloucestershire

by T. T. S. Metcalfe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·02	·02		·02	·18	·10			·11		·97	1
2	·09		·01		·07		·10	·03	·32	·04	·07	·10	2
3	·99		·11		·01	·17	·16		·35		·03	·40	3
4	·11	·02	·43			·13		·10	·29		·04	·12	4
5		·34	·54				·03		·35		·02	·20	5
6	·06	·01	·04		·70							·08	6
7	·08		·25	·05							·04	·03	7
8	·22		·02	·14	·01								8
9	·06		·03	·25							·07		9
10	·02		·38	·08							·05	·08	10
11	·02		·09	·08	·06		·53			·01			11
12			·25	·02		·72				·14	·02	·03	12
13	·08			·22					·02	·07			13
14	·43	·02		·24			·05		·08			·02	14
15	·16	·09		·10	·03							·42	15
16	·12	·78									·13		16
17		·27		·02							·10		17
18			·38				·01	·21	·02		·05	·05	18
19	·04	·22	1·30			·13	·96	·27	·06		·09		19
20	·56	·09	·21			·10	·03	·22	·01		·03	·03	20
21	·05	·52	·01			·05	·24	·01	·02		·01	·08	21
22		·18					·04		·17			·10	22
23						·04		·03		·29	·08		23
24				·05		·02			·01	·66	·04	·17	24
25	·08							·21				·02	25
26	·04	·01	·07	·07			·16	·01	·11			·30	26
27	·09			·78				·56				·01	27
28	·03		·29					·44			·17	·22	28
29	·02			·01				·03		·11	·02	·24	29
30		X		·20		·15		·29		·03	·21	·29	30
31		X	·02	X		X		·01	X	·01	X		31
Total	3·65	2·57	4·45	2·31	·90	1·69	2·41	2·42	1·81	1·47	1·27	3·96	YEAR'S TOTAL 28·91
Rain Days	22	13	19	15	7	10	12	14	13	10	19	22	176

1918

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Stn. No 2202

Kept at Lechlade, Claydon House

in the County of Gloucestershire

by S. T. S. Metcalfe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·21	38		·25			·50	·02	·23	1
2			·01	·06			·05	·14	·04	·05		·11	2
3		·05		·14		·04	·66		·05	·18		·02	3
4			·08	·06			·02	·43		·18			4
5			·15	·02	·03		·76	·01		·76			5
6			·14		·08		·12			·04		·01	6
7	·02			·07	·01		·20						7
8	·03	·05		·75	·03		·34			·01		10	8
9	·25			2·33		·02		·02					9
10	·56	·03	·04	·20		·16	·32	·02			·03	·02	10
11	·17	·02	·12	·21	·36	·13	·06						11
12	·08	·03	·01	·08		·61	02	·02			·02		12
13	·07	·02	·33	·03					·04			·03	13
14	·02	·02	·54	·24		·17	·05		·04	·07	·25	·01	14
15	·01	·09	·04	·14	·01	·14	·01		·06	·16	·08		15
16				·03	·07	·22	·04		30	·06	·05		16
17	·02			·08	·23	·01			·28	·01	·4	01	17
18	·04			·07	·06	·03		·18	·21			·01	18
19	·03	·05		·20	·06	·15		·01	·36			·01	19
20	·03	·26		·16		·29			·01		·01	·11	20
21				·02			·03	·01	·06			·05	21
22	·01			·13			·02	·03	·05			·25	22
23							·48	·05				·31	23
24	·08		·14	·01							·07	·10	24
25	·02	·07	·06				·34						25
26	·22		·14	·01	·25	·04	·08					·09	26
27	·25	·03	·03	·17		·40	·02				·02	·17	27
28	·52		·03		·54	·01	·03						28
29	·14		·03		·05	·11	·15				·07	·27	29
30	·03	✕	·08	·02	·01	·13	·16		·26		·11	·21	30
31	·13	✕	·07	✕	·01	✕			✕	·60	✕	·18	31
TOTAL	2·73	·72	2·04	5·44	2·18	2·66	4·21	·92	1·76	2·62	·73	2·30	YEAR'S TOTAL 28·31
Days with ·01 in. or more	22	12	18	25	16	17	23	11	13	12	11	21	201
	12	6	13	13	10	13	16	4	12	10	6	13	133

(44283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

GLOUCESTER.

LITTLE
BARRINGTON.

1912–1913

FORM A.
BRITISH RAINFALL.

REGIST 12

Kept at Barrington G
1°40′32″W
Bampton Oxon
Bourton Glos each
Shipton Oxon 9 Lm miles

13 JAN 1913

in the County of Gloucest
5 in.

by C. J. B. Hurst
bove Ground 1 ft. – in.
Sea Level 395 ft.

NOTE.—Rain should be measured daily of rain and particulars as to the British Ra to Dr. H. R. MILL, 62, Camden Square, London, N.W. Full instructions for the measurement servers," sent post-free on application

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12			·31	·29	·21	·01			·03	1
2			·18	·04		·33	·38					·16	2
3			·11		·14	·14	·16	·66					3
4	·22		·79		·18	·69		·04			·26		4
5	·27	·08	·1		·13			·54				·11	5
6	·41	·13			·03		·14	·91				·3	6
7		·22	·01		·07	·94	·44	·1				·09	7
8	·59	·17	·29			·01	·06					·06	8
9	·07	·09	·34	·04		·24		·1				·4	9
10		·13		·01		·09					·13	·01	10
11	·21	·07				·03		·05			·13	·32	11
12	·07	·35	·16	·01			·02				·04	·01	12
13	·01	·05						·03			·01	·01	13
14	·25		·58		·29			·05					14
15	·17	·14	·02		·29	·32					·09	·25	15
16	·63		·21		·15	·01		·1	~~·12~~	·12			16
17	1·27		·33			·09		·48				·25	17
18	·23	·01	·35					·04	~~·05~~	·05		·01	18
19	·09	·06					·13	·27	~~·03~~	·03			19
20	·04	·02	·39				·1	·23		·25			20
21		·09	·37		·57			·19		·36			21
22	·56	·14	·07		·39	·14	·45	·15		·03		·19	22
23	·09	·39	·42			·05	·06	·35		·06	·04	·39	23
24	·04	·03	·02			·25	·02	·09	·01			·13	24
25						·25		·38			·4	·41	25
26		·06	·02				·16	·64		·55	·28	·19	26
27		[illegible]				·13	·33			·63		·25	27
28		·09				·05	·5	·7	·2	·39	·29	·81	28
29		·07				·6	·13		·69	·45			29
30					·02	1·	·17		·09	·35			30
31			·05		·23		·63	·07				·09	31
Total	5·22	2·39	4·93	·1	2·49	5·67	4·17	6·38	1·	3·27	1·67	4·47	TOTAL for year 41·76
No. of Rain Days	18	20	21	4	12	20	18	23	5	12	10	22	185

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGIST 2

FORM A.
BRITISH RAINFALL.

13 JAN 19[illegible]

Kept at Barrington Grove
in the County of Gloucester
by C. J. B. Hurst Esq CB.

1°40′32″W
Nearest Railway Station Barrington Oxon / Bourton Glos / Shipton Oxon } each 8 miles
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 395 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12			·31	·29	·21	·01			·03	1
2			·18	·04		·33	·38					·16	2
3			·11		·14	·14	·16	·66					3
4	·22		·79		·18	·69		·04			·26		4
5	·27	·08	·1		·13			·54				·11	5
6	·41	·13			·03		·14	·91				·3	6
7		·22	·01		·07	·94	·44	·1				·09	7
8	·59	·17	·29			·01	·06					·06	8
9	·07	·09	·34	·04		·24		·1				·4	9
10		·13		·01		·09					·13	·01	10
11	·21	·07				·03		·05			·13	·32	11
12	·07	·35	·16	·01			·02				·04	·01	12
13	·01	·05						·03			·01	·01	13
14	·25		·58		·29			·05					14
15	·17	·14	·02		·29	·32					·09	·25	15
16	·63		·21		·15	·01		·1	~~·12~~	·12			16
17	1·27		·33			·09		·48				·25	17
18	·23	·01	·35					·04	~~·05~~	·05		·01	18
19	·09	·06					·13	·27	~~·03~~	·03			19
20	·04	·02	·39				·1	·23		·25			20
21		·09	·37		·57			·19		·36			21
22	·56	·14	·07		·39	·14	·45	·15		·03		·19	22
23	·09	·39	·42			·05	·06	·35		·06	·04	·39	23
24	·04	·03	·02			·25	·02	·09	·01			·13	24
25						·25		·38			·4	·41	25
26		·06	·02				·16	·64		·55	·28	·19	26
27		[illegible]				·13	·33			·63		·25	27
28		·09				·05	·5	·7	·2	·39	·29	·81	28
29		·07				·6	·13		·69	·45			29
30					·02	1·	·17		·09	·35			30
31			·05		·23		·63	·07				·09	31
Total	5·22	2·39	4·93	·1	2·49	5·67	4·17	6·38	1·	3·27	1·67	4·47	TOTAL for year 41·76
No. of Rain Days	18	20	21	4	12	20	18	23	5	12	10	22	185

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S. made ✓

REGISTER OF RAINFALL IN 1913

FORM A2. BRITISH RAINFALL. 7 JAN 1914

Kept at Barrington Grove Ex R

in the County of Gloucester 7

by C J B Hurst Esq. CB, KC.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 395 ft.

Time of Observation 9 am

Nearest Railway Station
Name Shipton
Distance 7 m. Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·23	·20	·03	·07				1·2		·23	·02	1
2		·11	·01	·18					·22	1·24	·05		2
3	·04		·08		·42							·67	3
4	·85				·3				·04	·26	·03	·21	4
5			·04				·06		·02	·11	·04		5
6	·02	·16	·10		·27	·18	·61			·32		·35	6
7		·38			·2	·03	·01			·34	·3		7
8		·12			·15	·21				·46			8
9		·22			·02	·05		·22	·12		·05		9
10	·15			·05	·05			·11			·43		10
11	1·23			·45	·07			·01		·11	·47	·02	11
12					·3				·08		·37		12
13	·07								·28		·19		13
14	·14		·25	·02			1·16	·11		·07			14
15	·09		·44	·7			·38		·14				15
16	·06		·50	·19									16
17	·02		·05	·08			·16						17
18			·14	·18									18
19	·56		·13			·08	·06		·2			·06	19
20	·15		·20	·11			·01			·25	·17		20
21			·19	·21	·24		·01			·05	·43		21
22	·63		·45		·02			·09	·35				22
23						·06						·08	23
24	·05			·12									24
25		·16		·13				·04					25
26		·04		·18						·19		·25	26
27			·06	·27	·1			·12		·09			27
28	·35		·22	·24						·18		·03	28
29	·06		·61	·52	·02					·08		·06	29
30	·26									·23	·04		30
31	·01		·10		·08			·06		·02			31
Total	4·69	1·42	3·77	3·66	2·31	·61	2·46	·76	2·65	4·00	2·80	1·15	TOTAL for year 30·[illegible] ·28 148
No. of Rain Days.	18 ✓	8 ✓	18 ✓	17 ✓	15 ✓	6 ✓	9 ✓	8 ✓	10 ✓	16 ✓	13 ✓	10 ✓	

W. 8,000, X. '11.

GLOUCESTER.

LONGNEY VICARAGE.

1911.

FORM A.
BRITISH RAINFALL.

4 - JAN 1912

REGIST

Kept at Longney Vica ... 2′·20′ W.
Haresfield M.R. distance 4m. Direction E.

in the County of Glouces

by Walter E. Stewart, MA, F

5 in.

Ground 1 ft. — in.

Sea Level 55 ft.

NOTE.—Rain should be measured daily at ... instructions for the measurement of rain and particulars as to the British Rainf... "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	—	0·01	0·13	—	—	0·01	0·13	—	—	—	0·05	1
2	—	—	—	0·04	0·34	—	—	0·27	0·02	0·06	0·15	0·15	2
3	—	—	—	—	0·41	—	—	—	—	—	0·09	0·03	3
4	—	—	0·13	—	—	—	—	—	0·03	0·04	0·31	0·27	4
5	0·10	—	0·02	0·01	—	—	—	0·13	—	0·01	0·02	0·03	5
6	0·25	—	0·14	—	—	—	—	—	—	—	0·09	0·70	6
7	0·01	—	0·01	—	—	—	—	—	—	—	0·42	—	7
8	0·15	—	0·11	—	—	—	—	—	—	—	0·04	0·14	8
9	0·13	—	0·03	—	—	—	—	—	—	—	0·12	0·14	9
10	0·01	0·09	0·27	—	0·03	—	—	—	—	—	0·05	0·19	10
11	0·19	—	—	—	0·09	0·02	—	—	—	—	0·70	—	11
12	—	—	0·62	—	—	—	—	—	0·08	—	0·21	0·09	12
13	—	—	—	—	0·05	—	—	—	0·32	0·41	—	0·34	13
14	—	—	0·02	—	—	—	—	—	—	—	—	0·65	14
15	—	0·02	0·01	—	—	—	—	—	—	—	0·26	0·18	15
16	—	—	—	—	—	0·19	—	—	—	—	0·21	0·36	16
17	—	—	—	—	—	—	—	—	—	—	0·21	0·29	17
18	—	0·20	0·02	—	—	—	—	—	—	0·01	—	0·37	18
19	0·01	—	—	0·06	—	0·71	—	—	0·07	0·32	—	0·10	19
20	0·01	0·02	0·09	0·01	—	—	—	—	0·06	0·05	—	0·47	20
21	—	0·21	0·13	—	—	—	—	0·19	0·01	0·40	—	0·13	21
22	—	0·04	0·18	—	—	0·25	—	—	—	0·07	—	0·49	22
23	—	0·22	0·10	—	—	0·16	—	—	0·05	0·31	—	0·17	23
24	—	0·08	—	—	—	0·46	—	0·13	—	0·21	—	0·16	24
25	—	0·06	0·01	0·01	—	0·05	—	—	—	0·01	—	0·02	25
26	—	0·12	—	0·22	0·03	—	—	—	—	0·32	0·18	0·15	26
27	—	0·08	0·19	0·03	—	—	—	0·47	0·26	—	0·04	0·12	27
28	—	0·31	—	0·21	—	—	—	0·02	—	—	0·08	—	28
29	—		—	—	—	0·15	0·06	0·04	0·04	0·30	—	—	29
30	—		—	0·12	0·06	—	—	—	—	0·24	0·02	0·01	30
31	—		—		—		—	—		0·01		—	31
Total	0·89	1·45	2·09	0·84	1·01	1·99	0·07	1·38	0·94	2·77	3·20 3·20	5·80	22·43 22·43
No. of Rain Days	10	12	18	10	7	8	2	8	10	16	18	26	145

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
4 - JAN 1912

REGIST

Kept at Longney Vicarage
in the County of Gloucester. 3
by Walter E. Stewart, MA; FRAS; FRMet.S

Lat. 51°48'35"N Long. 2°20' W.
Nearest Railway Station Haresfield. MR. distance 4m. Direction E.
Time of Observation 9 am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 55 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	—	0·01	0·13	—	—	0·01	0·13	—	—	—	0·05	1
2	—	—	—	0·04	0·34	—	—	0·27	0·02	0·06	0·15	0·05	2
3	—	—	—	—	0·41	—	—	—	—	—	0·09	0·03	3
4	—	—	0·13	—	—	—	—	—	0·03	0·04	0·31	0·27	4
5	0·10	—	0·02	0·01	—	—	—	0·13	—	0·01	0·02	0·03	5
6	0·25	—	0·14	—	—	—	—	—	—	—	0·09	0·70	6
7	0·01	—	0·01	—	—	—	—	—	—	—	0·42	—	7
8	0·15	—	0·11	—	—	—	—	—	—	—	0·04	0·14	8
9	0·13	—	0·03	—	—	—	—	—	—	—	0·12	0·14	9
10	0·01	0·09	0·27	—	0·03	—	—	—	—	—	0·05	0·19	10
11	0·19	—	—	—	0·09	0·02	—	—	—	—	0·70	—	11
12	—	—	0·62	—	—	—	—	—	0·08	—	0·21	0·09	12
13	—	—	—	—	0·05	—	—	—	0·32	0·41	—	0·34	13
14	—	—	0·02	—	—	—	—	—	—	—	—	0·65	14
15	—	0·02	0·01	—	—	—	—	—	—	—	0·26	0·18	15
16	—	—	—	—	—	0·19	—	—	—	—	0·21	0·36	16
17	—	—	—	—	—	—	—	—	—	—	0·21	0·29	17
18	—	0·20	0·02	—	—	—	—	—	—	0·01	—	0·37	18
19	0·01	—	—	0·06	—	0·71	—	—	0·07	0·32	—	0·10	19
20	0·01	0·02	0·09	0·01	—	—	—	—	0·06	0·05	—	0·47	20
21	—	0·21	0·13	—	—	—	—	0·19	0·01	0·40	—	0·13	21
22	—	0·04	0·18	—	—	0·25	—	—	—	0·07	—	0·49	22
23	—	0·22	0·10	—	—	0·16	—	—	0·05	0·31	—	0·17	23
24	—	0·08	—	—	—	0·46	—	0·13	—	0·21	—	0·16	24
25	—	0·06	0·01	0·01	—	0·05	—	—	—	0·01	—	0·02	25
26	—	0·12	—	0·22	0·03	—	—	—	—	0·32	0·18	0·15	26
27	—	0·08	0·19	0·03	—	—	—	0·47	0·26	—	0·04	0·12	27
28	—	0·31	—	0·21	—	—	—	0·02	—	—	0·08	—	28
29	—		—	—	—	0·15	0·06	0·04	0·04	0·30	—	—	29
30	—		—	0·12	0·06	—	—	—	—	0·24	0·02	0·01	30
31	—		—		—		—	—		0·01		—	31
Total	0·89	1·45	2·09	0·84	1·01	1·99	0·07	1·38	0·94	2·77	3·20 3·20	5·80	22·43 22·43
No. of Rain Days	10	12	18	10	7	8	2	8	10	16	18	26	145

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2126

LYDBROOK, VIADUCT HOUSE

1914 – 90

R 4

FORM A. BRITISH RAINFALL.

18 MAY 1915

Kept at Lydbr 2½ deg W

in the County of 9 o'clock

Lydbrook Junction

by George Spea 5 in.

bove Ground 1 ft. in.

Sea Level about 95 ft.

IMPORTANT d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·04	·02	·06	–	·01	1·15	·25	–	–	·16	·25	1
2	–	–	–	–		–	·71	·07	–	–	·55	·46	2
3	–	–	–	·15	·29	–	·01	·07	–	–	·03	·06	3
4	·23	–	–	·22	·07	–	·18	·02	–	–	·50	·77	4
5	·06	–	·04	·16	·22	–	·17	–	–	–	·08	–	5
6	–	·18	·03	·07	·05	–	–	–	–	–	·03	·26	6
7	·01	·47	·16	·08	·35	·10	·30	·11	·01	–	–	·10	7
8	·03	–	·18	·04	·05	·82	·01	·06	·10	–	·01	·10	8
9	·02	·04	·22	·36	·04	1·36	–	·13	·12	–	–	–	9
10	·01	·47	–	·50	·01	·01	–	·01	·42	–	–	–	10
11	–	·14	·17	·03	·09	·30	1·04	–	·02	–	·07	·67	11
12	–	·21	·10	–	–	–	·03	–	·18	–	·07	·35	12
13	–	·30	·45	–	–	–	·03	–	·25	·27	·05	·42	13
14	–	·35	·46	–	–	–	·10	·01	–	·32	·28	·01	14
15	·03	·01	·15	–	–	–	·01	·22	·22	·04	·11	–	15
16	·01	–	·01	–	–	–	·09	–	·24	–	–	–	16
17	·02	·19	·32	–	–	–	·04	–	·02	–	–	·34	17
18	–	·01	·06	–	–	–	·12	–	–	·01	–	·34	18
19	–	·04	·05	–	–	–	·72	–	·07	–	·04	·19	19
20	–	·38	·04	–	–	–	·01	–	–	–	–	·14	20
21	–	·38	–	–	–	·02	·15	·12	–	·22	·01	–	21
22	–	·10	–	–	·16	·04	·01	·09	–	·12	–	–	22
23	–	·02	·13	–	·06	–	·02	·01	–	·22	–	–	23
24	–	–	·22	–	–	–	·01	·08	–	·13	·06	–	24
25	·07	–	·25	–	–	–	·02	·19	–	·24	·02	·11	25
26	–	–	·06	–	–	–	·07	·07	–	·11	·24	·61	26
27	·05	–	·01	–	–	–	·01	–	–	·01	·40	·21	27
28	·01	·08	·34	–	–	–	–	–	–	–	·11	·75	28
29	·04	–	·18	–	·07	–	–	–	–	·26	·32	–	29
30	·03	╳	·14	–	·01	·01	–	–	–	·23	·56	·91	30
31	·19	╳	–	╳	–	╳	·32	–	╳	·18	╳	·05	31
Total	·82	3·41	3·79	1·67	1·47	2·67	5·33	1·51	1·65	2·36	3·70	7·10	YEAR'S TOTAL 35·48
Rain Days.	16	18	24	10	13	9	25	16	11	14	21	21	198

W. 8,000. X. 14.

R 4

FORM A.
BRITISH RAINFALL.

18 MAY 1915

Kept at Lydbrook
in the County of Gloucester
by George Spearing Damsell

Lat. 5[illegible] N Long. 2½ degrees W
Time of Observation 9 o'clock
Nearest Railway Station Lydbrook Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·04	·02	·06	–	·01	1·15	·25	–	–	·16	·25	1
2	–	–	–	–		–	·71	·07	–	–	·55	·46	2
3	–	–	–	·15	·29	–	·01	·07	–	–	·03	·06	3
4	·23	–	–	·22	·07	–	·18	·02	–	–	·50	·77	4
5	·06	–	·04	·16	·22	–	·17	–	–	–	·08	–	5
6	–	·18	·03	·07	·05	–	–	–	–	–	·03	·26	6
7	·01	·47	·16	·08	·35	·10	·30	·11	·01	–	–	·10	7
8	·03	–	·18	·04	·05	·82	·01	·06	·10	–	·01	·10	8
9	·02	·04	·22	·36	·04	1·36	–	·13	·12	–	–	–	9
10	·01	·47	–	·50	·01	·01	–	·01	·42	–	–	–	10
11	–	·14	·17	·03	·09	·30	1·04	–	·02	–	·07	·67	11
12	–	·21	·10	–	–	–	·03	–	·18	–	·07	·35	12
13	–	·30	·45	–	–	–	·03	–	·25	·27	·05	·42	13
14	–	·35	·46	–	–	–	·10	·01	–	·32	·28	·01	14
15	·03	·01	·15	–	–	–	·01	·22	·22	·04	·11	–	15
16	·01	–	·01	–	–	–	·09	–	·24	–	–	–	16
17	·02	·19	·32	–	–	–	·04	–	·02	–	–	·34	17
18	–	·01	·06	–	–	–	·12	–	–	·01	–	·34	18
19	–	·04	·05	–	–	–	·72	–	·07	–	·04	·19	19
20	–	·38	·04	–	–	–	·01	–	–	–	–	·14	20
21	–	·38	–	–	–	·02	·15	·12	–	·22	·01	–	21
22	–	·10	–	–	·16	·04	·01	·09	–	·12	–	–	22
23	–	·02	·13	–	·06	–	·02	·01	–	·22	–	–	23
24	–	–	·22	–	–	–	·01	·08	–	·13	·06	–	24
25	·07	–	·25	–	–	–	·02	·19	–	·24	·02	·11	25
26	–	–	·06	–	–	–	·07	·07	–	·11	·24	·61	26
27	·05	–	·01	–	–	–	·01	–	–	·01	·40	·21	27
28	·01	·08	·34	–	–	–	–	–	–	–	·11	·75	28
29	·04	–	·18	–	·07	–	–	–	–	·26	·32	–	29
30	·03	X	·14	–	·01	·01	–	–	–	·23	·56	·91	30
31	·19	X	–	X	–	X	·32	–	X	·18	X	·05	31
Total	·82	3·41	3·79	1·67	1·47	2·67	5·33	1·51	1·65	2·36	3·70	7·10	YEAR'S TOTAL 35·48
Rain Days.	16	18	24	10	13	9	25	16	11	14	21	21	198

W. 8,000. X. 14.

2223

FORM A.
BRITISH RAINFALL.
17 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Viaduct House Lydbrook

in the County of Gloucester

by George . S. Damsell.

Lat. 51¾ N Long. 2½ W
Time of Observation 9 o'clock
Nearest Railway Station Lydbrook Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·11	—	—	·16	—	—	·03	·43	·23	·02	·04	1
2	·30	·20	·13	·11	—	·04	—	·91	·03	·06	—	·07	2
3	·64	·18	·03	·02	·14	—	·49	·05	—	—	—	·15	3
4	·03	·05	—	—	·15	—	·23	·10	—	—	—	·46	4
5	—	·90	—	·07	—	—	·07	·10	—	—	—	·71	5
6	·19	·04	—	·20	—	—	·35	·07	—	—	—	·35	6
7	·11	·58	—	·02	—	—	·06	·03	—	—	—	·25	7
8	·25	·45	—	—	—	—	—	·04	—	—	·05	—	8
9	·07	·04	—	·01	—	—	—	·01	—	—	·25	·61	9
10	·12	·02	·04	·04	—	—	—	—	—	·06	·01	·02	10
11	·07	—	·12	·01	—	—	—	·02	—	·01	1·04	·06	11
12	·08	·10	—	·10	·36	—	—	—	·01	·06	·39	·02	12
13	·03	·58	—	—	1·05	—	—	—	·04	—	·02	·03	13
14	—	·02	—	·01	—	—	·02	·15	·07	·01	—	·40	14
15	·35	—	—	—	·07	—	·05	·10	—	·03	·03	·20	15
16	·02	1·15	—	·02	·43	—	·69	—	—	—	—	—	16
17	—	·24	·02	—	·87	—	—	·34	—	—	—	·02	17
18	—	·47	·02	—	·01	—	—	—	—	·01	·01	—	18
19	—	·05	—	—	·12	—	·30	—	—	—	—	—	19
20	·15	—	—	·11	—	—	·03	·01	—	·05	—	·10	20
21	·06	·04	—	—	—	—	·03	—	—	·11	—	·03	21
22	·11	·10	·27	·07	—	·01	·42	—	—	—	—	·41	22
23	·03	·06	·20	—	—	·15	·01	—	·01	·95	—	·42	23
24	—	—	·03	·03	—	—	·56	—	·26	·72	—	·19	24
25	—	—	—	—	—	·27	·12	—	—	·02	—	·16	25
26	—	·10	—	—	—	—	·87	—	·04	—	—	·62	26
27	—	·04	—	—	—	·03	·28	—	—	·57	—	·04	27
28	—	·07	—	—	—	·09	—	·05	·28	·08	—	·04	28
29	—		—	—	—	—	—	·04	—	·01	·10	·08	29
30	·11	X	—	—	—	·01	·20	—	—	·32	·15	·29	30
31	·01	X	—	X	—	X	·04	·03	X	1·64	X	·47	31
Total	316	5·59	·86	·82	3·36	·60	4·82	2·08	1·17	4·88	2·07	6·24	YEAR'S TOTAL 35·65
Rain Days.	20	23	9	14	10	7	19	17	9	18	11	27	184

W. 8,000. X. 15.

Exd CJE

REGISTER OF RAINFALL IN 1916

* 10 o'clock from May 21 to Oct 1st

FORM A. BRITISH RAINFALL. 19 JAN 1917

Kept at Viaduct House, Lydbrook
in the County of Gloucester
by C. S. Damsell

Lat. 51¾ N Long. 2½ W
Time of Observation 9 o'clock *
Nearest Railway Station Lydbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	—	·04	—	·07	·08	·20	—	—	·11	·22	—	1
2	·35	·10	·18	—	·15	·12	·01	—	·09	·76	·06	—	2
3	·01	1·53	—	—	·09	·04	—	—	·05	·35	·20	—	3
4	·35	·15	—	·02	·47	·18	—	—	·08	·26	·58	—	4
5	·01	·05	·04	—	·12	·08	·03	—	—	·15	·21	—	5
6	·02	·25	·03	—	·18	·01	·50	—	—	·21	·93	—	6
7	·04	·01	·14	—	·16	—	·08	—	—	·05	·35	·21	7
8	—	·02	·04	—	·24	—	—	—	—	·01	·02	·22	8
9	·01	—	·01	—	·04	·09	—	—	·02	·05	·02	·02	9
10	—	·43	·05	·05	·02	·02	·02	—	—	·05	—	·01	10
11	·09	·02	·10	·06	·03	·13	—	—	·02	—	—	·03	11
12	·04	·02	·05	·01	·20	—	·23	—	—	·07	—	—	12
13	—	·38	·07	·04	·01	—	·01	·20	—	·02	—	—	13
14	—	·54	·07	—	·04	—	—	·03	—	·05	—	·01	14
15	—	·19	·15	·12	·06	—	—	·14	—	·01	—	—	15
16	·01	·05	—	·14	—	—	·17	·25	—	·02	—	—	16
17	·04	·09	—	·14	—	—	—	·11	·26	·29	·03	—	17
18	·01	·03	·08	—	—	—	—	·01	·06	·13	·20	·10	18
19	·16	—	·58	·20	—	—	—	—	—	—	·33	—	19
20	·07	·05	·41	·01	—	—	—	—	—	—	·01	·45	20
21	·03	—	·42	—	·04	—	·03	—	—	—	—	·23	21
22	—	—	·01	·02	—	·06	—	—	—	·30	—	·74	22
23	—	·28	—	·02	—	—	—	·15	—	·13	·06	·15	23
24	—	·11	·01	·02	·98	·82	—	·05	—	·25	—	·25	24
25	—	·25	·12	—	—	—	—	·55	·01	·04	·28	—	25
26	·01	·09	·05	—	—	·04	—	·53	·02	·25	—	·01	26
27	·02	·07	1·41	—	·02	·11	—	·16	·26	·50	·02	—	27
28	—	·45	·04	—	·02	—	—	·01	·33	·31	—	·12	28
29	—	·28	—	—	—	·24	—	1·46	—	·31	—	·31	29
30	—	✕	—	—	—	·02	—	·02	—	·33	—	—	30
31	—	✕	—	✕	—	✕	—	—	✕	·39	✕	·01	31
Total	1·40	5·44	4·10	·85	2·94	2·09	1·28	3·67	1·20	5·40	3·52	2·87	YEAR'S TOTAL 34·81
Rain Days.	18	24	23	13	19	15	10	14	11	27	16	16	206

W. 8,000, VIII. 16

2060

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Viaduct House Lydbrook
in the County of Gloucester
by G. S. Damsell

Lat. 51¾ N Long. 2½ W
Time of Observation 9 oclock
Nearest Railway Station Lydbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	·11	·29	—	·25	—	1·05	·20	·01	·04	·03	1
2	—	—	—	·03	—	·09	—	·05	·01	—	·03	—	2
3	·06	·03	·01	·04	—	·01	·04	·03	—	·65	—	—	3
4	—	·08	·21	—	—	—	·04	·03	—	·20	—	—	4
5	·11	—	·20	·15	—	·08	—	·22	·58	·29	·19	—	5
6	·02	—	·74	—	—	·17	—	—	—	·09	·25	—	6
7	·12	—	—	—	—	—	·19	·27	—	·27	·01	·01	7
8	·53	—	·09	·15	—	—	·77	·37	—	·35	·13	·03	8
9	—	—	·22	·10	·19	—	—	·22	·09	·05	·05	—	9
10	·32	—	·35	·23	·87	—	—	·39	·01	·02	—	·01	10
11	·03	—	·19	·13	·05	—	—	·37	—	×·31	·01	—	11
12	—	·01	—	·01	·38	·04	—	·02	—	×		—	12
13	—	—	·14	·08	—	·51	—	·17	·10	·01	—	—	13
14	—	—	·03	·03	·01	—	—	·21	—	—	—	·01	14
15	·01	·01	—	—	·01	—	·02	·10	—	·07	—	·20	15
16	·06	·03	—	·05	—	—	·10	·01	—	·01	—	·09	16
17	—	—	—	·10	·58	—	·27	·17	·07	·05	—	—	17
18	·01	·02	—	—	·10	—	·25	—	1·36	—	·02	—	18
19	·01	·36	·12	—	·01	·26	—	·03	·02	—	—	—	19
20	—	·09	·06	—	·68	·17	·64	—	·05	—	—	—	20
21	·02	·03	·27	—	·02	—	—	·01	—	·02	—	—	21
22	—	—	·04	—	—	·09	—	·17	—	·08	—	—	22
23	—	·20	—	—	·07	—	—	·54	—	·04	—	·01	23
24	—	·01	—	—	—	·06	·06	·21	—	·25	—	—	24
25	—	·04	·03	—	—	—	—	—	·02	·01	·06	—	25
26	—	—	—	—	·03	·02	—	·79	·11	—	·01	—	26
27	—	—	—	—	·86	·17	·02	·66	—	—	—	·01	27
28	—	—	·10	—	·02	·30	—	·12	—	—	—	·04	28
29	—	—	·13	—	—	·42	·06	·01	—	·64	—	·40	29
30	—	×	—	—	—	—	·03	·40	—	·09	·02	·01	30
31	—	×	·15	×	·08	×	·01	·09	×	.03	×	·01	31
Total	1·30	·93	3·19	1·39	3·96	2·64	2·50	6·71	2·62	3·54	·87	·86	YEAR'S TOTAL 30·51
Rain Days.	12	13	19	13	16	15	14	27	12	22	12	13	188

W. 8,000, IX. 17.

1·23

Exd DL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
1

Kept at Viaduct House Lydbrook

in the County of Gloucester

by C. S. Damsell

Lat. 51¾ N Long. 2½ W

Time of Observation 9 o'clock

Nearest Railway Station Lydbrook Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·03	·08	—	—	·14	—	·02	·75	—	1
2	—	·12	—	·02	—	—	—	·44	—	·01	·07	·05	2
3	—	·13	·01	·06	·21	—	—	·29	·32	·02	·07	—	3
4	—	·04	·02	·02	—	—	—	·06	·08	·09	·87	·39	4
5	—	—	—	·02	·48	—	—	·03	·08	·14	·06	·03	5
6	·04	·30	—	·08	—	·03	—	·06	—	·13	—	·09	6
7	·03	·14	—	·07	·47	—	—	—	·29	·04	·30	·13	7
8	·02	·16	—	·01	—	—	—	—	·08	·11	—	·84	8
9	—	·13	—	·25	—	·16	·08	—	·37	·06	·01	·05	9
10	·02	·01	—	·17	—	—	·25	—	·32	·08	—	·19	10
11	·07	—	·04	·02	·01	—	·18	—	·05	·01	·04	·09	11
12	—	·02	·23	—	·08	—	·08	—	·02	—	—	—	12
13	—	—	—	—	—	·03	·05	—	·14	·04	—	·09	13
14	·33	—	·09	—	·01	·04	·06	—	·56	·03	·01	·06	14
15	1·40	—	—	·21	—	—	·29	—	·01	—	·01	·28	15
16	·21	—	—	·78	—	·10	—	—	·58	—	—	·03	16
17	·18	—	·01	·06	—	—	·16	—	·10	·06	—	·10	17
18	·45	—	—	—	—	·54	·15	—	·72	·03	—	·38	18
19	·08	·02	·19	·05	—	—	·15	—	·05	·06	—	·01	19
20	·08	·06	—	·18	—	·05	·02	—	·24	·02	—	—	20
21	·11	·01	—	·12	—	—	·01	—	·28	·01	—	·05	21
22	·03	—	—	—	·18	—	·09	—	·17	·03	·01	·22	22
23	·31	—	—	—	·28	·02	·36	—	·04	—	—	—	23
24	—	·09	—	—	—	—	·14	—	·03	—	·03	—	24
25	—	—	—	·10	·13	·01	·21	·56	—	·03	·03	·01	25
26	—	—	—	·08	—	—	·36	—	·03	·01	·06	·10	26
27	—	·01	·06	—	—	·01	—	·19	·17	—	·02	·02	27
28	—	·09	·32	—	—	·01	—	—	—	—	·06	·04	28
29	—		·03	—	—	—	—	—	1·53	·01	—	·02	29
30	—	X	·53	—	—	—	—	—	—	·04	·04	·22	30
31	—	X	·30	X		X	—	·09	X	—	X	·01	31
Total	3·06	1·35	1·83	2·33	1·93	1·00	2·64	1·86	6·26	1·08	2·44	3·50	YEAR'S TOTAL 29·28
Rain Days.	15	16	12	19	10	11	17	9	24	23	17	25	198

1932

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Lydbrook
in the County of Gloucester
by L. S. Damsell

Lat. 51¾ N Long. 2½ W
Time of Observation 9 o'clock
Nearest Railway Station Lydbrook Junction
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·01	·03	·01	·08	—	·07	—	·06	·08	—	·01	1
2	·16	·01	·03	—	·04	—	·18	—	·37	—	·10	·10	2
3	·22	—	·10	—	·03	·04	·11	—	·06	·01	·10	·25	3
4	·12	·12	·55	—	—	·10	·20	·02	·23	·01	—	·14	4
5	·07	·28	·22	—	·06	—	—	—	·38	—	—	·21	5
6	·25	·04	·16	—	·02	—	—	—	—	—	—	·10	6
7	·25	—	·34	·10	—	—	—	—	—	—	·01	·03	7
8	·29	—	·06	·04	—	·01	—	—	—	—	—	—	8
9	·55	—	·01	·11	—	—	—	—	—	—	·20	—	9
10	·01	—	·56	·01	—	—	—	—	—	·03	·03	·37	10
11	—	—	·74	·01	·08	—	·37	—	—	·01	·02	·12	11
12	·01	—	·03	·04	—	·38	·04	—	·01	·07	—	·02	12
13	·05	—	—	·36	—	—	—	—	·06	·02	—	·05	13
14	·26	·02	—	·23	—	—	·03	—	·03	·01	—	·18	14
15	·34	·03	—	·01	·01	—	—	—	—	—	—	·38	15
16	·24	·93	—	—	—	—	—	—	—	—	·05	·02	16
17	—	·63	—	—	—	—	—	—	—	—	·12	—	17
18	·03	·03	·67	—	—	—	·03	·17	·08	—	·12	·03	18
19	·16	·46	·79	—	—	·13	1·44	·36	·07	—	·03	·03	19
20	·39	·02	·42	—	—	·04	·01	·17	—	—	·03	·03	20
21	·04	·53	·05	—	—	·04	·09	—	·03	—	·02	·14	21
22	—	·04	—	—	—	—	·06	·01	·18	—	·02	·09	22
23	—	—	—	—	—	—	—	·02	—	·82	·12	·02	23
24	—	—	—	·02	—	·03	·06	—	·01	1·00	·31	·10	24
25	·06	—	—	·05	·06	—	—	·25	—	—	·02	·02	25
26	·02	·01	·08	·02	—	·03	—	·06	·04	·01	—	·20	26
27	·04	—	·02	·46	—	—	—	·44	—	—	—	—	27
28	·03	—	·33	·01	—	—	—	·42	—	—	·31	·25	28
29	·04		—	·07	—	—	—	·01	—	·11	·03	·35	29
30	·01	✕	—	·11	—	·22	—	·27	—	·03	·26	·58	30
31	—	✕	·02	✕	—	✕	·02	·01	✕	·02	✕	·03	31
TOTAL	3·94	3·16	5·21	1·66	·38	1·02	2·71	2·21	1·61	2·23	1·90	4·45	YEAR'S TOTAL 30·48
Days with ·01 in. or more	25	15	20	17	8	10	14	13	14	14	19	27	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1846

3 FEB 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Viaduct House – Lydbrook

in the County of Gloucester

by G. S. DAMSELL.

Lat. 51¾ N Long. 2½ W

Time of Observation 9 o'clock

Nearest Railway Station Lydbrook Junction

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·01	·03	·19	·31	–	·32	·03	·05	·25	–	·60	1
2	·26	–	·02	·22	·01	–	·13	·04	·05	·34	–	·17	2
3	·12	·06	–	·16	·04	·01	1·38	·02	·04	·85	–	·04	3
4	·01	–	–	·05	–	–	·02	·39	–	·36	–	–	4
5	–	–	·16	·04	·02	–	·19	·03	–	·22	–	·01	5
6	–	–	·25	–	·07	–	·33	–	–	·23	–	·01	6
7	–	–	–	·08	–	–	·12	–	–	–	·01	–	7
8	·04	·34	·01	·48	·03	–	·53	·01	–	·01	–	–	8
9	·15	·02	–	·40	–	·01	·05	–	–	–	–	–	9
10	·66	·67	·05	·07	–	·33	·12	–	–	–	·03	–	10
11	·33	·01	·21	·52	·36	·02	·04	·04	–	–	–	–	11
12	·17	·05	·02	·35	·01	·63	·02	·01	–	·02	·04	–	12
13	·08	·03	·50	·12	–	–	–	–	–	–	–	·03	13
14	·01	·06	·61	·58	–	·13	·01	–	·20	–	·30	·01	14
15	–	·05	·03	·79	·01	·05	–	–	·02	·43	·04	–	15
16	–	–	·02	·01	·02	·45	·28	–	·35	·35	·03	–	16
17	·02	–	–	–	·20	·16	–	·01	1·07	·23	·01	·03	17
18	·17	–	–	·02	·19	·02	–	·30	·50	–	–	·01	18
19	·03	·24	–	·48	·04	·10	–	–	–	–	–	–	19
20	–	·04	–	·40	–	·12	–	–	·01	–	–	·16	20
21	–	–	–	·01	–	–	·02	–	–	·05	–	·06	21
22	–	–	–	·18	–	–	·04	·14	–	–	–	·26	22
23	–	·01	–	·01	–	–	·38	·03	–	·01	–	·30	23
24	·05	–	·31	–	–	–	–	·01	–	–	·06	·16	24
25	·04	·06	·28	·02	–	–	·80	–	–	–	–	·12	25
26	·21	–	·40	–	·04	·03	·01	–	–	·01	·12	·05	26
27	·88	·03	·17	·05	·03	·29	·02	–	–	–	·01	·50	27
28	1·25	–	·10	–	·32	·03	·02	–	–	·01	–	·02	28
29	·46	–	·25	·02	·04	·02	·04	–	–	–	·07	·54	29
30	·06		·40	·05	–	·12	·07	–	·30	–	·29	·30	30
31	·08		·23		·01		·01	–		·40		·08	31
Total	5·11	1·68	4·05	5·30	1·75	2·52	4·95	1·06	2·59	3·77	1·01	3·46	Year's Total 37·25
Days with ·01 in. or more	22	15	20	25	18	17	24	13	10	16	12	21	213
Days with ·04 in. or more	17	9	14	19	10	10	16	5	8	11	7	14	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

√

LYDNEY
CLANNA COTT

GLOUCESTER

1911 - 1917

FORM A.
BRITISH RAINFALL.
15 JAN 1912

REGIS

Kept at Clanna ...6 ...laston

in the County of Gloucest

by Captn Marling

in.3

...und 1 ft. in.

...Level 260 ft.

NOTE.—Rain should be measured da... of rain and particulars as to the British ... to Dr. H. R. MILL, 62, Camden Square, ...uctions for the measurement ... sent post-free on application

Date	Jan.	Feb.	March.	A							Nov.	Dec.	Date.
	in.	in.	in.								in.	in.	
1				.1							.04	.10	1
2				0							.20	.39	2
3	.03				42			.14			.29	.03	3
4			.16		.38						.46	.43	4
5	.12		.02									.04	5
6	.33		.06	.03				.05			.13	.43	6
7	.01		.14										7
8	.18		.01								.12	.29	8
9	.12										.40	.22	9
10		.10	.44						.12		.20	.21	10
11	.20				.26						.45	.06	11
12			.66								.11	.05	12
13			.04		.07						.16	.39	13
14											.02	.86	14
15			.01			.22					.39	.22	15
16						.16					.33	.59	16
17											.22	.47	17
18		.20	.06	.22		.10						.45	18
19				.10		.39					.02	.06	19
20		.11	.03	.05		.04						.23	20
21		.25	.21	.03						.12		.76	21
22			.14	.07		.30				.31		.11	22
23			.06							.09		.80	23
24		.13				.51				.02		.37	24
25		.03			.40	.07				.54		.18	25
26		.13								.07	.22	.03	26
27		.38	.31	.25					.09		.10	.16	27
28		.12		.03						.14	.17	.16	28
29				.14		.29				.48	.01		29
30					.05				.14	.44	.10		30
31										.05			31
Total	.99	1.45	2.35	1.05	1.58	2.08		.48	.35	2.26	4.14	8.39	TOTAL for year 25.42
No. of Rain Days	7	9	15	11	6	9		3	3	10	21	27	121

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓

REGIS

Kept at *Clanna*

in the County of *Gloucestershire* 2

by *Captn Marling*

Lat. [illegible] Long. [illegible]

Nearest Railway Station *Woolaston*

Time of Observation *9. A.M.*

Diameter of Rain Gauge *5* in.s

Height of top of Gauge above Ground *1* ft. in.

" " " Sea Level *260* ft.

FORM A.
BRITISH RAINFALL.
15 JAN 1912

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11							·04	·10	1
2				·02				·59			·20	·39	2
3	·03				·42			·14			·29	·03	3
4			·16		·38						·46	·43	4
5	·12		·02									·04	5
6	·33		·06	·03				·05			·13	·73	6
7	·01		·14										7
8	·18		·01								·12	·29	8
9	·12										·40	·22	9
10		·10	·44						·12		·20	·21	10
11	·20				·26						·45	·06	11
12			·66								·11	·05	12
13			·04		·07						·16	·39	13
14											·02	·86	14
15			·01			·22					·39	·22	15
16						·16					·33	·59	16
17											·22	·47	17
18		·20	·06	·22		·10						·45	18
19				·10		·39					·02	·06	19
20		·11	·03	·05		·04						·23	20
21		·25	·21	·03						·12		·76	21
22			·14	·07		·30				·31		·11	22
23			·06							·09		·80	23
24		·13				·51				·02		·37	24
25		·03			·40	·07				·54		·18	25
26		·13								·07	·22	·03	26
27		·38	·31	·25					·09		·10	·16	27
28		·12		·03						·14	·17	·16	28
29				·14		·29				·48	·01		29
30					·05				·14	·44	·10		30
31										·05			31
Total	·99	1·45	2·35	1·05	1·58	2·08		·78	·35	2·26	4·14	8·39	TOTAL for year 25·42
No. of Rain Days	7	9	15	11	6	9		3	3	10	21	27	121

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

WD and fwd W.A. 22·III·13

1·III·13

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Clana Gardens

in the County of Gloucestershire 2

by Capt W. B. Marling

RAIN GAUGE
Pattern
Diameter of top 5 in.s
Height of top above Ground 1 ft. in.
" " " Sea Level 260 ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Woolaston
Distance 2½ m/s Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·37

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·36	·36		·22	·02	·95	·14	·01	·01	·24	1
2			·25			·34	·08	·03	·01	·45			2
3			·24	·05		·44	·28					·01	3
4			·32		(·01)	·30	·21	·62			·04	·01	4
5	·11		1·13		·10	·21		·02			·12	·01	5
6	·39	·07	·08		·14	·04		·27				·10	6
7	·38	·30	·01		·11	·07		·96				·02	7
8	·01	·27	·03		·04	·66						·04	8
9	·53	·19	·28			·06	·06	·38				·12	9
10	·07	·11	·31	·05		·14	·02	·21			·01	·32	10
11	·14	·09		·01		·13	·04	·18			·12	·01	11
12	·08	·02					·02				·01	·63	12
13	·04	·35	·14	·06	·02	·36	·01					·10	13
14	·11	·01		·02						·03		·08	14
15	·19		·81		·18			·02		·01		·02	15
16	·21	·15			·23	·31		·02				·34	16
17	1·00	·06	·46		·01	·03		·14		·07	·06	·03	17
18	·69		·31			·06		·70			·03	·59	18
19	·14	·04	·15					·40		·01		·04	19
20	·09	·08					·10	·31		·01		·02	20
21	·01	·01	·44		·05		·06	·15		·39			21
22	·02	·14	·48		·95		·02	·28		·24	·02		22
23	·52	·45	·06		·20		·51	·10		·01	·06	·09	23
24	·30	·45	·47			·41	·01	·31		·08	·04	·45	24
25	·05	·04	·02			·52	·02	·03		·01	·51	·06	25
26			·01			·73		1·26		·02	·67	·39	26
27		·25	·02				·20	·39		·98		·22	27
28		·07				·65	1·23			1·19		·53	28
29		·17				·07	·92	·91	·13	·31	·40	·48	29
30						·06	·35	·19	·34	·41		·17	30
31			·06				·09			·18			31
Total	- ~~5·08~~ 5·08	·36 ~~3·32~~ 3·68	·36 ~~6·44~~ 6·44	- ~~·55~~ ·19	·22 ~~2·04~~ 2·26	·02 ~~5·81~~ 5·61	·95 ~~4·25~~ 5·18	·14 ~~8·83~~ 8·02	·01 ~~·62~~ ·49	·01 ~~4·41~~ 4·41	·24 ~~2·40~~ 2·33	·37 ~~5·12~~ 5·25	TOTAL for year ~~48·64~~ 48·94
No. of Rain Days.	21	22	23	6	13	21	20	24	4	18	14	24	212

W. 8,000, X. '11.

ckd for arith 26·III·14

REGISTER OF RAINFALL IN 1913

W. 486

FORM A2. BRITISH RAINFALL.

13 JAN 1914

Kept at Clanna Gardens

in the County of Gloucestershire 2

by Captn W B Marling

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 260 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Woolaston
Distance 2½ Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·38	·06					·41		·27		1
2		·29	·26	·15					·01	·46	·22	·04	2
3	·27	·01	·07		·28					·02		·12	3
4	1·25	·01	·11		·38				2·10	·13	·08	·11	4
5	·01	·05	·03		·39	·30	·03		·22	·01	·25	·10	5
6	·04	·05	·28		·19	·14	·01			·24	·43	·57	6
7	·02	·61			·42	·07	·07			·26	·33	·02	7
8	·02	·35			·13	·02				·25		·01	8
9		·20	·01		·05	·02	·22	·04	·12	·01	·11		9
10	·28			·02	·02			·06		·06	·21		10
11	·85			·16	·27			·01		·05	·85	·02	11
12					·15						·50		12
13	·02		·36		·03			·02	·68		·37		13
14	·09		·46	·02					·06	·13	·02		14
15	·23	·04	·42	1·42					·03				15
16	·19		·92	·05									16
17	·02	·01	·06	·21			·01	·02	·12		·09		17
18	·15		·32	·24	·02		·03		·02		·10		18
19	·12		·32			·03	·05		·35	·01	·02		19
20	·47		·16	·12						·11	·40		20
21			·13	·13	·20		·03	·02		·03	·35		21
22	·46		·58	·04				·08	·48				22
23	·01					·06		·02	·01		·05	·11	23
24	·02			·05									24
25		·04		·38					·03	·02	·01		25
26		·04		·18				·15		·01		·29	26
27			·07	·28						·05			27
28	·60		·11	·32						·05		·03	28
29			·48	·48				·06		·14			29
30	·47							·17		·58			30
31	·03		·17		·18			·01					31
Total	5·62	1·76	5·70	4·31	2·71	·64	·45	·66	4·64	2·62	4·66	1·42	TOTAL for year 35·09
										2·62		1·42	35.19
No. of Rain Days.	22	13	21	18	14	7	8	12	14	20	19	11	179

W. 8,000, X. '11.

cop. 23. III. 15 ~~W~~ DM

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Clanna
in the County of Glouceter 2
by Capt W B Marling.

Lat. 51-42. Long. 2·36.
Time of Observation 9. am
Nearest Railway Station Woolaston
Diameter of Rain Gauge 5 inches in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—0	·01	·01	·05	—0	·02	1·46	·45	—0	—0	·15	·14	1
2	—0	—0	—0	·01	·06	—0	·58	·07	—0	—0	·43	·45	2
3	—0	—0	·04	·24	·76	—0	·01	·01	—0	—0	·81	·09	3
4	0·25	—0	—0	·35	·04	—0	·35	·06	—0	—0	·28	·60	4
5	0·05	—0	·08	·20	·06	—0	·03	·01	—0	—0	·09	—0	5
6	—0	·23	·05	·03	·18	—0	·04	·10	—0	—0	—0	·48	6
7	·01	·30	·20	·20	·38	·01	·21	·24	—0	—0	—0	·13	7
8	·01	—0	·31	·04	·03	·84	·03	·18	·08	—0	—0	·10	8
9	·02	·05	·24	·28	·05	1·66	—0	·32	·84	—0	—0	—0	9
10	—0	·19.	—0	·44	·07	·01	—0	—0	·39	—0	—0	—0	10
11	—0	·12	·41	—0	·08	·45	·21	—0	—0	—0	·07	·69	11
12	—0	·07	·15	—0	—0	·01	·02	—0	·45	—0	·04	·24	12
13	·03	·88	·54	—0	—0	—0	·04	—0	·32	·30	·06	·39	13
14	—0	·86	·46	—0	—0	—0	·06	·09	—0	·15	·39	—0	14
15	·04	·05	·13	—0	—0	—0	—0	·11	·05	—0	·20	—0	15
16	—0	—0	·01	—0	—0	—0	·12	—0	·32	—0	—0	—0	16
17	—0	·48	·15	—0	—0	—0	·03	—0	·05	—0	—0	·93	17
18	—0	—0	·04	—0	—0	—0	·11	—0	·03	—0	—0	·42	18
19	—0	·06	·07	—0	—0	—0	·50	—0	·01	—0	·02	·18	19
20	—0	·31	·05	—0	—0	—0	—0	—0	—0	—0	—0	·14	20
21	—0	·24	—0	—0	—0	·03	·17	—0	—0	·20	—0	—0	21
22	—0	·06	·03	—0	·14	·06	—0	·16	—0	·18	—0	—0	22
23	—0	·04	·37	—0	—0	—0	—0	·03	—0	·32	—0	—0	23
24	—0	—0	·15	—0	—0	—0	—0	09	—0	·12	·12	—0	24
25	·09	—0	·19	·04	—0	—0	·04	·71	—0	·48	·01	·43	25
26	—0	—0	·02	—0	—0	—0	·15	·02	—0	·87	·38	·45	26
27	·05	—0	—0	—0	—0	—0	—0	—0	—0	—0	·40	·54	27
28	·01	·29.	·41	—0	·15	—0	—0	—0	—0	·01	·19	1·12	28
29	·26		·32	—0	·06	—0	—0	—0	—0	·22	·63	—0	29
30	·08	×	·33	—0	·02	—0	—0	—0	—0	·25	1·04	·55	30
31	·28.	×	—0	×	·02	×	·80	—0	×	·15	×	·04	31
Total	1·18.	4·23	4·76	1·88 1·88.	2·10	3·08 3·08	4·95	2·65	1·74	2·45	4·51	8·11	YEAR'S TOTAL 41·64
Rain Days.	13	17.	25.	11.	15.	9.	20.	16.	10.	12.	18	20.	186

W. 8,000. X. 14.

[illegible] 23.III.16

4223

FORM A2.
BRITISH RAINFALL.
9 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Clunny

in the County of Gloucestershire

by Capt W. F. Marling

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 260 ft.

Time of Observation 9. am

Nearest Railway Station
Name Woolaston
Distance 2½ miles Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·35	0·52	0·0	0·0	0·10	0·0	0·0	0·59	0·21	0·55	0·2	0·10	1
2	0·27	0·26	0·9	0·11	0·0	0·0	0·0	0·40	0·1	0·27	0·0	0·9	2
3	0·84	0·22	0·5	0·6	0·11	0·0	0·27	0·4	0·0	0·0	0·0	0·15	3
4	0·7	0·5	0·1	0·0	0·13	0·0	0·9	0·8	0·0	0·0	0·0	0·72	4
5	0·7	0·26	0·0	0·9	0·0	0·0	0·5	0·13	0·0	0·0	0·0	0·82	5
6	0·48	Snow & rain 1·00	0·0	0·54	0·0	0·0	0·34	0·8	0·0	0·0	0·0	0·29	6
7	0·22	0·47	0·0	0·6	0·0	0·0	0·10	0·7	0·0	0·0	0·0	0·34	7
8	0·34	0·8	0·0	0·9	0·0	0·0	0·3	0·3	0·0	0·0	0·18	0·0	8
9	0·6	0·7	0·0	0·6	0·0	0·0	0·0	0·0	0·0	0·0	0·27	0·93	9
10	0·19	0·2	0·3	0·4	0·0	0·0	0·0	0·0	0·0	0·5	0·0	0·2	10
11	0·2	0·0	0·6	0·3	0·0	0·0	0·0	0·0	0·0	0·0	0·90	0·3	11
12	0·14	0·12	0·0	0·13	0·45	0·0	0·0	0·64	0·0	0·17	0·69	0·2	12
13	0·2	0·50	0·0	0·0	0·75	0·0	0·0	0·0	0·0	0·0	0·0	0·0	13
14	0·43	0·0	0·0	0·0	0·0	0·0	0·4	0·14	0·17	0·1	0·0.0	1·25	14
15	0·0	0·0	0·0	0·0	0·5	0·0	0·4	0·8	0·0	0·6	0·6	0·18	15
16	0·0	1·33	0 0	0·0	0·61	0·0	0·93	0·0	0·0	0·0	0·0	0·9	16
17	0·2	0·22	Snow 0·61	0·0	0·85	0·0	0·0	0·9	0·0	0·0	0·0	0·0	17
18	0·0	0·49	0·0	0·0	0·0	0·0	0·1	0·0	0·0	0·0	0·0	0·0	18
19	0·0	0·1	0·0	0·5	0·30	0·0	0·35	0·0	0·0	0·0	0·0	0·0	19
20	0·12	0·0	0·0	0·14	0·0	0·0	0·0	0·0	0·0	0·16	0·0	0·13	20
21	Snow 0·5	0·13	0·0	0·0	0·0	0·0	0·15	0·0	0·0	0·8	0·0	0·6	21
22	Snow 0·16	Snow 0·17	0·51	0·2	0·0	0·0	0·35	0·0	0·0	0·0	0·0	0·47	22
23	0·0	0·3	0·34	0·0	0·0	0·0	0·13	0·0	0·7	1·80	0·0	0·45	23
24	0·0	0·0	0·3	0·1	0·0	0·0	0·20	0·0	0·25	0·33	0·0	0·60	24
25	0·0	0·0	0·0	0·0	0·0	0·23	0·1	0·0	0·0	0·0	0·0	0·24	25
26	0·0	0·33	0·0	0·0	0·0	0·0	0·17	0·0	0·1	0·0	0·0	0·76	26
27	0·0	0·3	0·0	0·0	0·0	0·16	0·2	0·0	0·0	0·73	0·0	0·1	27
28	0·0	0·10	0·2	0·0	0·0	0·4	0·3	0·0	0·34	0·4	0·0	0·0	28
29	0·0		0·0	0·0	0·0	0·3	0·5	0·7	0·0	0·0	0·11	0·15	29
30	0·15		0·0	0·0	0·0	0·44	0·22	0·0	0·0	0·17	0·16	0·0	30
31	0·0		0·0		0·0		0·9	0·4		0·72		0·25	31
Total	3·68	6·10	1·75	1·43	3·41	0·90	3·85	1·32	1·06 1·06	4·47 4·47	2·39	8·08	TOTAL for year 35·84
No. of Rain Days.	19	22	10	14	9	5	22	14	7	15	8	24	168

W. 8,000, X. '11.

2160

FORM A.
BRITISH RAINFALL.

22 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Clanna

in the County of Gloucestershire

by Capt. W. B. Marling

Lat. 57·42 Long. 2·36

Time of Observation 9 a.m.

Nearest Railway Station Woolaston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·10	0·0	0·2	0·0	0·8	0·18	0·22	0·0	0·0	0·8	0·31	0·0	1
2	0·16	0·11	0·9	0·0	0·12	0·18	0·0	0·0	0·12	1·09	0·4	0·0	2
3	0·2	0·73	0·0	0·0	0·5	0·2	0·0	0·0	0·5	0·55	0·10	0·0	3
4	0·57	0·20	0·0	0·0	0·40	0·60	0·0	0·0	0·10	0·11	0·26	0·0	4
5	0·1	0·24	Snow 0·4	0·0	0·16	0·4	0·3	0·0	0·0	0·30	0·4	0·0	5
6	0·4	0·50	Snow 0·7	0·0	0·44	0·4	0·75	0·0	0·0	0·39	0·92	0·0	6
7	0·2	0·1	Snow 0·11	0·0	0·34	0·1	0·5	0·0	0·0	0·36	0·39	0·23	7
8	0·0	0·0	Snow 0·2	0·0	0·40	0·1	0·0	0·0	0·0	0·1	0·6	0·32	8
9	0·0	0·2	Snow 0·3	0·0	0·11	0·25	0·1	0·0	0·0	0·5	0·1	0·0	9
10	0·0	0·52	Snow 0·1	0·8	0·7	0·5	0·0	0·0	0·0	0·8	0·3	0·7	10
11	0·3	0·6	Snow 0·4	0·2	0·4	0·4	0·0	0·0	0·0	0·1	0·0	0·0	11
12	0·4	0·10	0·4	0·1	0·30	0·0	0·14	0·5	0·0	0·6	0·0	0·0	12
13	0·0	0·34	0·12	0·15	0·0	0·0	0·0	0·50	0·0	0·7	0·0	0·0	13
14	0·0	Snow 0·54	0·25	0·0	0·2	0·0	0·0	0·10	0·0	0·19	0·0	0·0	14
15	0·0	0·20	0·8	0·10	0·3	0·0	0·0	0·75	0·0	0·4	0·0	0·0	15
16	0·4	0·8	0·0	0·30	0·1	0·0	0·12	0·20	0·0	0·1	0·0	0·0	16
17	0·25	0·10	0·0	0·8	0·0	0·0	0·0	0·25	0·30	0·60	Snow 0·17	0·0	17
18	0·0	0·3	0·8	0·0	0·0	0·0	0·0	0·0	0·5	0·14	Snow 0·31	Snow 0·9	18
19	0·40	0·0	0·60	0·23	0·0	0·0	0·0	0·0	0·0	0·0	Snow 0·9	0·0	19
20	0·30	0·1	0·50	0·0	0·0	0·0	0·0	0·0	0·0	0·0	0·2	0·27	20
21	0·10	0·0	0·52	0·10	0·8	0·0	0·2	0·0	0·0	0·0	0·0	Snow 0·41	21
22	0·0	0·0	0·1	0·0	0·2	0·20	0·0	0·0	0·0	0·30	0·1	Snow 0·72	22
23	0·3	Snow 0·29	0·0	0·2	0·0	0·3	0·0	0·15	0·0	0·9	0·32	Snow 0·13	23
24	0·0	Snow 0·7	0·4	0·18	0·80	0·18	0·0	0·10	0·0	0·21	0·3	0·31	24
25	0·0	Snow 0·28	0·34	0·0	0·1	0·1	0·0	0·80	0·0	0·1	0·6	0·0	25
26	0·1	Snow 0·10	0·4	0·0	0·0	0·18	0·0	0·6	0·7	0·14	0·1	0·0	26
27	0·0	Snow 0·6	Snow 0·93	0·0	0·0	0·16	1·20	0·32	0·30	0·82	0·0	0·0	27
28	0·3	Snow 0·29	0·3	0·0	0·0	0·0	0·0	0·0	0·15	0·26	0·0	0·28	28
29	0·0	0·25	0·0	0·0	0·0	0·40	0·0	1·70	0·0	0·47	0·0	0·21	29
30	0·0	X	0·0	0·0	0·0	0·1	0·0	0·3	0·0	0·42	0·0	0·1	30
31	0·0	X	0·0	X	0·0	X	0·0	0·6	X	0·51	X	0·0	31
Total	~~2·60~~ 2·15	~~5·11~~ 5·13	~~3·94~~ 3·95	~~1·45~~ 1·27	3·48	~~2·58~~ 2·59	2·54	~~4·07~~ 5·07	1·14	~~6·59~~ 7·37	3·18	3·05	YEAR'S TOTAL 40·92
Rain Days.	17	24	23	11	19	19	9	14	8	28	19	12	203

W. 8,000. X. 15.

2862

FORM A. BRITISH RAINFALL.

28. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Clanna

in the County of Gloucestershire

by Captain W. B. Marling

Lat. 51·42 Long. 2·36

Time of Observation 9. a.m.

Nearest Railway Station Woolaston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·0	0·0	0·11	Snow 0·41	0·0	0·25	0·0	0·70	0·26	0·0	0·06	0·07	1
2	0·0	0·0	0·0	0·0	0·0	0·10	0·0	0·06	0·0	0·02	0·03	0·0	2
3	0·02	Snow 0·08	Snow 0·15	0·0	0·0	0·0	0·04	0·02	0·0	0·75	0·0	0·0	3
4	0·0	Snow 0·14	0·0	Snow 0·22	0·0	0·0	0·22	0·0	0·0	0·22	0·0	0·06	4
5	0·21	0·0	Snow 0·05	0·0	0·0	0·10	0·0	0·65	0·46	0·22	0·28	0·0	5
6	0·0	0·0	0·21	0·0	0·0	0·14	0·0	0·0	0·0	0·28	0·32	0·02	6
7	0·25	0·0	0·0	0·17	0·0	0·0	0·12	0·30	0·0	0·31	0·04	0·03	7
8	0·61	0·0	Snow 0·12	Snow 0·07	0·0	0·0	0·64	0·51	0·02	0·45	0·18	0·03	8
9	0·0	0·0	Snow 0·31	Snow 0·17	0·0	0·0	0·0	0·37	0·24	0·01	0·21	0·0	9
10	0·26	0·0	0·59	Snow 0·47	0·16	0·0	0·0	0·32	0·14	0·0	0·0	0·0	10
11	0·05	0·0	0·29	0·0	0·37	0·0	0·0	0·51	0·01	0·20	0·01	0·0	11
12	0·03	0·0	0·0	0·18	0·05	0·0	0·0	0·14	0·01	0·50	0·0	0·0	12
13	0·0	0·0	0·20	0·03	0·49	0·03	0·0	0·09	0·27	0·0	0·0	0·0	13
14	0·0	0·0	0·04	0·0	0·0	0·0	0·0	0·10	0·0	0·0	0·0	0·18	14
15	0·0	0·0	0·0	0·07	0·0	0·0	0·0	0·27	0·0	0·30	0·0	0·12	15
16	Snow 0·03	0·05	0·0	0·17	0·0	0·0	0·22	0·0	0·04	0·01	0·0	0·0	16
17	0·0	0·0	0·0	0·0	0·35	0·0	0·26	0·20	0·18	0·06	0·0	0·0	17
18	0·0	0·05	0·0	0·0	0·01	0·01	0·47	0·03	2·17	0·02	0·0	0·0	18
19	0·0	0·45	0·18	0·0	0·0	0·17	0·0	0·0	0·03	0·0	0·0	0·0	19
20	0·0	0·13	0·06	0·0	0·36	0·21	0·16	0·0	0·03	0·0	0·0	0·0	20
21	0·0	0·02	Snow 0·26	0·0	0·01	0·0	0·0	0·02	0·0	0·06	0·0	0·0	21
22	0·0	0·0	Snow 0·06	0·0	0·0	0·04	0·0	0·12	0·0	0·05	0·0	0·0	22
23	0·0	0·15	0·0	0·0	0·10	0·06	0·0	0·55	0·0	0·08	0·0	0·0	23
24	0·0	0·02	0·0	0·0	0·0	0·05	0·03	0·28	0·0	0·15	0·0	0·0	24
25	0·0	0·07	0·04	0·0	0·0	0·0	0·0	0·02	0·03	0·03	0·0	0·0	25
26	0·0	0·0	0·0	0·0	0·10	0·12	0·0	0·42	0·22	0·0	0·0	0·0	26
27	0·0	0·0	0·0	0·0	0·89	0·06	0·0	0·95	0·0	0·0	0·0	0·0	27
28	0·0	0·0	0·11	0·0	0·03	0·35	0·0	0·19	0·0	0·0	0·0	0·05	28
29	0·0	X	Snow 0·15	0·0	0·0	0·42	0·06	0·0	0·0	0·45	0·0	0·23	29
30	0·0	X	0·01	0·0	0·0	0·0	0·16	0·32	0·0	0·08	0·0	0·0	30
31	0·0	X	Snow 0·05	X	0·06	X	0·0	0·39	X	0·06	X	0·04	31
Total	1·46 ✓	1·16	2·99 ✓	1·96 ✓	2·98 ✓	2·11	2·38 ✓	7·53 ✓	4·11 ✓	4·11 ✓	1·13 ✓	~~·77~~ ·83	~~32·75~~ YEAR'S TOTAL 32·75
Rain Days.	8 ✓	10 ✓	19 ✓	10 ✓	13 ✓	15 ✓	11 ✓	25 ✓	15 ✓	22 ✓	8 ✓	~~9~~ 10	166

W. 8,000, IX. 17.

Walter B. Marling 1·00

8L ✓

354

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

GLOUCESTER

MAISEMORE LOCK

GLOUCESTER
1911 - 1920

R

1

Kept at Maisemor

in the County of W.

by M. James

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of th ment of rain, the selection and placi ritish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·04	·13			·04	·05			·01	·04	1
2	·03			·10	·23			·20	·01	·09	·15	·12	2
3					·40				·01		·06	·06	3
4	·01		·15	·01				·01		·05	·20	·30	4
5	·09		·05					·09		·01	·06	·02	5
6	·25		·15	·01				·02			·08	·85	6
7	·02										·41	–	7
8	·19		·08								·03	·11	8
9	·10		·01								·15	·13	9
10		·17	·20								·04	·13	10
11	·19	·04									·73	·01	11
12			·58						·13		·10	·11	12
13			·01		·05				·38	·09	·01	·45	13
14												·55	14
15			·05							·01	·21	·10	15
16						·13					·19	·20	16
17				·02		·09					·18	·43	17
18		·16	·03	·06		·05				·03	·01	·26	18
19				·01		·10			·12	·12		·08	19
20		·08	·07						·04	·02		·56	20
21		·10	·13	·04				·23	·02	·30		·05	21
22		·02	·07	·01		·11				·04	·02	·45	22
23		·10	·14			·15			·12	·12		·13	23
24		·05		·03		·50		·09		·23		·27	24
25		·05		·03	·03	·07			·01	·01		·07	25
26		·13		·15	·09	·01		·01		·20	·22	·15	26
27		·12	·20	·05				·37	·26	·01	·10	·08	27
28		·17		·18							·11		28
29						·10			·13	·22			29
30				·06	·06	·02		·80		·17	·02	·02	30
31					·04					·01		·01	31
Total	·89 ·89	1·19	1·96	·89	·90	1·33	·04	1·87	1·23	1·53 1·73	3·09	5·74	TOTAL for year 20·86
No. of Rain Days	9	12	16	15	7	11	1	10	11	18	22	28	160

9,000, IX. '10.

JL

354

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

R

Kept at Maisemore Lock

in the County of W. Gloucestershire 3

by M. James

RAIN GAUGE: Pattern .... Diameter of top .... in. Height of top above Ground .... ft. .... in. " " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station: Name .... Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·04	·13			·04	·05			·01	·04	1
2	·03			·10	·23			·20	·01	·09	·15	·12	2
3					·40				·01		·06	·06	3
4	·01		·15	·01				·01		·05	·20	·30	4
5	·09		·05					·09		·01	·06	·02	5
6	·25		·15	·01				·02			·08	·85	6
7	·02										·41		7
8	·19		·08								·03	·11	8
9	·10		·01								·15	·13	9
10		·17	·20								·04	·13	10
11	·19	·04									·73	·01	11
12			·58						·13		·10	·11	12
13			·01		·05				·38	·09	·01	·45	13
14												·55	14
15			·05							·01	·21	·10	15
16						·13					·19	·20	16
17				·02		·09					·18	·43	17
18		·16	·03	·06		·05				·03	·01	·26	18
19				·01		·10			·12	·12		·08	19
20		·08	·07						·04	·02		·56	20
21		·10	·13	·04				·23	·02	·30		·05	21
22		·02	·07	·01		·11				·04	·02	·45	22
23		·10	·14			·15			·12	·12		·13	23
24		·05		·03		·50		·09		·23		·27	24
25		·05		·03	·03	·07			·01	·01		·07	25
26		·13		·15	·09	·01		·01		·20	·22	·15	26
27		·12	·20	·05				·37	·26	·01	·10	·08	27
28		·17		·18							·11		28
29						·10			·13	·22			29
30				·06	·06	·02		·80		·17	·02	·02	30
31					·04					·01		·01	31
Total	·89 ·89	1·19	1·96	·89	·90	1·33	·04	1·87	1·23	1·53 1·73	3·09	5·74	TOTAL for year 20·86
No. of Rain Days	9	12	16	15	7	11	1	10	11	18	22	28	160

9,000, IX. '10.

8L

ED 2511

351

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Maisemore Lock

in the County of Gloucestershire 3

by M. James

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
„ „ „ Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09			·52	·33		·06	·28		·08	1
2			·15	·10		·35	·25	·03		·01			2
3	·03		·08		·04	·10	·08	·35			·04	·03	3
4	·07		·80	·10	·11	·70		·06			·24		4
5	·20		·07		·15	·07		·24			·02	·05	5
6	·20	·25	·01		·05	·01	·11	·55				·01	6
7		·15	·05		·02	·59	·38	·05				·02	7
8	·22	·06	·15			·01	·12	·19				·08	8
9	·10		·22	·08		·15		·10				·16	9
10	·06	·08	·01	·01		·13	·01	·10			·05	·01	10
11	·08	·03	·01			·08		·14			·01	·34	11
12	·02	·40	·08	·04	·09	·02	·02				·02	·02	12
13	·01	·06						·12			·01	·01	13
14	·07		·44		·13			·01					14
15	·14	·09	·01		·30	·23		·03				·11	15
16	·85	·01	·17			·01		·03		·04	·07		16
17	·44		·17			·03		·51			·02	·37	17
18	·21	·03	·08					·26				·05	18
19	·50	·03	·01		·05		·33	·63		·01	·01	·01	19
20	·03		·35		·06		·33	·07		·22	·07		20
21	·03	·03	·30		·73			·20		·39			21
22	·35	·13	·07		·24	·10	·62	·12		·05		·01	22
23	·23	·52	·30			·14	·01	·18		·02	·02	·35	23
24	·07	·03	·01			·22		·06			·01	·15	24
25	·01					·50		·85		·01	·27	·35	25
26		·05					·41	·80		·50	·25	·17	26
27						·20	·56			·98		·18	27
28		·06				·20	1·05	·54	·06	·18	·13	·52	28
29		·30	·02			·17	·33	·04	·36	·33		·02	29
30						·10	·13		·02	·16			30
31			·12		·38		·56	·07		·01		·04	31
Total	3·92	2·31	3·77	·33	2·35	4·63	5·63	6·33	·50	3·19	1·24	3·14	TOTAL for year 37·34
No. of Rain Days.	22	18	25	5	13 ~~12~~	23	18	27	4	14	16	24	9 208

W. 8,000, X. '11.

82 ✓ 361

REGISTER OF RAINFALL IN 1913

28 JAN 1914

BRITISH RAINFALL FORM A.

Kept at Maisemore Lock [illegible]
in the County of Gloucestershire 3
by M. James

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	14	·03					·81	·01	·10		1
2	·01	·12	·04	·18			·05		·16	·70	·08		2
3	·20		·04	·01	·35				·01			·02	3
4	·94		·02		·38				·35	·66	·02	·12	4
5		·03	·08		·05	·08	·16		·03	·18	·08	·06	5
6	·03	·07	·13		·26	·11	·18			·09	·40	·47	6
7	·01	·35			·22	·04	·09			·18	·16	·01	7
8		·05			·09			·01		·18			8
9		·18			·10	·02	·05	·24	·25		·07	·01	9
10	·10			·06	·08			·11			·10		10
11	·51	·01		·25	·07			·02		·10	·81		11
12		·01			·09	·01					·50		12
13	·03	·01	·08	·01	·12				·10		·28		13
14	·08		·28	·02				·04	·08	·10			14
15	·25	·10	·38	·45				·04	·08				15
16	·15	·01	·78	·12		·08		·04					16
17	·06	·01	·08	·07			·18	·02			·03		17
18	·05		·18	·06			·08				·05		18
19	·08		·09			·20	·08		·16	·03			19
20	·33		·20	·05		·01			·01	·08	·06		20
21			·09	·12	·10		·05			·02	·32		21
22	·30		·47			·05		·05	·38		·02		22
23			·01			·04					·04	·11	23
24	·02			·03									24
25				·20					·03				25
26		·03		·32				·42		·02		·23	26
27	·01		·03	·17						·08			27
28	·37		·08	·27						·35		·01	28
29	·02		·31	·45				·12		·07			29
30	·17		·01	·01						·32	·05		30
31	·05		·18		·12								31
Total	3·77	1·06	3·70	2·88	2·03	·64	·92	1·11	2·45	3·17	3·17	1·04	YEAR'S TOTAL 25.94
Rain Days.	22	14	22	20	13	10	9	11	13	17	18	9	178

W. 7,500, XI. ·12

DL

346

28 JAN 1915

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Maisemore Lock

in the County of Gloucestershire 3

by M. James

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·10		·02	1·68	·38			·02	·04	1
2					·02		·50	·12		·02	·52	·39	2
3	·01		·01	·11	·30		·12	·07			·02	·01	3
4	·17			·15	·06		·14	·07			·45	·41	4
5	·05		·06	·09	·19		·15				·05		5
6	·01	·10	·03		·04			·04			·02	·16	6
7	·01	·15	·10	·05	·20	·18	·29	·10	·05			·02	7
8	·01		·18	·02	·05	·73	·02	·05				·07	8
9	·04		·22	·21	·08	1·50		·09	·02				9
10	·03	·27	·03	·35	·08	·01			·25				10
11		·05	·22	·09	·16	·32					·11	·29	11
12		·06	·17				·07		·23		·03	·07	12
13		·19	·19				·04		·16	·18	·02	·63	13
14		·20	·25				·02			·39	·17		14
15	·03		·10				·01	·09	·04	·03	·10		15
16	·04		·01				·04		·13				16
17	·01	·11	·20						·07	·01		·16	17
18		·01	·04				·17					·29	18
19		·04	·08				·49	·12	·01			·06	19
20		·49	·09			·01						·15	20
21		·35				·02	·08	·20		·10		·07	21
22		·05	·06		·18	·06		·07		·17			22
23		·09	·10	·01	·06		·02			·13			23
24			·08				·02	·02		·08			24
25	·06		·20					·23		·24	·07	·09	25
26			·10				·05	·02		·05	·15	·30	26
27	·06									·03	·14	·15	27
28	·01	·12	·20		·05					·01	·08	·99	28
29	·01		·12		·08					·26	·17		29
30	·01		·06							·12	·49	·61	30
31	·07				·02		·26			·05		·01	31
Total	·63	2·28	2·94	1·18	1·57	2·85	4·17	1·67	·96	1·87	2·61	4·97	YEAR'S TOTAL 27·70
Rain Days.	17	15	26	10	15	9	19	15	9	16	17	21	189

W.7,000, XI. 13

8L ✓

crd for auth Jan 1–7 estd.) 22.III.16 obs agrees 8. IV.16

2264
~~339~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

11 APR. 1916

Kept at Maisemore Lock H. 8L

in the County of Gloucestershire

by W. G. Morefield

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05			·20		·39	·08	·08	·22	·02		1
2		·09	·10	·18		·06		1·03	·01	·07		·13	2
3		·12	·02	·04	·14		·88	·37				·13	3
4	(1·75)	·01			·02		·78	·04				·35	4
5		·28		·03			·03	·06		·01		·35	5
6				·12			·40	·02				·14	6
7		·41			·26	·02	·24	·05				·25	7
8	·25	·23					·03	·06			·05		8
9	·14	·02		·08				·19			·15	·55	9
10	·15		·05	·03						·01	·01	·01	10
11	·01		·03	·05	·02						·51	·02	11
12	·13	·05		·25	·41				·01	·03	·46	·04	12
13	·03	·48			·89			·44	·04		·01		13
14								·10	·05			·30	14
15	·24				·08		·03			·17	·01	·10	15
16	·01	·50		·02	·30		·55	·26					16
17		·14	·02		1·31			·02					17
18		·22	·01								·01		18
19					·17		·24						19
20	·30			·09								·13	20
21	·14	·09					·02			·12		·06	21
22	·14	·03	·33	·01			·12					·22	22
23	·02	·08	·30			·01	·06		·02	·99		·46	23
24			·10	·07			·32		·39	·34		·25	24
25						·55	·24			·03		·14	25
26		·07					·08		·01			·44	26
27		·02					·32			·35		·02	27
28		·03				·05		·04	·30	·02			28
29						·15	·29	·05	·06		·05	·01	29
30	·08					·07	·06			·09	·07	·05	30
31							·10			·76		·26	31
Total	(3·39) ~~1·64~~	2·92	·96	·97	3·80	·91	5·18	2·81 ~~2·81~~	·97	3·21	1·35 ~~1·25~~	4·41	YEAR'S TOTAL 30·88 ~~28·03~~
Rain Days.	(19) ~~13~~	19	9	12	11	7	20	15	10	14	11	23	(170) ~~164~~

W. 8,000. X. 14.

82

E.. 82

2201
302

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Maisemore Lock

in the County of Gloucestershire

by W. Morefield

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·03		·04	·03	·18			·17	·33		1
2	·22	·02	·14		·38	·02			·01	·65	·07		2
3		·53			·07				·01	·22	·06		3
4	·26	·06			·33	·13			·08	·04	·27		4
5			·03		·20	·06	·19			·04	·06		5
6	·01	·17	·04		·26	·01	·40			·09	·54		6
7			·10		·07					·03	·27	·22	7
8	·04	·02	·04		·35	·01					·02	·10	8
9			·01		·06	·19				·05	·01	·01	9
10		·44	·01	·06		·16				·05		·01	10
11	·02	·04	·05	·08	·07	·43						·15	11
12	·04	·01	·05	·04	·24		·27	·02		·09			12
13		·31	·15	·04			·03	·44			·01		13
14		·30	·09	·02	·06			·01		·09			14
15		·12	·30	·04	·13			·54		·04			15
16		·01		·14			·17	·27		·03			16
17	·10	·13		·22			·01	·04	·24	·35			17
18	·02	·04	·03	·01					·13	·07	·50	·10	18
19	·21		·25	·34							·23		19
20	·03		·57	·01							·01	·28	20
21	·03		·48		·08		·13					·43	21
22				·09		·06				·06	·01	·45	22
23		·09						·10		·09	·03	·15	23
24		·13	·09	·01	·16	·20		·03		·25		·13	24
25		·30	·22					·47		·04	·12		25
26		·07	·05			·04		·08	·05	·14			26
27	·01	·07	·91			·13		·09	·16	·42			27
28		·63	·09					·02	·30	·07		·07	28
29		·13				·19		2·00		·39		·09	29
30		X		·02						·23		·01	30
31		X		X		X			X	·22	X	·02	31
Total	1·07	3·62	3·73	1·12	2·50	1·66	1·38	4·11	·98	3·92	2·54	2·22	YEAR'S TOTAL 28·85
Rain Days.	13	21 19	22	14	15	14	8	13	8	25	16	15	184

W. 8,000. X. 15.

2101
~~285~~

card for [illegible]

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Maisemore Lock
in the County of Gloucestershire
by W. Morefield

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·11	·07		·10		1·04	·09		·16		1
2			·01	·01		·06		·08			·01		2
3	·03	·02		·13				·04		·56			3
4		·15	·09				·01	·13		·35			4
5	·16		·05	·15		·01		·08	·04	·15	·07		5
6	·01		·05			·24				·06	·20		6
7	·15						·09	·15		·38	·05	·02	7
8	·57		·01	·14			·70	·35		·38	·05	·19	8
9			·06	·02	·24			·13	·11	·04			9
10	·27		·28	·14	·11			·19	·06	·02			10
11	·06		·14	·24	·01			·33	·05	·08	·01		11
12	·04				·26					·12	·02		12
13			·11	·06	·11			·09	·04	·08		·01	13
14			·24	·02				·06				·01	14
15	·01							·90		·02		·06	15
16	·03			·08			·04			·03	·02	·13	16
17		·02		·05	·51		·29	·02	·10	·06			17
18		·01					·16		1·37				18
19		·37	·12			·02			·01				19
20	·01	·13	·13		·76	·05	·02	·01					20
21	·01	·09	·22		·01			·02		·02	·06		21
22			·02			·06		·10		·05			22
23		·23			·09	·01		·26		·03		·03	23
24						·04		·10		·15	·05		24
25		·09	·04					·01			·01		25
26					·03	·13		·15	·10		·06		26
27					1·24	·04	·01	·53					27
28			·06			·26		·09				·04	28
29			·03		·03	·52	·03			·38		·20	29
30		×					·23	·25		·02	·02		30
31		×	·12	×		×		·14	×	·01	×	·05	31
Total	1·35	1·12	1·89 ~~1·88~~	1·11	3·40	1·54 ~~1·52~~	1·58	5·25	1·97	2·99	·79	·74	YEAR'S TOTAL 23·75 ~~23·73~~
Rain Days.	12	10	19	12	12	13	10	25	10	21	14	10	168

W. 8,000, VIII. 16

8L

45

FORM A.
BRITISH RAINFALL.
30 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Maisemore Lock

in the County of Gloucestershire

by W. Morefield

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01		·02	·08			·09		·01	·25	·01	1
2		·15						·40	·02	·02	·01	·02	2
3		·13	·01	·27	·06			·03	·35		·02		3
4		·05	·01	·05				·06	·07	·01	·72	·15	4
5		·01		·01	·22				·24	·06	·03	·01	5
6	·03	·16		·04		·04			·03	·09		·06	6
7		·16		·03	·41	·02			·02	·04	·29	·02	7
8		·14							·10	·10		·08	8
9		·15		·13		·25	·12		·33	·14	·02	·07	9
10	·04			·10			·17		·43	·08		·12	10
11	·02		·02	·02	·02		·05		·02		·03	·10	11
12		·01	·41		·04		·25		·03			·01	12
13							·06		·20	·04		·09	13
14	·36		·07			·04	·04		·49	·03		·06	14
15	1·04			·51			·16		·01			·18	15
16	·21			·75		·14			·24	·02		·01	16
17	·14		·02	·05	·17	·01	·26		·19	·05		·06	17
18	·48					·28	·06		·64	·03		·37	18
19	·08	·02	·21	·09			·10		·01	·11		·04	19
20	·02	·07		·35		·02			·15	·01			20
21	·01			·04					·37	·02		·01	21
22	·04				·04		·05		·10	·02		·28	22
23					·28		·35						23
24		·10					·26	·01	·01		·06		24
25					·03	·01	·18	·32		·03	·03		25
26							·78		·02	·01	·09	·09	26
27		·02	·02			·01		·20	·14	·01	·06	·06	27
28		·17	·17	·02						·01	·10	·04	28
29			·03						1·40	·01		·01	29
30		X	·18							·01	·07	·10	30
31		X	·23	X		X		(·05)	X	~~·01~~	X		31
Total	2·47	1·35	1·38	2·48	1·35	·82	2·89	1·16	5·61	·96	1·78	2·05	YEAR'S TOTAL 24·30
Rain Days.	12	15	12	16	10	10	15	8	25	24	14	25	186

186

W. 8,000, IX. 17.

81

1969

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Maisemore Lock
in the County of Gloucestershire
by W. Morefield

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.02	.03	.05	.01	.08	.16		.05	.13	.01	.45	1
2	.18		.01				.20		.42		.12	.08	2
3	.80		.05		.04	.02			.10		.13	.17	3
4	.17	.03	.48			.20	.01	.04	.49			.13	4
5	.02	.30	.25		.10			.01	.32		.01	.14	5
6	.03		.06		.19						.06	.06	6
7	.13		.25	.17	.01						.17		7
8	.05		.02	.14							.01		8
9	.18		.03	.06							.03		9
10	.01		.41	.02						.02	.02	.33	10
11	.03		.42	.01	.04		.55			.01		.03	11
12			.04	.01		.41				.08		.03	12
13	.04			.23					.06	.04		.05	13
14	.22	.01		.17			.05		.02	.04		.02	14
15	.33	.03		.01	.03			.01		.03		.20	15
16	.15	.90									.06	.03	16
17		.68				.01					.06	.02	17
18			.30					.18	.03		.03	.04	18
19	.10	.25	.76			.14	2.29	.46	.04			.01	19
20	.22	.02	.22			.02	.01	.24	.04		.01		20
21	.08	.45				.04	.08		.01		.03	.12	21
22		.14					.06		.50		.02	.09	22
23										.88	.06		23
24				.03		.04				.79	.15		24
25	.10			.02	.04			.34				.10	25
26	.04		.08	.02		.02	.19	.04	.06			.23	26
27	.08			.63				.39				.04	27
28	.03		.15					.34			.10	.24	28
29	.03			.07		.02		.01		.16	.10	.19	29
30		X	.01	.15		.18		.25		.05	.15	.31	30
31		X	.02	X		X	.01		X	.02	X		31
Total	3.30	2.83	3.59	1.79	.46	1.18	3.61	2.31	2.14	2.25	1.33	3.11	YEAR'S TOTAL 27.90
Rain Days.	23	11	19	16	8	12	11	12	13	12	20	24	181

W. 6,500. VII. 18. W W C

315 1882

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gloucester, Maisemore Lock
in the County of Gloucestershire
by E. J. Bradley W. E. Morefield

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·32	·27		·13		·02	·08		·20	1
2	·04		·03	·11	·01		·15	·03	·05	·05		·12	2
3	·05	·05		·16		·01	·34		·05	·20		·01	3
4				·07			·02	·34		·08			4
5		·01	·19	·19	·08		·19	·04		·26			5
6			·18		·05		·21			·21			6
7				·10			·03					·01	7
8	·12	·07		·35	·03		·88					·13	8
9	·13	·01		·30			·03						9
10	·63	·04	·02	·03		·06	·08				·03		10
11	·27		·12	·13	·35	·09	·03						11
12	·15	·02		·07	·02	·59	·04				·02		12
13	·04	·04	·22	·07									13
14		·01	·55	·32		·06		·01	·13	·07	·25	·01	14
15		·05	·04	·47		·15			·01	·12	·01		15
16			·01		·06	·12	·26		·25	·17			16
17	·03				·15	·13			1·05	·14		·02	17
18	·19			·05	·09		·04	·35	·53			·03	18
19	·03	·23		·39		·14							19
20	·03	·05		·14		·14			·01			·09	20
21				·01			·02			·02		·02	21
22				·11				·09		·01		·25	22
23		·01		·01			·39	·04				·26	23
24			·27								·02	·10	24
25		·06	·17			·03	·41					·01	25
26	·15		·22			·02	·04				·02	·09	26
27	·33	·03	·07	·06	·05	·39					·02	·12	27
28	·70		·03		·26	·01	·06					·02	28
29	·28		·18	·01	·02	·07	·08				·10	·39	29
30	·03	X	·17	·06		·11	·13		·20		·29	·16	30
31	·08	X	·09	X	·02	X	·01		X	·16	X	·06	31
TOTAL	3·28	·68	2·57	3·53 ~~3·33~~	1·46	2·12	3·57	·87	2·30	1·57	·76	2·00	YEAR'S TOTAL. 24·94 ~~24·84~~
Days with ·01 in. or more	18	14	18	23	14	16	22	7	9	13	9	20	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·04 14 0 13 19 9 12 16 5 7 11 3 12 12

GLOUCESTER.

MICKLETON.

"BANK HOUSE"

1911 – 1920

FORM A2.
BRITISH RAINFALL.
1 - JAN 19

REGIST

Kept at Bank House, Mi

in the County of Glouceste

by M. J. Salter

rowdon

5 in.

Ground 1 ft. – in.

Sea Level 233 ft.

am

Name Campden

Distance 3 M Direction 10° E of S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	–	–	–	–	·01	–	–	·01	–	1
2	·01	–	–	·09	·17	–	–	·17	·02	·42	·06	·03	2
3	–	–	–	–	·19	–	–	·02	·01	·01	·01	–	3
4	·02	·01	·17	·01	·01	–	–	–	·05	·04	·28	·31	4
5	·06	–	·01	·02 s	–	–	–	·09	–	·01	·03	–	5
6	·29	–	–	–	–	–	–	–	–	–	·04	·58	6
7	·01	–	–	–	–	–	–	–	–	·04	·17	·04	7
8	·20	–	·11	–	–	–	–	–	–	–	·03	·24	8
9	·12	–	·02	–	–	–	–	·01	–	–	·04	·18	9
10	·02	·13	·20	–	–	–	–	–	–	–	·01	·53	10
11	·13	–	–	–	–	–	–	–	–	–	·43	·01	11
12	–	–	·50	–	–	–	–	–	·25 T	–	·16	–	12
13	–	–	–	–	–	–	–	–	·48	·01	·02	·32	13
14	–	–	·02 s	–	–	–	–	–	–	–	–	·57	14
15	–	·01	·02	–	–	–	–	–	–	·01	·10	·02	15
16	–	–	–	–	–	·08	–	–	–	·01	·22	·13	16
17	–	–	·01	–	·04			–	–	–	·12	·24	17
18	–	·45	–	·05	–	·01	–	–	–	·08	–	·19	18
19	–	·03	–	–	–	·46	–	–	·04	·08	·11	·05	19
20	·01	·07	·01	–	–		–	·15	·05	·01	–	·64	20
21	–	·07	·01	–	–		–	·31	–	·24	–	·09	21
22	–	–	·05	–	–	·27	–	·02	–	·06	·01	·56	22
23	–	·19	·30	–	–	·03	–	–	·20	·01	–	·12	23
24	–	·05	–	·01	–	·35	–	·06	–	·57	–	·10	24
25	–	·18 H	·01	·04	·10	·04	–	·12	·01	–	–	·14	25
26	–	·12	–	·24	–	·01	–	·01	–	·15	·17 s	·09	26
27	–	·13	·17	·08	–	–	–	·41	·29	–	·04	·18	27
28	–	·19	–	·12	–	·01	·01	·01	–	–	·04	–	28
29	–		–	·15	–	·26	·06	·02	·11	·12	·01	–	29
30	–		·05	·18	·05	·04	–	1·02 T H	·02	·09	–	–	30
31	–		–		–		–	–		·05		–	31
Total	0·87	1·63	1·73	0·99	0·56	1·56	0·07	2·43	1·53	2·01	2·11	5·36	TOTAL for year
No. of Rain Days.	10	13	17	11	6	11	2	15	12	19	22	23	20·85

W. 8,000, X. '11.

Rain days. 161

REGIST

FORM A2. BRITISH RAINFALL. 1 - JAN 197

Kept at Bank House, Mickleton

in the County of Gloucestershire 4

by M. J. Salter

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 233 ft.

Time of Observation 9 am

Nearest Railway Station
Name Campden
Distance 3 M Direction 10° E of S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	–	–	–	–	·01	–	–	·01	–	1
2	·01	–	–	·09	·17	–	–	·17	·02	·42	·06	·03	2
3	–	–	–	–	·19	–	–	·02	·01	·01	·01	–	3
4	·02	·01	·17	·01	·01	–	–	–	·05	·04	·28	·31	4
5	·06	–	·01	·02 s	–	–	–	·09	–	·01	·03	–	5
6	·29	–	–	–	–	–	–	–	–	–	·04	·58	6
7	·01	–	–	–	–	–	–	–	–	·04	·17	·04	7
8	·20	–	·11	–	–	–	–	–	–	–	·03	·24	8
9	·12	–	·02	–	–	–	–	·01	–	–	·04	·18	9
10	·02	·13	·20	–	–	–	–	–	–	–	·01	·53	10
11	·13	–	–	–	–	–	–	–	–	–	·43	·01	11
12	–	–	·50	–	–	–	–	–	·25 T	–	·16	–	12
13	–	–	–	–	–	–	–	–	·48	·01	·02	·32	13
14	–	–	·02 s	–	–	–	–	–	–	–	–	·57	14
15	–	·01	·02	–	–	–	–	–	–	·01	·10	·02	15
16	–	–	–	–	–	·08	–	–	–	·01	·22	·13	16
17	–	–	·01	–	·04			–	–	–	·12	·24	17
18	–	·45	–	·05	–	·01	–	–	–	·08	–	·19	18
19	–	·03	–	–	–	·46	–	–	·04	·08	·11	·05	19
20	·01	·07	·01	–	–		–	·15	·05	·01	–	·64	20
21	–	·07	·01	–	–		–	·31	–	·24	–	·09	21
22	–	–	·05	–	–	·27	–	·02	–	·06	·01	·56	22
23	–	·19	·30	–	–	·03	–	–	·20	·01	–	·12	23
24	–	·05	–	·01	–	·35	–	·06	–	·57	–	·10	24
25	–	·18 H	·01	·04	·10	·04	–	·12	·01	–	–	·14	25
26	–	·12	–	·24	–	·01	–	·01	–	·15	·17 s	·09	26
27	–	·13	·17	·08	–	–	–	·41	·29	–	·04	·18	27
28	–	·19	–	·12	–	·01	·01	·01	–	–	·04	–	28
29	–		–	·15	–	·26	·06	·02	·11	·12	·01	–	29
30	–		·05	·18	·05	·04	–	1·02 T H	·02	·09	–	–	30
31	–		–		–		–	–		·05		–	31
Total	0·87	1·63	1·73	0·99	0·56	1·56	0·07	2·43	1·53	2·01	2·11	5·36	TOTAL for year
No. of Rain Days.	10	13	17	11	6	11	2	15	12	19	22	23	20·85

W. 8,000, X. '11.

Rain days. 161

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Bank House, Mickleton

in the County of Gloucestershire 4

by M. J. Salter

Lat. 52° 5′ 30″ N Long. 1° 46′ 0″ W
Time of Observation 9 am.
Nearest Railway Station Campden G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 233 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·01	·04	–	–	·29	·18	·01	·03	·10	–	·03	1
2	–	–	·10	·05	·01	·09	·44	·02	–	–	–	·01	2
3	·06	–	·02	–	·04	·09	·27	·54	–	–	·01	·08	3
4	·14	–	·65	–	·15	·81	·01	·03	–	–	·23	–	4
5	·24	·04	·31	–	·06	·04	–	·40	–	–	–	·03	5
6	·23	·07	–	–	·02	–	·16	·63	–	–	–	·01	6
7	–	·08	·02	–	·05	·46	–	·13	–	–	–	·01	7
8	·38	·13	·23	·04	–	·01	·28	·05	·06	–	–	·05	8
9	–	·03	·16	·03	–	·25	–	·06	–	–	–	·14	9
10	–	·02	–	–	–	·05	–	·08	·01	–	·21	–	10
11	·09	·07	·01	–	–	·15	–	·12	–	–	·08	·31	11
12	·04	·55	·11	–	·03	–	·01	–	–	–	·01	·01	12
13	–	·11	–	–	–	–	·03	·01	–	–	–	–	13
14	·06	–	·31	–	·02	–	–	·14	–	·01	–	–	14
15	·14	·05	·05	–	·36	·17	–	–	–	–	–	·15	15
16	·46	–	·09	–	·10	·08	–	·02	–	·02	·06	–	16
17	1·10	–	·14	–	–	·05	–	·27	–	–	·02	·36	17
18	·17	–	·22	–	–	–	–	·15	–	·04	–	–	18
19	·08	·04	·01	–	·02	–	·15	·29	–	–	–	–	19
20	·02	–	·40	–	·02	·02	·24	·22	–	·29	·05	–	20
21	·01	–	·31	–	·62	–	–	·58	–	·21	–	–	21
22	·65	·05	·06	–	1·02	·06	·50	·10	–	·01	–	·01	22
23	·21	·50	·25	–	–	·16	·21	·17	–	·01	·04	·38	23
24	·04	–	–	–	·01	·39	·06	·15	–	–	–	·08	24
25	–	–	–	–	–	·61	–	·65	–	–	·24	·41	25
26	–	·01	·02	–	–	–	·04	·93	–	·28	·25	·10	26
27	–	–	–	–	–	·07	·24	–	–	·51	–	·14	27
28	–	·07	–	–	–	·12	·50	·55	·04	·14	·19	·46	28
29	–	·02	·02	–	–	·06	·42	–	·44	·22	·03	–	29
30	·01		–	–	–	·01	·05	·08	·03	·11	–	–	30
31	–		·08		·17		·44	·04		·01		·03	31
Total	4·13	1·85	3·61	0·12	2·70	4·04	4·23	6·42	0·61	1·96	1·42	2·80	YEAR'S TOTAL 33·89
Rain Days.	19	17	23	3	16	22	19	27	6	14	13	20	199

W. 7,500, XI. 12

C 7 b

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL
2 - JAN 1914

Kept at Bank House, Mickleton,
in the County of Gloucestershire 4
by M. J. Salter

Lat. 52° 5' 30" N Long. 1° 46' 0" W
Time of Observation 9 am
Nearest Railway Station Campden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 233 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·04	·08	·12	·04	–	–	–	1·08	–	·06	–	1
2	–	·16	–	·01	–	–	·02	–	·20	·26	·03	–	2
3	·05	–	·12	–	·52	–	–	–	–	·06	–	·06	3
4	·62	–	–	–	·27	–	–	–	–	·19	·02	·28	4
5	–	–	–	–	–	–	·06	–	·01	·40	·02	·07	5
6	·01	·08	·06	–	·21	·20	1·24	–	–	·23	–	·21	6
7	–	·08	–	–	·15	·03	·05	–	–	·17	·09	–	7
8	–	·01	–	–	·20	·04	–	–	–	·31	–	–	8
9	–	·20	–	·01	·02	·11	–	·07	·16	–	·03	·01	9
10	·05	–	–	·05	·02	–	–	·05	–	–	·23	[illegible]	10
11	1·36	–	–	·30	·01	–	–	·22	–	·04	·69	–	11
12	–	–	–	–	·06	–	–	–	–	–	·60	–	12
13	·03	–	·01	–	–	–	–	·07	·32	–	·20	–	13
14	·11	·01	·39	·02	–	–	·02	·16	–	·14	–	–	14
15	·05	·14	·34	·20	–	–	·04	–	·08	–	·01	–	15
16	·02	–	·76	·11	–	–	–	–	·03	–	·01	–	16
17	·04	·03	·13	·08	–	·05	·15	–	·06	–	–	·01	17
18	–	–	·06	·06	·04	–	·07	–	·02	–	–	–	18
19	·22	–	·11	–	–	·10	·03	–	·08	–	–	·01	19
20	·32	–	·04	·04	–	–	·01	–	–	·16	·04	–	20
21	–	–	·05	·05	·05	–	·13	–	–	–	·38	–	21
22	·42	–	·38	·01	–	·01	–	·06	·31	–	–	–	22
23	–	–	·01	–	–	·04	–	·03	·02	–	·01	·04	23
24	–	–	–	·05	–	–	–	–	–	–	–	·01	24
25	–	·02	–	·13	–	–	–	–	·01	·03	–	–	25
26	–	·06	–	·36	–	–	–	·12	–	·11	–	·17	26
27	–	·01	·02	·15	·06	–	–	–	–	·01	–	–	27
28	·29	–	·23	·34	–	–	–	–	–	·21	–	·01	28
29	·02		·36	·47	–	–	–	·05	–	·04	–	·04	29
30	·18		–	–	–	–	–	–	–	·19	·15	–	30
31	–		·04		·17		–	·01		–		–	31
Total	3·79	0·84	3·19	2·56	1·82	0·58	1·82	0·84	2·38	2·55	2·57	0·92	YEAR'S TOTAL 23·86
Rain Days.	16	12	18	19	14	8	11	10	13	16	16	12	165

W.7,000, XI. 13

88

350

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Mickleton, Bank House

in the County of Gloucestershire 4

by M. J. Salter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08	·01		·18	·18			·06	·07	1
2			·01			·02	·27	·23			·74	·52	2
3			·11	·01	·11		·32				·03		3
4	·14		·04	·12	·01		·01	·16			·59	·39	4
5	·01		·05	·05	·11	·02	·46				·19		5
6	·01	·04			·01	·12					·13	·06	6
7		·12	·21	·01	·15		·07	·04				·04	7
8		·01	·19	·02	·08	·83	·09	·09				·08	8
9	·18		·26	·21	·02	1·49		·05	·05				9
10	·03	·25	·10	·11	·06	·01			·30				10
11		·13	·22	·05	·22	·40			·03		·21	·50	11
12		·07	·13				·39		·31		·02	·25	12
13	·01	·08	·22						·06	·05	·02	·33	13
14		·04	·08				·04			·41	·07	·05	14
15	·02	·02	·07				·01	·01	·01	·06	·08	·04	15
16	·01		·02				·02		·04			·01	16
17		·17	·09						·03			·13	17
18			·01			·04	·05					·31	18
19			·07				·85		·02		·06	·02	19
20		·19	·15			·09	·03					·12	20
21		·32	·03			·10		·08		·12	·01	·25	21
22			·11	·01	·29	·02	·01	·03		·08			22
23		·02	·05		·16	·02				·05		·01	23
24		·05	·06		·18	·01	·04			·10	·03	·01	24
25	·12		·03		·02		·07	·11		·18	·02	·13	25
26			·21				·11	·06		·05	·13	·35	26
27	·05									·01	·02	·09	27
28		·06	·04		·04					·03	·03	1·35	28
29			·02		·03					·32	·06		29
30						·01				·08	·35	·49	30
31							·25						31
Total	·58	1·57	2·58	·67	1·50	3·18	3·27	1·04	·85	1·54	2·85	5·60	YEAR'S TOTAL 25·23
Rain Days.	10	15	26	10	16	14	19	11	9	13	20	24	187

W.7,000, XI. 13

81 ✓

7282 ~~312~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Mickleton Exd

in the County of Gloucestershire

by M. J. Salter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	·06	·03		·18			·04		·15	·01	·04	1
2	·10	·10	·20	·07		·04		·41		·25		·04	2
3	·91	·02	·05	·09			·31	·22			·02	·20	3
4					·01		·36	·10				·41	4
5		·45			·04		·14	·06				·21	5
6	·21	·15	·01	·14			·44					·09	6
7	·04	·38		·01	·51	·07	·26	·04				·26	7
8	·06	·19		·06				·02			·01		8
9	·10	·01		·13				·01			·14	·35	9
10	·17		·02	·03				·03					10
11				·11	·05		·01				1·10	·02	11
12	·01	·05	—	·16	·56			·02		·05	·68	·02	12
13		·52			1·05			·01				·01	13
14							·11	·08	·07	·01		·25	14
15	·21				·05			·03		·06	·10	·08	15
16		·50			·06		·46	·23				·03	16
17		·17			·56							·01	17
18		·22	·07										18
19		·01	·01		·03		·14						19
20	·19			·04			·02					·10	20
21	·10	·05					·05			·05		·05	21
22	·13	·01	·24	·03			·15					·07	22
23	·01	·09	·02				·31		·03	·41		·30	23
24			·06	·05		·02	·11		·30	·46	—	·07	24
25			·01			·65	·12			·03		·30	25
26		·01					·04					·33	26
27		·01				·01	·09			·35		·02	27
28		·06	·01			·07	·01	·11	·14				28
29					—	·09	·35	·08			·04	·02	29
30	·04	X				·01	·05			·13	·21	·10	30
31		X		X		X	·02	·03	X	·67	X	·13	31 ✓
Total	2·52	3·06	·73	·92	3·10	·96	3·55	1·52	·54	2·62	2·31	3·51	YEAR'S TOTAL 25·34
Rain Days.	15	20	12	12	11	8	21	17	4	12	9	26	167 ✓

W. 8,000. X. 14.

81 Exc 81

2219
30-

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Mickleton, Bank House

in the County of Gloucestershire

by M. J. Salter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·02		·05	·02	·11			·09	·20		1
2	·18	·01	·07		·21	·01	·05		·01	·58	·03		2
3		·62			·01				·07	·24	·10		3
4	·27	·01		·09	·39	·25			·02	·02	·46		4
5	·03				·20	·07	·29			·02	·30		5
6	·05	·17	·08	·02	·14	·22	·37			·03	·57		6
7	·01		·14		·01	·01	·20			·13	·56	·13	7
8	·01	·01	·04		·20						·02	·23	8
9			·02		·13	·35				·01			9
10		·24	·06	·05		·35	·02		·01	·03		·01	10
11	·01	·09	·13	·07	·04	·30			·11			·32	11
12	·01	·01	·04	·11	·27		·28	·02		·20			12
13	·01	·24	·13	·01			·03	·12					13
14		·50	·01		·01					·01			14
15		·15	·60	·03	·18		·05	·18		·04			15
16	·02	·01	·17	·18	·10		·06	·16					16
17	·03	·17		·08			·02	·11	·34	·30			17
18		·04	·02	·07				·05	·16	·03	·55	·11	18
19	·02		·10	·36					·09		·33	·01	19
20	·06		·44	·01				·01			·16	·35	20
21	·01		·49		·07		·19				·01	·54	21
22		·01			·02	·01				·04		·74	22
23		·28						·06		·04	·05	·15	23
24		·27			·11	·35		·02		·30		·19	24
25		·15	·11					·24	·34		·19		25
26		·07	·05			·19		·01	·02	·18			26
27	·03	·10	1·20			·04	·04	·02	·02	·27			27
28		·38	·08			·06			·04	·04		·08	28
29		·12				·15		1·47		·31		·05	29
30		X			·02	·06		·01		·17		·01	30
31		X		X		X			X	·09	X	·06	31
Total	·81	3·65	4·00	1·08	2·16	2·44	1·71	2·48	1·23	3·17	3·53	2·98	YEAR'S TOTAL 29·24
Rain Days.	16	22	21	12	18	16	13	14	12	23	14	15	196

W. 8,000. X. 15.

81/ Ex

2119
~~288~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Mickleton
in the County of Gloucestershire
by M. J. Salter

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·03	·06		·01		1·00	·11		·09	·02	1
2						·05		·03		·01	·02		2
3				·12				·12		·23			3
4		·14	·20					·15		·29		·01	4
5	·21		·08	·19					·04	·12	·10		5
6			·35			·11				·04	·12		6
7	·20						·08	·15		·27	·02		7
8	·50			·12			·52	·16	·01	·25	·08	·11	8
9	·01		·10	·03	·23			·15	·02	·02	·19		9
10	·18		·16	·11	·20			·08	·06				10
11	·07		·18	·21				·15	·06	·12	·01		11
12	·05	·01	·02	·02	·09					·22			12
13			·01			·01		·13	·04				13
14	·01		·09	·01								·02	14
15	·02									·03		·07	15
16	·05	·12		·08	·02		·07			·04		1·03	16
17	·01	·01		·04	·73	·08	·26	·02	·06	·06			17
18		·02			·01	·01	·09	·05	·94	·02			18
19	·02	·24	·18			·04			·02				19
20		·13	·04		·44		·44		·18				20
21		·01	·11			·11				·01	·03		21
22	·04		·12			·02		·02		·18			22
23		·14			·03			·12		·03		·02	23
24		·02	·01			·12		·06		·11	·06	·01	24
25		·11	·05				·15			·01	·01		25
26						·03		·30	·07		·24		26
27					1·59	·09	·02	·53					27
28			·20			·55		·11				·03	28
29			·02			·20	·13	·04		·39		·34	29
30	·01	X					·21	·25		·01	·01		30
31	·01	X	·05	X		X	·01	·05	X		X	·03	31
Total	1·41	·95	2·00	·99	3·34	1·43	1·98	3·67	1·61	2·46	·98	1·69	YEAR'S TOTAL 22·51
Rain Days.	16	11	19	11	9	14	11	21	12	21	13	11	169

1·50

W. 8,000, VIII. 16

63 ~~277~~

REGISTER OF RAINFALL IN 1918

Kept at Mickleton
in the County of Gloucestershire
by M. J. Salter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

FORM A. BRITISH RAINFALL.
30. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·02	·02	·04			·01		·02	·34		1
2		·02						·14		·02	·02	·05	2
3		·04	·02	·07	·12			·06	·36		·06		3
4		·04	·02						·11		·53	·03	4
5				·03	·28			·12	·29	·01	·02		5
6		·15	·01	·07		·04			·03	·10		·02	6
7	·03	·14		·04	·18	·01			·03	·07	·16	·01	7
8									·18	·12		·03	8
9	·02	·04		·13		·24	·06		·26	·23		·05	9
10	·04			·11			·35		·08	·11		·10	10
11				·05			·01		·08	·31	·07	·04	11
12	·02	·01	·17	·01	·11		·23		·09				12
13		·02		·01			·02		·03	·04		·12	13
14	·18		·02			·01	·16		·40	·05		·02	14
15	1·37			·60	·01		·12		·01			·26	15
16	·14			·82		·03	·01		·13			·04	16
17	·12		·01	·05	·01	·01	·23	·01	·02	·04		·06	17
18	·36					·26	·05		·96			·49	18
19	·02	·04	·14	·04			·06		— }	·10		·01	19
20	·01	·07		·57		·06	·70		·06 }	·02		·04	20
21	·05			·44		·01	·03		·33	·02		·03	21
22	·15				·13		·07		·11	·11		·24	22
23	·02				·46	·01	·01		·07			·01	23
24		·13							·11		·10		24
25							·11	·19		·03	·03		25
26							·72			·03	·03	·11	26
27		·01					·02	·21	·03		·14	·06	27
28		·18	·21			·02					·12	·01	28
29			·03						1·43			·03	29
30		X	·20					·02	·02		·08	·08	30
31		X	·18	X		X		·06	X	·01	X		31
Total	2·54	·89	1·03	3·06	1·34	·70	2·96	·82	5·22	1·44	1·70	1·94	YEAR'S TOTAL 23·64
Rain Days.	15	13	12	16	9	11	18	9	25	19	13	24	184

W. 8,000, IX. 17.

81

1987

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Mickleton, Bank House
in the County of Gloucestershire
by M. J. Salter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.03	.02		.19		.22		.01	.24		.43	1
2	.10	.01	.01		.03		.27		.10	.05	.13	.02	2
3	1.26		.11		.03	.13	.04		.15		.15	.14	3
4	.12	.01	.47			.09	.11	.05	.17		.02	.24	4
5		.28	.25		.01		.04		.22			.09	5
6	.03		.06		.24							.09	6
7	.10		.33	.06	.06						.01		7
8	.21		.03	.34									8
9	.11		.03	.09									9
10	.02		.42	.01						.02		.10	10
11	.02		.33	.01			.40					.01	11
12			.06	.02		.09			.01	.15	.03	.01	12
13	.08			.14					.03	.14		.01	13
14	.34		.01	.11			.13		.03	.07		.02	14
15	.15		.01	.14						.01	.01	.33	15
16	.08	.99						.01			.07	—	16
17	.01	.77		.03	.01	.01					.14		17
18			.36					.12			.01	.07	18
19	.08	.17	1.13			.07	1.53	.50	.04		.08		19
20	.32	.03	.25				.10	.17	.06		.06	.01	20
21	.01	.36	.05				.28		.01			.08	21
22		.14					.01		.34			.33	22
23						.04		.06		.49	.01	.06	23
24				.03			.05			.52	.07	.07	24
25	.10			.02	.05	.06		.20				.03	25
26	.09	.01	.12	.09		.01	.01	.05	.11			.23	26
27	.28		.07	.81				.50				.10	27
28	.03		.09					.37			.20	.21	28
29	.04			.01				.02		.10	.11	.22	29
30	.01	X		.23		.23		.05		.09	.03	.31	30
31	.01	X	.01	X		X	.01		X	.01	X	.03	31
Total	3.85	2.80	4.22	2.14	.62	.73	3.20	2.10	1.28	1.89	1.13	3.24	YEAR'S TOTAL 27.20
Rain Days.	25	11	22	16	8	9	14	12	13	12	16	25	183
Days with .04 in.	17	6	15	9	4	7	11	10	8	9	9	17	122

318 [illegible] 1899

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mickleton, Bank House
in the County of Gloucestershire
by M. J. Salter

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·18	·25		·09		·01	·12		·21	1
2			·03	·11			·18	·04	·04	·24		·04	2
3	·07	·01		·10		·03	1·12	·02	·18	·31		·01	3
4			·02	·21	·01		·02	·24	·05	·18			4
5			·14	·02	·10		·55	·23	·05	1·05			5
6			·27		·10		·08			·05		·01	6
7			·04	·15	·01		·18						7
8	·14	·08		·53	·03		·84						8
9	·19			·39			·01	·01					9
10	·27	·06	·06	·02		·11	·06				·03	·01	10
11	·23		·02	·25	·37	·05	·06					·01	11
12	·06		·02	·20		·55	·01	·36			·02		12
13			·23	·06					·07			·02	13
14			·95	·25		·24			·31	·02	·15		14
15		·03	·17	·26		·12			·07	·01	·02		15
16					·03	·09	·07		·30	·22	·04		16
17				·01	·09		·01		·90	·09		·04	17
18	·23			·05	·03		·01	·26	·39			·01	18
19	·08	·22		·15		·07	·02	·25	·01			·02	19
20	·03	·13		·30		·16			·03			·01	20
21		·01		·01			·01	·02	·01			·03	21
22				·08				·14				·19	22
23		·01					·30	·12				·26	23
24			·11	·01							·02	·07	24
25		·04	·12	·02		·01	·67	·01					25
26	·20		·23	·03	·01		·12				·01	·09	26
27	·38	·02	·04	·28	·02	·42					·01	·30	27
28	·71		·03	·01	·24		·02					·01	28
29	·13		·08		·07	·04	·04				·06	·44	29
30			·01	·19	·01	·06	·09		·24		·15	·12	30
31	·05									·51		·03	31
TOTAL	2·77	·61	2·57	3·87	1·37	1·95	4·56	1·70	2·66	2·80	·51	1·93	YEAR'S TOTAL 27·30
Days with ·01 in. or more	14	10	18	26	15	13	23	12	15	11	10	21	188
·04	13	5	12	18	7	11	15	8	11	9	4	10	123

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2180

GLOUCESTER.

MINCHINHAMPTON.

1916 – 1920

FORM A.
BRITISH RAINFALL.

REGIST … 16

…t. … g. 51° 42′ N.

Kept at Minchinham… … 9 a.m.

in the County of Glouce… … Brimscombe

by E. M. Day

…ain Gauge 5 in.

…bove Ground 1 ft. – in.

… Sea Level 630 ft.

IMPORTANT NOTE.—… and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·00	·00	·17	·14	·50	·00	·01	·15	·18	·00	1
2	·89		·00	·00	·21	·01	·00	·00	·02	·91	·04	·00	2
3	·005		·00	·00	·01	·00	·05	·00	·07	·56	·10	·00	3
4	·61	1·32	·00	·00	·43	·52	·00	·00	·12	·28	·35	·00	4
5	·005		·05	·00	·14		·02	·00	·00	·13	·20	·00	5
6	·02		·01	·00	·34		·48	·00	·00	·30	·57	·00	6
7	·03		·15	·00	·09		·00	·00	·00	·26	·31	·23	7
8	·03		·11 snow	·00	·22	·70	·11	·00	·00	·00	·02	·19	8
9	·01	·00	·01	·00	·10		·005	·00	·00	·01	·01	·01	9
10	·01	·44	·04	·08	·04		·00	·00	·005	·12	·01	·03	10
11	·05	·09	·06	·05	·06		·00	·00	·00	·00		·12	11
12	·02	·07	·03	·02	·71		·16	·00	·00	·13		·00	12
13	·00	·43	·09	·02	·00		·00	·21	·00	·04		·00	13
14	·00	·57	·04	·00	·15	·00	·00	·23	·00	·05		·00	14
15	·00	·38	·14	·01	·00	·00	·00	·46	·00	·02		·00	15
16	·005	·03	·00	·28	·03	·00	·69	·75	·00	·00		·00	16
17	·24	·11	·00	·12	·00	·00	·01	·005	·40	·54		·00	17
18	·00	·04	·04	·00	·00	·00	·00	·02	·06	·18	·99	·15	18
19	·29	·00	·25	·49	·00	·00	·00	·00	·04	·00		·00	19
20	·26	·005	·41	·005	·00	·00	·00	·00	·00	·00		·42	20
21	·29	·06	·44	·00	·10	·00	·01	·00	·00	·00		·58	21
22	·00	·00	·01	·005	·07	(·06)	·00	·00	·00	·16		·67 snow	22
23	·01	·36	·00	·00	·00	·00	·00	·06	·00	·02		·15	23
24	·00	·14	·01	·07	·48	·08	·00	·06	·00	·35		·22	24
25	·00	·44	·29	·00	·00	·00	·00	·63	·01	·00		·00	25
26	·00	·27 snow	·00	·00	·03	·18	·00	·04	·06	·18		·00	26
27	·05	·09	? snow 1·60	·00	·12	·00	·27	·28	·26	·68	·00	·00	27
28	·00	·37	snow 1·00	·00	·00	·00	·00	·005	(·17)	·09	·01	·45	28
29	·00	·29	·00	·00	·00	·36	·00	1·75	·00	·45	·00	·005	29
30	·00	X	·01	·00	·00		·00	·02	·00	·39	·00	·00	30
31	·00	X	·00	X	·00	X	·00	·015	X	·43	X		31
Total	2·94	5·48	4·79	1·15	3·50	2·05	2·25	4·53	1·16	6·43	2·79	3·22	40·30 40·29
Rain Days.	16	19	21	9 10	19	8 (15)	9 10	13 14	11	24	(19)	12 13	180 (193)

W. 8,000, VIII. 16

2180

REGIST 16

FORM A.
BRITISH RAINFALL.

Kept at Minchinhampton
in the County of Gloucester
by E. M. Day

Lat. 2° 12' W. ~~Long.~~ 51° 42' N.
Time of Observation 8 a.m.
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11		·00	·00	·17	·14	·50	·00	·01	·15	·18	·00	1
2	·89		·00	·00	·21	·01	·00	·00	·02	·91	·04	·00	2
3	·005		·00	·00	·01	·00	·08	·00	·07	·56	·10	·00	3
4	·61	1·32	·00	·00	·43	·52	·00	·00	·12	·28	·35	·00	4
5	·005		·05	·00	·14		·02	·00	·00	·13	·20	·00	5
6	·02		·01	·00	·34		·48	·00	·00	·30	·57	·00	6
7	·03		·15	·00	·09		·00	·00	·00	·26	·31	·23	7
8	·03		·11	·00	·22	·70	·11	·00	·00	·00	·02	·19	8
9	·01	·00	·01	·00	·10		·005	·00	·00	·01	·01	·01	9
10	·01	·44	·04	·08	·04		·00	·00	·005	·12	·01	·03	10
11	·05	·09	·06	·05	·06		·00	·00	·00	·00		·12	11
12	·02	·07	·03	·02	·71		·16	·00	·00	·13		·00	12
13	·00	·43	·09	·02	·00		·00	·21	·00	·04		·00	13
14	·00	·57	·04	·00	·15	·00	·00	·23	·00	·05		·00	14
15	·00	·38	·14	·01	·00	·00	·00	·46	·00	·02		·00	15
16	·005	·03	·00	·28	·03	·00	·69	·75	·00	·00		·00	16
17	·24	·11	·00	·12	·00	·00	·01	·005	·40	·54		·00	17
18	·00	·04	·04	·00	·00	·00	·00	·02	·06	·18	·99	·15	18
19	·29	·00	·25	·49	·00	·00	·00	·00	·04	·00		·00	19
20	·26	·005	·41	·005	·00	·00	·00	·00	·00	·00		·42	20
21	·29	·06	·44	·00	·10	·00	·01	·00	·00	·00		·58	21
22	·00	·00	·01	·005	·07	(·06)	·00	·00	·00	·16		snow ·67	22
23	·01	·36	·00	·00	·00	·00	·00	·06	·00	·02		·15	23
24	·00	·14	·01	·07	·48	·08	·00	·06	·00	·35		·22	24
25	·00	snow ·44	·29	·00	·00	·00	·00	·63	·01	·00		·00	25
26	·00	·27	·00	·00	·03	·18	·00	·04	·06	·18		·00	26
27	·05	·09	? snow 1·60	·00	·12	·00	·27	·28	·26	·68	·00	·00	27
28	·00	·37	snow 1·00	·00	·00	·00	·00	·005	(·17)	·09	·01	·45	28
29	·00	·29	·00	·00	·00	·36	·00	1·75	·00	·45	·00	·005	29
30	·00	✕	·01	·00	·00		·00	·02	·00	·39	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·015	✕	·43	✕		31
Total	2·94	5·48	4·79	1·15	3·50	2·05	2·26	4·53	1·16	6·43	2·79	3·22	Year's Total 40·30 40·29
Rain Days.	16	19	21	9 10	19	8 (15)	9 10	13 14	11	24	(19)	12 13	180 (193)

W. 8,000, VIII. 16

2082

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Minchinhampton
in the County of Gloucestershire
by C. Metcalfe Day

Lat. 51·42 N Long. 2·12 west
Time of Observation 9 a.m.
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·23	·22	·00	·04	·00	·70		·00	·07	·00	1
2	·00	·00	·00	·04	·00	·05	·00	·08		·01	·03	·00	2
3	·03	·17	·00	·04	·00	·00	·08	·12		·74	·02	·00	3
4	·00		·21	·00	·00	·00	·07	·36		·43	·00	·00	4
5	·21	·00	·14	·17	·00	·00	·00	·45		·34	·07	·00	5
6	·01	·00	·32	·00	·00	·82	·00	·00		·04	·25	·005	6
7	·24	·00	·00	·00	·00	·00	·35	·15		·26	·01	·03	7
8	snow ·52	·00	·27	·14	·00	·05	·75	·65	1·86	·35	·08	·22	8
9	·00	·00	·00	·02	·13	·00	·01	·41		·00	·03	·00	9
10	·13	·00	·39	·18	·02	·00	·00	·83		·02	·02	·01	10
11	·13	·00	·22	·56	·00	·00	·00	·29		·17	·00	·00	11
12	·00	·00	·01	·05	·26	·06	·00	·07		·39	·02	·00	12
13	·00	·00	·27	·02	·00	·00	·00	·21		·08	·00	·00	13
14	~~·005~~	·00	·005	~~·00~~ ·02	·00	·00	·00	·03		·06	·00	·005	14
15	·00	·00	·00	·00	·00	·00	·00	·47		·06	·00	·005	15
16	·02	·07	·00	·04	·00	·00	·11	~~·005~~		·10	·00	·27	16
17	·00	·02	·00	·08	·55	·13	·24	·09		·14	·005	·00	17
18	·01	·03	·00	·01	·01	·00	·47	·08	1·22	·00		·00	18
19	·00	·44	·07	·00	·00	·03	·00	·00	·04	·00		·00	19
20	·00	·12	·27	·00	·46	·11	·00	·00	·03	·00		·00	20
21	·00	·01	·18	·00	·00	~~·005~~	·00	·00	·00	·02		·00	21
22	·00	·00	·08	·00	·00	·11	·00		·00	·14	·19	·00	22
23	·00	·22	·00	·00	·13	·02	·00		·00	·01		·04	23
24	·00	·06	·005	·00	·00	·17	·00		·00	·14		·00	24
25	·00	·09	·04	·00	·00	·00	·00		·02	·01		·00	25
26	·00	·00	·02	·00	·08	·00	·00	3·25	·14	·00		·00	26
27	·00	·00	·00	·00	·72	·02	·00		·01	·00	·00	·00	27
28	·00	~~·005~~	·13	·00	·02	·84	·00		·00	·00	·00	·02	28
29	·00	X	·09	·00	~~·005~~	·51	·08		·00	·40	·005	·18	29
30	·00	X	·06	·00	·00	·00	·20		·00	·02	·00	·005	30
31	·00	X	·30	X	·00	X	·01		X	·02	X	·01	31
Total	1·30	1·23	3·31	1·62	2·38	2·96	2·37	7·74	3·32	3·95	·80	·80	YEAR'S TOTAL 31·78
Rain Days.	9	11	~~18~~ 20	14	10	14	11	~~17+one~~ (24)	~~8+one~~ (13)	22	12	16	~~154~~ (170)

W. 8,000, IX. 17.

26

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Minchinhampton
in the County of Gloucester
by E. Metcalfe Day

Lat. 51° 42′ N. Long. 2° 10′ W
Time of Observation 8 a.m.
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·04	·20	·02	·05		·00	·06	·00	~~·005~~ ·01	·34	·05	1
2	·00	·16	·00	·07	·00		·00	·41	·00	·06	·06	·19	2
3	·00	·08	·02	·19	·14		·00	·45	·26	·06	·01	·005	3
4	·00	·07	·005	·00	·00		·00	·07	·04	·00	·72	·08	4
5	·00	·005	·00	·05	·18		·00	·07	·27	·16	·09	·01	5
6	·07	·17	·00	·20	·00		·00	·00	·04	·14	·00	·15	6
7	·03	·11	·00	·03	·51		·00	·01	·23	·26	·32	·02	7
8	·00	·15	·00	·00	·00		·00	·00	·11	·13	·00	·03	8
9	·00	·22	·00	·11	·00		·10	·00	·70	·21	·03	·16	9
10	·01	·00	·00	·32	·00		·34	·00	·28	·10	·005	·27	10
11	·02	·00	·00	·03	·00		·06	·00	·22	~~·005~~ ·01	·09	·22	11
12	·00	·08	·22	·00	·15	·68	·14	·00	·08	·00	·00	·02	12
13	·005	·00	·005	·00	·02		·11	·00	·36	·07	·00	·23	13
14	·37	·00	·05	·00	·005		·77	·00	·53	·00	·00	·15	14
15	1·05	·00	·00	·31	·05		·16	·00	·01	·02	·00	·27	15
16	·27	·00	·00	·48	·00		·01	·06	·19	·01	·00	·04	16
17	·18	·00	·01	·12	·29		·00	·02	·13	·03	·00	·09	17
18	·73	·00	·00	·00	·00		·18	·00	·80	·00	·00	·28	18
19	·05	·02	·13	·08	·00		·10	·00	·02	·01	·00	·02	19
20	·01	·13	·00	·17	·00		·13	·00	·22	·02	·00	·00	20
21	·05	·00	·00	·02	·00		·00	·00	·61	·04	·00	·05	21
22	·04	·005	·00	·00	·17		·12	·00	·14	·09	·00	·23	22
23	·06	·00	·00	·00	·16		·20	·00	·01	·00	·01	·00	23
24	·00	·21	·00	·00	·00		·50	·00	·04	·00	·12	·02	24
25	·00	·00	·00	·00	·00		·30	·55	·00	·03	·00	·00	25
26	·00	·00	·00	·00	·00		·54	·00	·06	·04	·17	·12	26
27	·00	·02	·00	·00	·00	·02	·00	·24	·22	·00	·12	·00	27
28	·00	·00	·25	·00	·00	·00	·00	·00	·00	~~·005~~ ·01	·17	·02	28
29	·00		·05	·00	·00	·00	·00	·00	1·12	·00	·00	·00	29
30	·00	X	·34	·00	·00	·00	·00	·00	·00	·07	·07	·09	30
31	·00	X	·23	X	·00	X	·00	·06	X	·03	X	·00	31
Total	2·96	1·47	1·51	2·20	1·72	·70	3·76	2·00	6·69	1·61	2·32	2·87	YEAR'S TOTAL ~~28·85~~ 29·81
Rain Days.	15	13	10	15	10	(3)	16	11	25	23	14	24	~~177~~ (164)

W. 6,500, VII. 18. W W C

1951

FORM A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

15 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Minchinhampton
in the County of Gloucester
by Edw. Metcalfe Day

Lat. 51° 42′ Long. 2″ 12′ W
Time of Observation 8 a.m.
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·21	·00	·02	·00	·01	·00	·48	·00	·005	·09	·00	·57	1
2	·11	·00	·02	·00	·02	·02		·00	·17	·00	·09	·16	2
3	1·01	·00	·14	·00	·01	(·86)		·00	·20	·00	·06	·39	3
4	·12	·00	·36	·00	·00		·02	·04	·21	·00	·00	·14	4
5	·00	·40	·56	·00	·03		·00	·02	·45	·00	·02	·22	5
6	·07	·03	·10	·00	·15		·00	·00	·00	·00	·02	·10	6
7	·21	·00	·34	·03	·00		·00	·00	·00	·00	·01	·04	7
8	·18	·00	·36	·25	·00		·00	·00	·00	·00	·00	·00	8
9	·20	·00	·05	·10	·00		·00	·00	·00	·00	·05	·00	9
10	·02	·00	·39	·05	·00		·00	·00	·00	·01	·01	·13	10
11	·00	·00	·40	·10	·04		·34	·00	·00	·00	·00	·01	11
12	·00	·00	·19	·04	·00		·00	·00	·00	·24	·005	·13	12
13	·13	·00	·00	·25	·00		·00	·00	·005	·01	·00	·12	13
14	·54	·01	·00	·43	·00		·12	·00	·01	·10	·00	·02	14
15	·36	·04	·01	·04	·04		·00	·00	·00	·00	·01	·21	15
16	·14	·80	·00	·00	·00		·00	·00	·00	·00	·00	·00	16
17	1·00	·53	·00	·00	·00		·00	·00	·00	·00	·09	·02	17
18	·00	·00	·51	·00	·01		·02	·21	·02	·00	·06	·08	18
19	·12	·31	·90	·00	·00		1·25	·29	·11	·00	·02	·02	19
20	·58	·14	·36	·00	·00		·01	·31	·06	·00	·00	·00	20
21	·02	·51	·01	·00	·00		·07	·00	·01	·00	·02	·16	21
22	·00	·22	·00	·00	·00		·22	·02	·16	·00	·00	·08	22
23	·00	·00	·00	·00	·00		·00	·03	~~·005~~	·32	·10	·03	23
24	·00	·00	·00	·01	·00		·11	·02	·01	·74	·16	·24	24
25	·09	·00	·00	·00	·01		·00	·27	·01	·00	·00	·03	25
26	·13	·00	·12	·00	·00		·00	·03	·17	·00	·01	·42	26
27	·04	·00	·00	·44	·00		·00	·18	·00	·00	·00	·03	27
28	·03	·00	·25	·09	·00		·00	·51	·00	·00	·41	·29	28
29	·01	·00	·00	·05	·00		·00	·01	·00	·32	·07	·84	29
30	·00		·00	·25	·00		·00	·44	·00	·02	·36		30
31	~~·005~~		·02		·00		·00	·00		·00			31
TOTAL	4·32	2·99	~~5·94~~ 5·11	2·13	·32	·88	2·64	2·38	1·60	1·85	1·57	4·48	YEAR'S TOTAL ~~31·10~~ 30·27
Days with ·01 in. or more	21	10	20	14	9	(11)	10	14	1~~3~~4	9	18	26	~~166~~ 6

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

(176)

W M L

1866

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Minchinhampton
in the County of Gloucester
by E. Metcalfe Day

Lat. 51° 42 N. Long. 2° 11 west
Time of Observation 8 a.m.
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 620 ft.

18 JAN 21

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·00	·00	·29	·30			·02	·00	·25	·00	·41	1
2		·00	·03	·24	·01			·13	·07	·12	·00	·16	2
3		·10	·00	·18	·00	~~1·2~~	1·25	·00	·04	·28	·00	·02	3
4		·00	·03	·05	·00			·51	·00	·25	·00	·005	4
5	1·70	·00	·15	·08	·01			·005	·00	·10	·00	·00	5
6		·00	·28	·00	·16		·37	·00	·00	·13	·00	·03	6
7		·00	·03	·11	·02		·10	·00	·00	·12	·00	·00	7
8		·09	·00	·44	·00		·64	·00	·00	·005	·00	·02	8
9		·08	·01	·64	·00		·01	·00	·00	·00	·00	·00	9
10		·07	·07	·08	·00		·17	·00	·00	·00	·03	·01	10
11		·005	·10	·26	·37		·06	·00	·00	·00	·00	·00	11
12		·06	·02	·14	·02		·02	·00	·00	·00	·005	·00	12
13	·04	·05	·30	·16	·00		·00	·00	·00	·00	·04	·02	13
14	·02	·02	·80	·28	·00		·01	·005	·06	·09	·48		14
15	·02	·09	·05	·21	·005		·02	·00	·13	·13	·15		15
16	·00	·00	·00	·08	·02		·24	·00	·43	·19	·08		16
17	·03	·00	·00	·02	·26		·005	·005	·35	·06	·00		17
18	·35	·00	·00	·07	·10		·05	·25	·44	·00	·00	·005	18
19	·07	·21	·00	·20	·02		·005	·00	·22	·00	~~·005~~	·01	19
20	·04	·18	·00	·11	·00		·00	·00	·00	·00	·00	·25	20
21	·00	·00	·00	·00	·00		·005	·00	·01	·00	·00	·02	21
22	~~·005~~	·00	·00	·15	·00		·00	·07	·03	·00	·00	·29	22
23	·00	·00	·00	·00	·00		·47	·08	·00	·00	·00	·29	23
24	·01	·00	·31	·01	·00		·00	·005	·00	·00	·04	·25	24
25	·01	·12	·15	·01	·00		·51	·03	·00	·00	·00	·01	25
26	·28	·00	·35	·00	·00		·13	·00	·00	·00	·04	·05	26
27	·28	·03	·01	·23	·00		·15	·00	·00	·00	·01		27
28	·58	·00	·13	·05	·15		·04	·00	·00	·00	·00	1·09	28
29	·13	·005	·06	·05	·02		·005	·00	·00	·00	·17		29
30	·06	×	·06	·02	·02		·22	·00	·26	·00	·26		30
31	·17	×	·23	×	·00	×	·02	·00	×	·18	×		31
Total	3·79	1·11	3·17	4·14	1·48	2·41	4·50	1·11	2·04	1·90	1·31	2·94	YEAR'S TOTAL ~~29·90~~ 29·90
Days with ·01 in. or more		12 13	20	26	14		20 25	7 9	11	12	10 11	17 20	
Days with ·04 in. or more		10	14	21	6		15 ?	5	9	12	8		

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MINCHINHAMPTON
CAMPFIELD

GLOUCESTER

1914 – 1920

FORM A.
BRITISH RAINFALL.
JAN 1915

REGIS

Kept at Camp
in the County of
by Piers. F

in
Brimscombe
5 in.
Ground 1 ft. 6 in.
Sea Level 650 ft.

IMPORTANT NOTE
previous day. If an Obse
requested to add the readin
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. Mill, 62, Camd

he result entered to the
sal rule, he is earnestly
in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·09	-	-	·10	·30	-	-	·24	·01	1
2	-	-	-	-	-	·03	·59	·30	-	-	·69	·33	2
3	-	-	·02	·14	·57	-	·27	-	-	-	·15	·07	3
4	·20	-	-	·31	·06	-	·18	·03	-	-	43	·66	4
5	-	-	·03	·23	·10	-	·25	·01	-	-	·06	-	5
6	-	·20	·12	·03	·08	-	·63	·04	-	-	·06	·30	6
7	-	27	·20	·20	·25	·10	·28	·18	-	-	-	·11	7
8	·04	-	·81	·01	·10	·68	·14	·09	-	-	-	·05	8
9	·10	-	-	07	·09	1.13	-	·08	·16	-	-	-	9
10	-	·20	-	·18	·08	-	-	-	·26	-	-	-	10
11	-	·05	·30	·02	·12	·55	-	-	·02	-	·15	·62	11
12	-	·15	-	-	-	-	·16	-	·32	-	·06	·15	12
13	-	·70	·60	-	-	-	-	-	·28	·08	·05	·65	13
14	-	·35	·31	-	-	-	·03	·06	·02	·38	·20	-	14
15	-	·06	·08	-	-	-	·08	·15	·32	·04	·28	-	15
16	-	-	-	-	-	-	·06	-	·18	-	·16	-	16
17	-	·25	·16	-	-	-	·02	-	·02	-	-	·79	17
18	-	-	·10	-	-	-	·14	-	-	-	-	·36	18
19	-	·20	·21	-	-	-	·68	-	-	-	·13	·26	19
20	-	·12	·04	-	-	·03	-	-	-	-	-	·24	20
21	-	·40	905	-	-	-	-	-	-	·20	-	·03	21
22	-	-	·05	-	·10	·03	-	·07	-	·16	-	-	22
23	-	·03	·10	-	·17	-	·05	·01	-	·10	-	-	23
24	-	-	·09	-	-	-	·01	-	-	·08	·09	-	24
25	·15	-	·26	-	-	-	·03	·43	-	·32	-	·41	25
26	-	-	·11	-	-	-	·13	-	-	·09	·20	·55	26
27	·09	-	-	-	-	-	·01	-	-	·02	·27	·42	27
28	-	·17	·26	-	·04	-	-	-	-	·02	·15	·85	28
29	·13	X	·10	-	·06	-	-	-	-	·35	·42	-	29
30	·08	X	·31		-	·01	-	-	-	·15	·60	·78	30
31	·03	X	-	X	·05	X	·46	-	X	·15	X	-	31
Total	·82	3.15	4.31	1.28	1.81	2.56	3.70	1.75	1.58	2.14	4.39	7.64	YEAR'S TOTAL 35.13
Rain Days.	8	14	22	10	14	8	21	13	9	14	19	20	172

W. 8,000. X. 14.

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Camp Field
in the County of Minchinhampton Glos.
by Piers. F Legh

Lat. ...... Long. ......
Time of Observation 9 am
Nearest Railway Station Brimscombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	.09	–	–	.10	.30	–	–	.24	.01	1
2	–	–	–	–	–	.03	.59	.30	–	–	.69	.33	2
3	–	–	.03	.14	.57	–	.27	–	–	–	.15	.07	3
4	.20	–	–	.31	.06	–	.18	.03	–	–	.43	.66	4
5	–	–	.03	.23	.10	–	.25	.01	–	–	.06	–	5
6	–	.20	.12	.03	.08	–	.63	.04	–	–	.06	.30	6
7	–	.27	.20	.20	.25	.10	.28	.18	–	–	–	.11	7
8	.04	–	.81	.01	.10	.68	.14	.09	–	–	–	.05	8
9	.10	–	–	.07	.09	1.13	–	.08	.16	–	–	–	9
10	–	.20	–	.18	.08	–	–	–	.26	–	–	–	10
11	–	.05	.30	.02	.12	.55	–	–	.02	–	.15	.62	11
12	–	.15	–	–	–	–	.16	–	.32	–	.06	.15	12
13	–	.70	.60	–	–	–	–	–	.28	.08	.05	.65	13
14	–	.35	.31	–	–	–	.03	.06	.02	.38	.20	–	14
15	–	.06	.08	–	–	–	.08	.15	.32	.04	.28	–	15
16	–	–	–	–	–	–	.06	–	.18	–	.16	–	16
17	–	.25	.16	–	–	–	.02	–	.02	–	–	.79	17
18	–	–	.10	–	–	–	.14	–	–	–	–	.36	18
19	–	.20	.21	–	–	–	.68	–	–	–	.13	.26	19
20	–	.12	.04	–	–	.03	–	–	–	–	–	.24	20
21	–	.40	.05	–	–	–	–	–	–	.20	–	.03	21
22	–	–	.05	–	.10	.03	–	.07	–	.16	–	–	22
23	–	.03	.10	–	.17	–	.05	.01	–	.10	–	–	23
24	–	–	.09	–	–	–	.01	–	–	.08	.09	–	24
25	.15	–	.26	–	–	–	.03	.43	–	.32	–	.41	25
26	–	–	.11	–	–	–	.13	–	–	.09	.20	.55	26
27	.09	–	–	–	–	–	.01	–	–	.02	.27	.42	27
28	–	.17	.26	–	.04	–	–	–	–	.02	.15	.85	28
29	.13	X	.10	–	.06	–	–	–	–	.35	.42	–	29
30	.08	X	.31		–	.01	–	–	–	.15	.60	.78	30
31	.03	X	–	X	.05	X	.46	–	X	.15	X	–	31
Total	.82	3.15	4.31	1.28	1.81	2.56	3.70	1.75	1.58	2.14	4.39	7.64	YEAR'S TOTAL 35.13
Rain Days.	8	14	22	10	14	8	21	13	9	14	19	20	172

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3 JAN 1916

Kept at Camp Field. Minchinhampton

in the County of Glos

by Piers F Legh

Lat. Long.

Time of Observation 9

Nearest Railway Station Brimscombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.64	.11	–	–	.14	–	–	.05	.24	.20	–	.14	1
2	.22	.29	.20	.17	–	.03	–	1.41	–	.25	–	.10	2
3	1.15	.05	04	03	.04	–	.03	.15	–	.02	–	.12	3
4	.05	–	–	–	–	–	.80	.10	–	–	–	.85	4
5	–	.80	–	–	–	–	–	.09	–	–	–	.53	5
6	.23	.09	–	.23	–	–	.46	.02	–	–	–	.31	6
7	.13	.65	–	.09	.12	.06	.15	.09	–	–	.03	.18	7
8	.47	.22	–	–	–	–	.16	.05	–	–	–	–	8
9	–	–	–	.06	–	–	–	–	–	–	.23	70	9
10	.25	–	.06	.06	–	–	–	.05	–	–	–	.02	10
11	–	–	10	.08	–	–	–	–	–	–	.85	.17	11
12	.12	.10	–	.33	.37	–	–	.03	–	.10	.50	–	12
13	.03	.75	–	–	.71	–	–	–	.04	–	–	–	13
14	.18	.02	–	–	–	–	.09	.12	.10	–	–	.92	14
15	.45	–	–	–	.10	–	.01	.24	–	.06	.07	.20	15
16	–	1.20	–	–	.28	–	.77	.46	–	–	–	.12	16
17	–	.36	–	–	.94	–	–	.13	–	–	–	–	17
18	–	.22	.02	–	–	–	–	–	–	.02	–	–	18
19	–	–	–	–	.12	–	.32	–	–	–	–	–	19
20	.20	–	–	.11	–	–	–	–	–	–	–	.12	20
21	.18	.03	–	–	.02	–	.04	–	–	.15	–	.21	21
22	.07	.26	.39	–	–	.02	.48	–	–	–	–	.38	22
23	–	.12	.72	–	–	–	.11	–	–	1.72	–	.48	23
24	–	–	.03	.05	–	–	.35	–	.11	.59	–	.30	24
25	–	–	–	–	–	.54	03	–	.40	.05	–	.16	25
26	–	.20	–	–	–	.01	17	–	.01	–	–	.50	26
27	–	.05	–	–	–	.11	20	–	–	.53	–	.04	27
28	–	.03	–	–	–	.02	–	–	–	.62	–	–	28
29	–	X	–	–	–	–	08	10	.54	–	.10	.04	29
30	.11	X	–	–	–	.05	–	–	.01	.27	.32	20	30
31	.01	X	–	X	–	X	.03	.05	X	1.18	X	.33	31
Total	4.49	5.55	1.56	1.21	2.84	.84	4.23	3.14	1.45	5.16	2.10	7.12	YEAR'S TOTAL 39.69
Rain Days.	17	19	8	10	10	8	18	16	8	14	7	24	159

W. 8,000. X. 15.

cu'd by mm stats for month

No 75

2181

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Camp Field Minchinhampton
in the County of Gloucester
by Piers F. Legge

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 650. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	-	.10	-	-	.15	.52	-	-	.05	.37	-	1
2	.83	.05	-	-	.18	.02	-	-	.02	.96	.06	-	2
3	-	.95	-	-	.20	-	-	-	.10	.62	.10	-	3
4	.59	.06	.05	-	.12	.58	-	-	.17	.35	.49	-	4
5	-	.03	.08	-	.32	.02	.03	-	-	.15	.31	-	5
6	.04	.33	.12	-	.15	.10	.48	-	-	.42	.54	-	6
7	(.03) .63	-	.05	-	.38	.01	.03	-	-	.19	.32	.26	7
8	.04	-	-	-	.10	.20	-	-	-	-	.02	.20	8
9	-	-	.02	-	.26	.06	.10	-	-	.02	.01	-	9
10	.02	.50	-	.10	.12	.08	-	-	-	.12	.01	-	10
11	.06	.03	.04	.06	.04	.28	-	-	-	-	-	.15	11
12	.03	.07	-	.02	.06	-	.15	.02	-	.17	-	-	12
13	-	.34	.11	.03	.75	-	-	.20	-	-	-	-	13
14	-	.26	.04	-	-	-	-	.27	-	.10	-	-	14
15	-	.42	.15	-	.14	-	-	.47	-	-	-	-	15
16	-	.03	-	.30	.01	-	.50	.64	-	.02	-	-	16
17	.25	.13	-	.10	.03	-	-	.02	.40	.54	-	-	17
18	-	-	.04	-	-	-	-	.02	.05	.19	*.35	.16	18
19	.26	-	.34	.50	-	-	-	-	.03	-	*.12	58	19
20	.36	-	.70	-	-	-	-	-	-	-	.03	*40	20
21	.26	-	.56	-	-	-	.01	-	-	-	-	64	21
22	-	-	-	.02	.18	.16	=	-	-	.15	.02	-	22
23	-	.25	-	-	-	-	-	.06	-	.02	13	15	23
24	-	.05	-	.08	.45	.12	-	.07	=	.35	.02	26	24
25	-	.35	.23	-	-	-	-	.65	-	.26	.16	-	25
26	-	.10	-	-	.03	.20	-	.06	.06	.68	-	-	26
27	.05	-	+1.20	-	-	01	.47	.29	.28	.10	-	-	27
28	-	.25	+.05	-	-	(.01)	-	[illegible]	.10	.46	-	.54	28
29	-	.25		-	-	.32	-	1.65	-	.40	-	.54	29
30	-	X		-	-	.08	-	.02	-	.41	-	-	30
31	-	X		X	-	X	-	.01	X	-	X	-	31
Total	2.89 2.80	4.65	3.88	1.21	3.52	2.40	2.29	4.45	1.21	6.73	3.06	388	YEAR'S TOTAL 40.17 40.03
Rain Days.	14	19	17	9	18	17	9	15	9	23	17	11	178

W. 8,000, VIII. 16

Exd C.H.

2083

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 JAN 1918

Kept at Camp Field Minchinhampton
in the County of Gloucestershire
by Piers F Legh

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.23	.18	–	.10	–	.54	.18	–	.07	–	1
2	–	–	.01	.06	–	.10	–	.17	–	.03	.03	–	2
3	.03	–	–	–	–	–	.05	.11	–	.68	–	–	3
4	–	.18	.16	–	–	–	.11	.35	–	.38	–	–	4
5	.22	–	.15	.17	–	.05	–	.41	12	.32	.08	–	5
6	–	–	.24	–	–	.70	–	–	–	.11	.23	–	6
7	.26	–	–	–	–	7	.31	–	–	.27	.02	.02	7
8	.39	–	.09	.17	–	.07	.80	.90	.01	.32	.07	.21	8
9	–	–	.18	.03	.21	–	.01	.40	.24	.02	.03	–	9
10	.20	–	.45	.17	.04	–	–	.33	.02	–	–	.02	10
11	.05	–	.24	.53	–	–	–	30	1.05	.20	.03	–	11
12	–	–	.01	.04	.20	–	–	.10	–	.31	.02	–	12
13	–	–	.16	.06	–	.05	–	.20	.10	.10	–	–	13
14	–	–	–	.02	–	–	–	.04	–	.06	–	–	14
15	–	–	–	–	–	–	–	.44	–	.07	–	.20	15
16	.02	.05	–	–	–	–	.11	–	–	.10	.02	.10	16
17	–	.02	–	.14	.54	.11	.24	.05	.20	.15	–	–	17
18	–	.04	–	–	–	–	.45	08	.95	.04	–	–	18
19	–	.48	–	–	–	.04	–	–	.30	–	–	–	19
20	–	.15	.31	–	.59	.15	–	–	.03	–	.04	–	20
21	–	–	.15	–	.02	–	–	–	–	–	.08	–	21
22	–	–	.05	–	–	.12	–	.03	–	.12	–	–	22
23	–	.24	–	–	.13	.01	–	.56	–	.02	–	.05	23
24	–	.05	–	–	–	.17	–	.48	–	.23	–	–	24
25	–	.10	.07	–	–	–	–	–	–	–	–	–	25
26	–	–	–	–	.06	–	–	.32	.15	–	.09	–	26
27	–	–	–	–	.90	–	–	1.09	–	–	–	–	27
28	–	–	.11	–	.02	.85	–	.23	–	–	–	–	28
29	–	X	.09	–	–	.52	.10	–	–	.45	–	.17	29
30	–	X	–	–	–	–	.28	38	–	.02	–	–	30
31	–	X	.40	X	–	X	.01	.15	X	–	X	.01	31
Total	1.17	1.31	3.10	1.57	2.71	3.04	2.47	7.66	3.35	4.00	.81	.78	YEAR'S TOTAL 31.97
Rain Days.	7	9	18	11	10	14	11	23	12.	21	13	8	157

W. 8,000, IX. 17.

.149

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Camp Field, Minchinhampton
in the County of Gloucester
by Piers F. Legh

Lat. .... Long. ....
Time of Observation 8.30 am
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.06	–	.01	.06	–	–	.07	–	–	.46	.03	1
2	–	.21	–	.02	–	–	–	.38	–	.06	.08	.29	2
3	–	.10	–	.26	.20	–	–	.40	.26	.07	.02	–	3
4	–	.08	–	.07	–	–	–	.05	.05	–	1.00	.10	4
5	–	–	–	–	.22	–	–	.05	.25	–	.10	.04	5
6	.07	.25	–	.25	–	.03	–	–	.05	.15	–	.14	6
7	.02	.15	–	.03	.50	.02	–	–	.23	.27	.34	.03	7
8	–	.16	–	–	–	–	–	–	.13	.18	–	.04	8
9	–	.23	–	.10	–	.18	.11	–	.77	.19	–	.20	9
10	–	–	–	.31	–	–	.38	–	.30	.10	.02	.30	10
11	.02	–	–	.03	.06	–	.03	–	.22	–	.09	.25	11
12	–	.05	.21	–	.17	–	.15	–	.08	–	–	–	12
13	.02	–	–	–	.01	–	.07	–	.20	–	–	.27	13
14	.63	–	.06	–	–	.15	.77	–	.55	.12	–	.23	14
15	1.10	–	–	.40	.06	–	.21	–	.01	.02	–	.31	15
16	.32	–	–	.37	–	–	.02	.04	.21	.01	–	.03	16
17	.20	–	–	.16	.22	–	.25	.06	.14	.04	–	.12	17
18	.92	–	–	–	–	.61	.19	–	.84	–	–	.37	18
19	.05	.03	.15	.09	–	–	.14	–	.05	.03	–	–	19
20	–	.15	–	.21	–	.01	.13	–	.23	–	–	–	20
21	–	–	–	.01	–	–	–	–	.70	.05	–	.11	21
22	.03	–	–	–	.20	–	.10	–	.15	.11	–	.39	22
23	.07	–	–	–	.25	–	.27	–	–	–	–	–	23
24	–	.20	–	–	–	–	.32	.03	.05	–	.14	–	24
25	–	–	–	–	–	–	.37	.55	–	.02	–	–	25
26	–	–	–	–	–	–	.40	–	.10	.03	.22	.17	26
27	–	.01	–	–	–	–	–	.22	.21	–	.13	–	27
28	–	.18	.26	–	–	–	–	–	–	–	.28	.02	28
29	–	X	.11	–	–	–	–	–	1.25	–	–	–	29
30	–	X	.41	–	–	–	–	–	–	.06	.10	.11	30
31	–	X	.21	X	–	X	–	.07	X	.03	X	–	31
Total	3.45	1.86	1.41	2.32	1.95	1.00	3.91	1.92	~~6.23~~ 7.23	1.54	2.98	3.55	YEAR'S TOTAL ~~32.12~~ 33.12
Rain Days.	12	14	7	15	11	6	17	11	24	18	13	21	169

W. 8,000, IX. 17.

~~Ex. [illegible]~~ 1952

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19[illegible].

Kept at Camp Field Minchinhampton
in the County of Gloucester
by Piers F. Legh

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
„ „ „ „ Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	–	.03	–	.03	–	.21	–	–	.11	.01	.70	1
2	.13	–	.04	–	.01	–	.16	–	.18	–	–	.17	2
3	.95	–	.22	–	.62	–	.13	–	.19	–	.05	.38	3
4	.10	–	.53	–	–	13	.61	.06	.32	–	–	.17	4
5	–	–	.55	–	.11	–	–	.02	.49	–	.05	.20	5
6	–	.41	.15	.12	.10	–	–	–	–	–	–	.09	6
7	.28	.03	.39	[illegible]	–	–	–	–	–	–	.03	.01	7
8	.21	–	.09	.12	–	.02	–	–	–	–	.01	–	8
9	.20	–	.02	.16	–	–	–	–	–	–	.04	.01	9
10	–	–	.44	–	–	–	–	–	–	.03	.02	.20	10
11	.01	–	.43	.08	.11	–	.35	–	–	–	–	.02	11
12	–	–	.19	.03	.01	.62	–	–	–	.16	.02	.15	12
13	.27	–	–	.41	–	–	–	–	.01	.03	–	.15	13
14	.66	.02	–	.37	–	–	.13	–	.02	–	–	.03	14
15	.40	.02	–	.03	.04	–	–	–	–	.05	.03	.32	15
16	.14	.90	–	–	–	–	–	–	–	–	.15	–	16
17	–	.44	–	–	–	03	–	–	–	–	.18	.02	17
18	–	–	.68	–	–	–	.03	.36	–	–	.08	.05	18
19	.26	.38	1.14	–	–	.11	1.32	.35	.15	–	–	.01	19
20	.50	.14	.25	–	–	07	–	.28	.05	–	–	.02	20
21	–	.92	–	–	–	–	.25	.03	–	–	.01	.15	21
22	–	.20	–	–	–	–	.15	–	.20	–	–	.07	22
23	–	–	–	–	–	.02	–	.03	.01	.49	.16	–	23
24	–	–	–	–	–	.05	.10	.31	.02	.88	.18	.24	24
25	.09	–	–	.03	–	–	–	–	.01	–	–	–	25
26	.11	–	.13	.09	–	.02	–	.02	.22	–	–	.60	26
27	.04	–	[illegible]	.42	–	–	–	.43	–	–	–	–	27
28	–	–	.20	–	–	–	–	.54	–	–	.33	.33	28
29	.03		[illegible]	.08	–	.01	–	.02	–	.21	–	.35	29
30	–		–	.24	–	.28	–	.45	–	.02	.45	.60	30
31	.02		–		–		–	–		–		–	31
TOTAL	4.74	3.46	5.48	2.18	.43	1.36	2.84	2.90	1.87	1.98	1.80	5.04	YEAR'S TOTAL 34.08
Days with ·01 in. or more	19	10	17	13	8	11	11	13	13	9	17	25	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1869

Stn No 2154

8 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

REGISTER OF RAINFALL IN 1920

Kept at Camp Field Minchinhampton
in the County of Gloucestershire
by Piers F. Legh

Lat. .... Long. ....
Time of Observation 8.30 am
Nearest Railway Station Brimscombe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.32	03	–	43	.03	–	.18	02	46	1
2	–	–	.03	.24	.49	–	15	12	07	12	–	24	2
3	.13	10	–	.17	–	–	75	–	04	38	–	–	3
4	–	–	.01	.05	03	–	01	61	–	.23	–	–	4
5	–	–	18	05	–	–	31	–	–	22	–	–	5
6	–	–	.36	–	.20	–	28	–	–	57	–	03	6
7	.06	–	.02	09	04	–	10	–	–	–	–	–	7
8	–	10	–	03	–	–	.72	–	–	–	–	–	8
9	.20	08	–	.50	–	–	03	01	–	–	–	–	9
10	4.10	06	05	.50	48	.25	.22	–	–	–	05	–	10
11	.27	–	.18	20	–	.63	07	–	–	–	–	–	11
12	.20	.08	02	.20	02	.54	03	–	–	–	09	–	12
13	.04	.02	.28	.20	–	–	–	–	–	–	–	06	13
14	.04	02	.95	.18	–	32	04	.01	.09	.14	85	–	14
15	.01	.11	–	.41	.01	.03	–	–	.15	.13	16	–	15
16	–	–	–	.43	02	.27	.34	01	.46	.24	07	–	16
17	.02	–	–	.10	.24	.22	–	.02	38	08	–	–	17
18	.42	–	–	04	.10	01	10	.23	.51	–	–	–	18
19	–	–	–	.10	03	.13	–	–	20	–	–	–	19
20	.02	23	–	.26	–	18	–	–	–	–	–	.36	20
21	–	.17	–	.16	–	–	–	–	–	–	–	–	21
22	–	–	–	.03	–		03	08	.03	.[illegible]	–	.28	22
23	–	–	–	.20	–	–	48	05	–	–	–	.50	23
24	–	–	.39	–	–	–	–	–	–	–	06	.29	24
25	–	10	.15	02	–	–	58	–	–	–	–	–	25
26	.85	–	.34	03	–	.21	07	–	–	–	04	.08	26
27	.40	02	.03	.25	–	.44	11	–	–	–	03	.34	27
28	.86	–	.10	.02 .05	.16	.62	03	–	–	–	–	–	28
29	.21	–	06	02	.03	09	–	–	–	–	20	48	29
30	10	×	06	//	01	10	32	–	.36		37	.79	30
31	.19	×	.25	×	–	×	–	–	×	.32	×	18	31
TOTAL	4.62	1.09	3.46	4.85	1.89	2.84	5.17	1.17	2.29	2.19	1.94	4.09	YEAR'S TOTAL 35.60
Days with ·01 in. or more	18	12	18	28	15	15	22	10	10	11	11	13	183
Days with ·04 in. or more	15	9	13	22	7	11	17	5	9	11	9	12	140

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER
~~MITCHELDEAN~~
BLAISDON GDNS.
1915

2231

FORM A.
BRITISH RAINFALL.
20 JAN 1916

REGI 9/15

Kept at Blaisdow G
in the County of Glou
by Colin Mac

Long. ——
on 9·A.m.
Station Grange Court
Gauge five in.
auge above Ground 1 ft. 6 in.
„ „ Sea Level 117 ft.

IMPORTANT NOT m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·13	·—	·—	·—	·—	·22	·13	·45	·25	1·43	·—	1
2	·27	·—	·25	·—	·18	·—	·—	2·12	·—	·17	·—	·—	2
3	[illegible]	·—	·02	·—	·—	·—	·—	·14	·—	·—	·—	·—	3
4	·03	·52	·—	·—	·—	·—	·95	·03	·—	·—	·—	·—	4
5	·—	·32	·—	·—	·15	·—	·20	·10	·—	·—	·—	·60	5
6	·15	·—	·—	·—	·—	·—	·—	·08	—	·—	·—	1·01	6
7	·07	1·05	·—	·—	·—	·—	·—	·—	—	·—	·—	·—	7
8	·21	·26	·—	·45	·—	·—	·—	·—	—	·—	·—	·—	8
9	·08	·—	·—	·07	·—	·—	·—	·05	—	·—	·34	·—	9
10	·07	·—	·—	·—	·—	·—	·—	·—	—	·—	·—	·45	10
11	·11	·—	·—	·07	·—	·—	·—	·13	·—	·—	·95	·71	11
12	·13	·—	·17	·20	·28	·—	·—	·—	·—	·—	·—	·21	12
13	·—	·46	·—	·—	1·00	·—	·—	·18	·—	·—	·66	·34	13
14	·—	·20	·—	·—	·—	·—	·—	·—	·—	·—	·—	·20	14
15	·32	·—	·—	·—	·07	·—	·05	·—	·—	·—	·—	·—	15
16	·—	1·28	·—	·—	·—	·—	·83	·—	·—	·14	·—	·10	16
17	·—	·26	·—	·—	1·55	·—	·—	·—	·—	·—	·—	·—	17
18	·—	·40	·—	·—	·—	·—	·18	·—	·—	·—	·—	·	18
19	·—	·02	·—	·—	·29	·—	·17	·10	·—	·—	·—	·—	19
20	·20	·—	·—	·17	·—	·—	·—	·16	·—	·—	·—	·—	20
21	·03	·—	·—	·—	·—	·—	·05	·30	·—	·31	·—	·—	21
22	·16	·27	·30	·06	·—	·—	·38	·—	·—	·—	·—	·—	22
23	·—	·—	·27	·—	·—	·—	·—	·—	·—	·—	·—	·96	23
24	·—	·—	·—	·04	·—	·—	·—	·—	·45	·—	·—	·57	24
25	·—	·—	·08	·—	·—	·—	·—	·—	·—	1·93	·—	·44	25
26	·—	·—	·—	·—	·—	·40	·14	·—	·—	·—	·—	·—	26
27	·—	·—	·—	·—	·—	·—	·26	·—	·—	·—	·—	·—	27
28	·—	·16	·—	·—	·—	·—	·—	·—	·—	·—	·—	·04	28
29	·—		·—	·—	·—	·—	·10	·—	·33	·52	·—	·13	29
30	·14	X	·—	·—	·—	·10	·—	·—	·—	·—	·—	·—	30
31	·—	X	·—	X	·—	X	·15	·—	X	·—	X	·02	31
Total	3·18	5·33	1·09	1·06 ~~1·03~~	3·52	·50	3·68	3·52	1·23	3·32	3·38	5·72	YEAR'S TOTAL 35.53
Rain Days.	16	13	6	4	7	2	13	12	3	6 5	4	14	503

W. 8,000. X. 14.

5·06

2231

FORM A.
BRITISH RAINFALL.
20 JAN 1916

REGI 915

Kept at Blaisdon Gardens

in the County of Gloucester

by Colin MacIver Esqre

Lat. Long.

Time of Observation 9. A.m.

Nearest Railway Station Grange Court G.W.R.

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 117 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.25	.13	.—	.—	.—	.—	.22	.13	.45	.25	1.43	.—	1
2	.27	.—	.25	.—	.18	.—	.—	2.12	.—	.17	.—	.—	2
3	.96	.—	.02	.—	.—	.—	.—	.14	.—	.—	.—	.—	3
4	.03	.52	.—	.—	.—	.—	.95	.03	.—	.—	.—	.—	4
5	.—	.32	.—	.—	.15	.—	.20	.10	.—	.—	.—	.60	5
6	.15	.—	.—	.—	.—	.—	.—	.08	.—	.—	.—	1.01	6
7	.07	1.05	.—	.—	.—	.—	.—	.—	.—	.—	.—	.—	7
8	.21	.26	.—	.45	.—	.—	.—	.—	.—	.—	.—	.—	8
9	.08	.—	.—	.07	.—	.—	.—	.05	.—	.—	.34	.—	9
10	.07	.—	.—	.—	.—	.—	.—	.—	.—	.—	.—	.45	10
11	.11	.—	.—	.07	.—	.—	.—	.13	.—	.—	.95	.71	11
12	.13	.—	.17	.20	.28	.—	.—	.—	.—	.—	.—	.21	12
13	.—	.46	.—	.—	1.00	.—	.—	.18	.—	.—	.66	.34	13
14	.—	.20	.—	.—	.—	.—	.—	.—	.—	.—	.—	.20	14
15	.32	.—	.—	.—	.07	.—	.05	.—	.—	.—	.—	.—	15
16	.—	1.28	.—	.—	.—	.—	.83	.—	.—	.14	.—	.10	16
17	.—	.26	.—	.—	1.55	.—	.—	.—	.—	.—	.—	.—	17
18	.—	.40	.—	.—	.—	.—	.18	.—	.—	.—	.—	.	18
19	.—	.02	.—	.—	.29	.—	.17	.10	.—	.—	.—	.—	19
20	.20	.—	.—	.17	.—	.—	.—	.16	.—	.—	.—	.—	20
21	.03	.—	.—	.—	.—	.—	.05	.30	.—	.31	.—	.—	21
22	.16	.27	.30	.06	.—	.—	.38	.—	.—	.—	.—	.—	22
23	.—	.—	.27	.—	.—	.—	.—	.—	.—	.—	.—	.96	23
24	.—	.—	.—	.04	.—	.—	.—	.—	.45	.—	.—	.57	24
25	.—	.—	.08	.—	.—	.—	.—	.—	.—	1.93	.—	.44	25
26	.—	.—	.—	.—	.—	.40	.14	.—	.—	.—	.—	.—	26
27	.—	.—	.—	.—	.—	.—	.26	.—	.—	.—	.—	.—	27
28	.—	.16	.—	.—	.—	.—	.—	.—	.—	.—	.—	.04	28
29	.—		.—	.—	.—	.—	.10	.—	.33	.52	.—	.13	29
30	.14		.—	.—	.—	.10	.—	.—	.—	.—	.—	.—	30
31	.—		.—		.—		.15	.—		.—		.02	31
Total	3.18	5.33	1.09	1.06 ~~1.08~~	3.52	.50	3.68	3.52	1.23	3.32	3.38	5.72	YEAR'S TOTAL 35.53
Rain Days.	16	13	6	7	7	2	13	12	3	6 5	4	14	T03

W. 8,000. X. 14.

1.06

✓

GLOUCESTER
~~—~~ NAILSWORTH
DUNKIRK MANOR HSE.

1911 – 1916.

REGI 911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

owards

Kept at Dunkirk Ma
Am
top 5 in.
above Ground 1 ft. 1 in.
in the County of
" Sea Level 400 ft.
9.30 a.m.
by M. C. Meade-K
Name Nailsworth
Distance ⅕ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	.13	-	.	.01	.04	-	-	.04	.03	1
2	.06	-	-	.07	.44	.	-	.26	-	.10	.42	.21	2
3	-	-	-	.01 Snow	.33	.	-	.08	-	-	.13	.08	3
4	.02	-	.17	.02 Snow	-	-	-	-	.04	.18	.47	.43	4
5	.17	-	.04	-	-	-	-	.28	-	.06	.01	.02	5
6	.27	-	.17	.02 Snow	.01	-	-	.03	-	-	.09	.59	6
7	.03	-	-	-	-	-	-	-	-	-	.46	-	7
8	.20	-	.15	-	-	-	-	-	-	-	.04	.37	8
9	.22	-	.05	-	-	-	-	-	-	-	.13	.34	9
10	.03	.10	.35	-	-	-	-	.04	-	-	.02	.28	10
11	.30	-	-	-	.02	-	-	-	-	-	.78	.02	11
12	.	-	.64	-	-	-	-	-	.02	-	.48	.12	12
13	.	-	.01 Snow	-	.04	-	-	-	.59	.04	.01	.53	13
14	.	-	.01 Snow	-	-	-	-	-	-	-	-	.91	14
15	.	.02	.09	-	-	-	-	-	-	-	.25	.05	15
16	.	-	-	-	-	.27	-	-	-	-	.54	.31	16
17	.	-	-	-	.03	.07	-	-	-	-	.06	.24	17
18	.	.47	.05	.07	-	.20	-	-	-	.01	.01	.35	18
19	.02	-	-	.10	-	.58	-	-	.25	.17	.04	.29	19
20	.01	.09	.11	.04	-	-	-	-	.19	.09	-	.71	20
21	-	.19	-	-	-	-	-	.20	.01	.61	-	.17	21
22	-	-	.13	-	-	.58	-	-	-	.26	-	.52	22
23	-	.27	.14 Snow	-	-	.	.05	-	.10	.18	-	.21	23
24	-	.12	.02 Snow	-	-	.45	-	.10	-	.36	-	.13	24
25	-	.06	.01	.06	.01	.09	-	.06	-	.08	-	.01	25
26	.	.22	-	.25	.03	.04	-	.01	-	.36	.10 Snow	.17	26
27	-	.28	.28	.11	-	-	-	.31	.46	-	.16 Snow	.11	27
28	-	.28	-	.34	-	-	-	.16	-	-	.05	.01	28
29	-		-	-	-	.33	.09	-	.12	.37	.01	-	29
30	-		.01	.03	.04	.02	-	-	-	.16	.02	-	30
31	-		-		-		-	-		.04		-	31
Total	1.37 ✓	2.10 ✓	2.43 ✓	1.25 ✓	.95 ✓	2.63 ✓	.15 ✓	1.57 ✓	1.78 ✓	3.07 ✓	4.32 ✓	7.21 ✓	TOTAL for year ✓ 28.83
No. of Rain Days	12	11	18	13	9	10	3	12	9	16	23	27	163 ✓

9,000, IX. '10.

REGI 911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Dunkirk Manor House
Amberley
in the County of Gloucester 3
by M. C. Meade-King

RAIN GAUGE
Pattern Howard's
Diameter of top 5 in.
Height of top above Ground 1 ft. 1
" " " Sea Level 400 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Nailsworth
Distance ⅓ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	-	-	.13	-	-	.01	.04	-	-	.04	.03	1
2	.06	-	-	.07	.44	-	-	.26	-	.10	.42	.21	2
3	-	-	-	.01	.33	-	-	.08	-	-	.13	.08	3
4	.02	-	.17	.02 Snow	-	-	-	-	.04	.18	.47	.43	4
5	.17	-	.04	-	-	-	-	.28	-	.06	.01	.02	5
6	.27	-	.17	.02 Snow	.01	-	-	.03	-	-	.09	.59	6
7	.03	-	-	-	-	-	-	-	-	-	.46	-	7
8	.20	-	.15	-	-	-	-	-	-	-	.04	.37	8
9	.22	-	.05	-	-	-	-	-	-	-	.13	.34	9
10	.03	.10	.35	-	-	-	-	.04	-	-	.02	.28	10
11	.30	-	-	-	.02	-	-	-	-	-	.78	.02	11
12	-	-	.64	-	-	-	-	-	.02	-	.48	.12	12
13	-	-	.01	-	.04	-	-	-	.59	.04	.01	.53	13
14	-	-	.01 Snow	-	-	-	-	-	-	-	-	.91	14
15	-	.02	.09	-	-	-	-	-	-	-	.25	.05	15
16	-	-	-	-	-	.27	-	-	-	-	.54	.31	16
17	-	-	-	-	.03	.07	-	-	-	-	.06	.24	17
18	-	.47	.05	.07	-	.20	-	-	-	.01	.01	.35	18
19	.02	-	-	.10	-	.58	-	-	.25	.17	.04	.29	19
20	.01	.09	.11	.04	-	-	-	-	.19	.09	-	.71	20
21	-	.19	-	-	-	-	-	.20	.01	.61	-	.17	21
22	-	-	.13	-	-	.58	-	-	-	.26	-	.52	22
23	-	.27	.14	-	-	-	.05	-	.10	.18	-	.21	23
24	-	.12	.02 Snow	-	-	.45	-	.10	-	.36	-	.13	24
25	-	.06	.01	.06	.01	.09	-	.06	-	.08	-	.01	25
26	-	.22	-	.25	.03	.04	-	.01	-	.36	.10	.17	26
27	-	.28	.28	.11	-	-	-	.31	.46	-	.16 Snow	.11	27
28	-	.28	-	.34	-	-	-	.16	-	-	.05	.01	28
29	-		-	-	-	.33	.09	-	.12	.37	.01	-	29
30	-		.01	.03	.04	.02	-	-	-	.16	.02	-	30
31	-		-		-		-	-		.04		-	31
Total	1.37	2.10	2.43	1.25	.95	2.63	.15	1.57	1.78	3.07	4.32	7.21	TOTAL for year 28.83
No. of Rain Days	12	11	18	13	9	10	3	12	9	16	23	27	163

9,000, IX. '10.

Ex DJ

REGISTER OF RAINFALL IN 1912

Lat. 51° 42′ Long. 2° 13′

FORM A2. BRITISH RAINFALL.

4

JAN 19[illegible]

Kept at Dunkirk Manor House Amberley

in the County of Gloucester

3

by M. C. Meade-King

RAIN GAUGE Pattern ~~Howard's~~
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 400 ft. (about)

Time of Observation 9. 30 a. m.

Nearest Railway Station Name Nailsworth
Distance 1/3 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	.14	–	–	.57	.07	.06	.05	.54	–	.24	1
2	–	–	.17	.11	–	.22	.46	.02	–	–	–	–	2
3	.06	–	.36	–	–	.27	.09	.40	.02	–	–	.03	3
4	.11	–	Thunder 1.05	–	.09	.72	–	.12	–	–	.21	.01	4
5	.46	.05	.25	–	.13	.07	–	.64	.01	–	.01	.14	5
6	.37	.14	.02	–	.09	–	.11	1.10	–	–	–	.03	6
7	.02	.18	.07	–	.04	.37	–	–	–	–	–	.03	7
8	.55	.14	.38	–	–	.06	.10	.17	.06	–	–	.18	8
9	.18	.08	.37	.04	–	.08	.01	.20	–	–	–	.29	9
10	.08	.14	.03	–	–	.18	.01	.27	–	–	.05	.01	10
11	.08	.09	.01	–	–	.03	–	.03	–	–	.02	.52	11
12	.04	.59	.13	.03	.06	–	–	–	–	–	.01	.13	12
13	.01	.08	.01	–	–	–	–	.07	–	–	.01	.13	13
14	.18	–	.56	–	.31	–	–	.29	–	.01	–	.02	14
15	.14	.18	–	–	.18	.47	–	.06	–	–	–	.42	15
16	1.05	.01	.44	–	.01	.04	–	.11	–	.11	.03	.03	16
17	Snow .33	–	.14	–	–	.07	–	.70	–	–	–	.58	17
18	Snow .09	.03	.19	–	.03	–	–	.15	–	.04	–	.06	18
19	.12	.11	–	–	–	–	.27	.47	–	.02	–	.01	19
20	.01	.01	.68	–	.17	–	.17	.41	–	.50	.05	.44	20
21	–	.05	.42	–	.70	–	.02	.21	–	.35	.03	–	21
22	.57	.15	.07	–	.40	.37	.50	.19	–	.04	.03	.04	22
23	.20	.39	.41	–	–	.22	.03	.34	–	.09	.05	.45	23
24	.04	.02	.11	–	–	.27	.01	.09	.01	.01	–	.14	24
25	–	.10	.01	–	–	.71	–	.63	–	.04	.38	.42	25
26	–	–	.01	–	–		.42	.49	–	.68	.55	.21	26
27	–	–	–	–	–	.18	.56	–	–	.80	–	.49	27
28	–	.12	–	–	.03	.26	.47	.94	.16	.47	.32	.84	28
29	–	.15	.03	–	–	.43	.46	.01	.62	.35	–	.12	29
30	–	–	–	–	–	.02	.16	.04	.11	.29	–	.02	30
31	–	–	.11	–	.13		.55	.11	–	.03	–	.36	31
Total	4.69	2.81	6.17	.18	2.37	5.61	4.47	8.32	1.04	4.37	1.75	5.95	TOTAL for year 47.73
No. of Rain Days	21	21	26	3	14	21	19	28	8	17	14	28	~~2[illegible]0~~ 220

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Dunkirk Manor House
Amberley
in the County of Glos.
by M. C. Meade-King

Lat. 51° 42′ Long. 2° 13′
Time of Observation 9.30 a.m.
Nearest Railway Station Nailsworth
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level about 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.19	.28	.17	.01	-	-	-	1.0		.10	.02	1
2	.01	.19	.09	.07	-	-	.07	-	.13	thunder .25	.06	.02	2
3	.16	.05	.13	-	.55	-	-	-	.01	.01	-	.18	3
4	1.54	.04	.12	-	.48	-	-	-	.99	.78	.05	.15	4
5	.02	.03	.05	-	.10	.28	.09	-	.01	.04	.10	.08	5
6	.03	.09	.14	-	.28	.06	.39	-	-	.35	.28	.50	6
7	-	.37	-	-	.25	.16	.08	-	-	.19	.22	.01	7
8	.01	.28	.01	-	.15	-	-	.08	-	.26	-	.02	8
9	-	.18	-	-	.05	.10	.09	.09	.18	-	.09	.01	9
10	.49	.01	.03	.11	.01	-	-	.13	-	.05	.17	-	10
11	.95	.01	-	.28	.11	-	-	-	-	.06	.78	.04	11
12	-	-	-	-	.30	-	-	-	-	-	.47	-	12
13	-	.02	.14	-	.17	-	-	-	.14	-	.25	-	13
14	.16	.01	.40	.04	-	-	-	-	-	.22	.01	-	14
15	.21	.10	.66	.88	-	-	-	.04	.03	-	-	-	15
16	.27		.55	.07	-	-	-	.06	.02	-	.01	-	16
17	.02	.02	Snow .11	.19	-	.14	.03	-	.05	-	.10	-	17
18	.14	-	.20	.26	-	-	.11	-	.10	-	.04	-	18
19	.35	-	.21	.01	-	.09	.03	-	.19	.01	[illegible]	.02	19
20	.21	-	.17	.05	-	-	-	-	-	.08	.25	-	20
21	.01	-	.14	.13	.20	-	.04	-	-	.09	.40	-	21
22	.55	-	.77	.21	.02	.04	-	.16	.25	.02	-	-	22
23	.04	-	-	-	-	.06	-	-	.01	-	.04	.09	23
24	.09	-	-	.07	-	-	-	.02	-	-	-	.05	24
25	-	.02	-	.23	-	-	-	-	.01	.02	-	-	25
26	-	.05	-	.35	-	-	-	.35	-	.02	-	.27	26
27	-	-	.17	.50	-	-	-	-	-	.16	-	-	27
28	.39	-	.05	.35	-	-	-	-	-	thunder .49	-	Snow .02	28
29	.03	-	.45	.43	-	-	-	.04	-	.15	-	Snow .02	29
30	.34	-	-	-	-	-	-	.43	-	.40	.05	-	30
31	.02	-	.15		hail .30	-	-	.06	-	-		-	31
Total	6.05	1.66	5.02	4.40	2.98	.93	.93	1.46	3.12	3.63	3.47	1.50	YEAR'S TOTAL 35.15
Rain Days.	24	17	22	19	15	8	9	11	15	20	19	16	195

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Dunkirk Manor House Amberley 3
in the County of Glos.
by M. C. Meade-King

Lat. 51° 42′ Long. 2° 13′
Time of Observation 9.30 a.m.
Nearest Railway Station Nailsworth
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.01	.01	-	-	-	thunder .23	.33	-	-	.27	.04	1
2	-	-	-	.07	-	.02	.66	.22	-	-	.73	.37	2
3	.01	-	.02	.10	.55	-	.26	-	-	-	.18	.08	3
4	.20	-	-	.31	.07	-	.20	.04	-	-	.41	.82	4
5	-	-	.10	.23	.13	-	.31	.02	-	-	.14	-	5
6	-	.15	.06	.04	.09	-	.06	.05	-	-	.03	.32	6
7	-	.35	.27	.26	.28	.15	.34	.15	-	-	-	.12	7
8	.02	-	.51	.04	.08	.61	.01	.10	-	-	-	.09	8
9	.10	.02	.26	.12	.09	1.20	-	.09	.21	-	-	-	9
10	.06	.18	-	.15	-		.03	-	.24	-	-	-	10
11	Snow .01	.09	.32	.02	.17	.30	-	-	.01	-	.12	.68	11
12	-	.18	.14	-	-	-	-	-	.31	-	.07	.21	12
13	-	.68	.42	-	-	-	.09	-	.35	.10	.05	.62	13
14	Snow .02	.47	.44	-	-	-	.02	-	-	.38	.26	.01	14
15	.02	.05	.14	-	-	-	.07	-	.39	.03	.29	-	15
16	.01	-	-	-	-	-	.07	.11	.16	-	-	-	16
17	-	.32	.20	-	-	-	.04	-	.02	-	-	.70	17
18	-	.01	.03	-	-	-	.14	-	-	-	-	.43	18
19	-	.08	.30	-	-	-	.65	-	.01	-	.11	.25	19
20	-	.39	.10	-	-	-	-	-	-	-	-	.21	20
21	-	.60	-	-	-	-	-	-	-	.17	.03	.05	21
22	-	.03	.02	-	thunder .13	.03	-	-	-	.15	-	-	22
23	-	.03	.20	-	.15	-	.04	.04	-	.09	-	-	23
24	-	.01	.11	-	-	-	-	.03	-	.07	.08	-	24
25	.14	-	.21	-	-	-	.04	.44	-	.34	.02	.31	25
26	-	-	.11	-	-	-	.16	.01	-	.10	.25	.47	26
27	.08	-	-	-	-	-	-	-	-	.01	.23	.39	27
28	-	.21	.25	-	.10	-	-	-	-	.01	.16	Snow 1.14	28
29	.17	X	.21	-	.07	-	-	-	-	.31	.19	-	29
30	.14	X	.21	-	-	.10	-	-	-	.18	.69	.79	30
31	.05	X	-	X	.07	X	.48	-	X	.16	X	.02	31
Total	1.03	3.86	4.64	1.34	1.98	2.41	3.90	1.63	1.70	2.10	4.31	8.12	YEAR'S TOTAL 37.02
Rain Days.	14	19	24	10	13	7	20	13	9	14	20	22	185

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at Dunkirk Manor House Amberley
in the County of Glos.
by M. C. Meade-King

Lat. 51° 42' Long. 2° 13'
Time of Observation 9. 30 a. m.
Nearest Railway Station Nailsworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.67	.17	.01	-	.14	-	-	.11	.31	.21	-	.15	1
2	.23	.28	.18	.17	-	.02	-	1.55	.03	.16	-	.11	2
3	1.60	.06	.06	.05	.04	-	.05	.11	-	.01	-	.14	3
4	.05	.01	-	-	.01	-	thunder .68	.10	-	-	-	.84	4
5	.02	.76	-	.01	-	-	-	.10	-	-	-	.50	5
6	.21	.07	-	.24	-	-	.63	.01	-	-	-	.35	6
7	.25	.80	-	.14	thunder .16	.07	.14	.09	-	-	-	.21	7
8	.45	.26	-	.04	-	-	.11	.08	-	-	.08	.69	8
9	.05	.04	-	.08	-	-	-	-	-	-	.19	-	9
10	.24	.01	.10	.04	-	-	-	.04	-	.05	-	.02	10
11	.01	-	.05	.12	-	-	-	-	-	-	.94	.12	11
12	.12	.14	-	.24	.50	-	-	.02	-	.12	.54	Snow .03	12
13	.01	.87	-	-	Snow & rain .14	-	-	-	.05	-	-	.02	13
14	.20	.04	-	-	-	-	.09	.17	.08	.01	-	.77	14
15	.43	-	-	.02	.03	-	.04	thunder .08	-	.04	.10	.13	15
16	.01	1.05	-	-	.35	-	.69	thunder .45	-	-	-	.14	16
17	-	.39	-	-	.88	-	.01	thunder .16	-	-	-	.01	17
18	-	.25	.04	-	-	-	-	-	-	-	-	-	18
19	-	.02	-	-	.71	-	.33	-	-	-	-	-	19
20	.16	-	-	.14	-	-	-	-	-	-	-	.15	20
21	Snow .08	.04	-	-	.04	-	.03	-	-	.14	-	.14	21
22	.20	.23	.39	.02	-	.03	.44	-	.01	-	-	.38	22
23	-	.11	.64	.06	-	.02	.09	-	.10	1.65	-	.42	23
24	-	-	-	-	-	-	thunder .28	-	.41	.54	-	.32	24
25	-	-	-	-	-	thunder .94	.03	-	.02	.07	-	.17	25
26	.01	.21	-	-	-	.04	.10	-	-	-	-	.52	26
27	-	.07	-	-	-	.01	.29	-	-	.47	-	.03	27
28	-	.06	Snow .03	-	-	-	.01	-	.52	.02	-	-	28
29	-		-	-	-	.04	.15	.14	-	-	.10	.03	29
30	.14		-	-	-	thunder .08	-	-	-	.30	.31	.22	30
31	-		-		-		.07	.06		1.14		.29	31
Total	5.14	5.94	1.50	1.37	3.00	1.25	4.26	3.26	1.53	4.93	2.26	6.90	YEAR'S TOTAL 41.34
Rain Days.	21	23	9	14	11	9	20	16	9	15	7	27	181

W.7,000, XI. 13

cndprs Exd CSE 2179

FORM A. BRITISH RAINFALL.

6 JAN 1917

REGISTER OF RAINFALL IN 1916 to Mar. 20th

Kept at Dunkirk Manor, Amberley
in the County of Glos.
by Miss M. C. Meade-King

Lat. 51° 42′ Long. 2° 13′
Time of Observation 9.30 a.m
Nearest Railway Station Nailsworth
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	-	-										1
2	.91	.10	-										2
3	.01	.62	-										3
4	.61	.09	-										4
5	.01	.03	Snow										5
6	.04	.39	Snow										6
7	-	.02	Snow										7
8	.07	.01	Snow										8
9	-	-	-										9
10	-	.51	-										10
11	.06	.03	Snow .11										11
12	-	.07	.06										12
13	-	.40	.07										13
14	.02	.59	.05										14
15	-	.41	.14										15
16	.02	.06	-										16
17	.24	.13	-										17
18	-	.02	.04										18
19	thunder .48	-	.47										19
20	.15	.02	.64										20
21	.40	.03	End of record										21
22	-	-											22
23	.02	6 ins. of snow											23
24	-	Snow											24
25	-	3 ins. of snow											25
26	-	1.75 Snow											26
27	-	Snow											27
28	-	Snow											28
29	-	-											29
30	-	X											30
31	-	X		X		X			X		X		31
Total	3.13	~~3.53~~ 5.28	incompl ~~1.58~~										YEAR'S TOTAL
Rain Days.	15	24	~~12~~										

W. 8,000. X. 15.

To be filled up if the Observer desires to do so and returned to
DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

FORM E.
BRITISH RAINFALL.
6 JAN 1917

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at Dunkirk Manor, Amberley *in the County of* Glos. *for the year* **191**6

It was impossible to measure the amount of water from each snow fall in February and March as the funnel was blocked and smothered in a drift.

(Signed) Mabel C. Meade-King

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is not room to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—5,000.—XI.-13.

12.IV.12

REC

2150 —

NAILSWORTH, THREE CORNERS

1911-12, 1920

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at The Midland ... in.

... und — ft. 10 in.

in the County of Glou... ... Level 270 ft. (about)

Time of Observation 9·0·A·M

by Ian Robert Bruce

Nearest Railway Station { Name Nailsworth
Distance 1 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·14	—	—	—	·04	—	—	—	—	1
2		—	·01	·07	·44	—	—	·28	—	—	·37	·23	2
3		—	—	—	·34	—	—	·1	—	—	·16	—	3
4		·01	·17	·01	—	—	—	—	·03	·08	·40	·53	4
5		—	·03	—	—	—	—	·3	—	·12	—	—	5
6		—	·11	—	—	—	—	·02	—	·05	·08	·53	6
7		—	—	—	—	—	—	—	—	—	·53	·01	7
8	(1.25) Not taken	—	·16	—	—	—	—	—	—	—	·03	·38	8
9		—	·06	—	—	—	—	—	—	—	·11	·34	9
10		·12	·24	—	—	—	—	—	—	—	·02	·26	10
11		·01	—	—	·02	—	—	—	—	—	·86	·01	11
12		—	·62	—	—	—	—	—	·05	—	·51	·11	12
13		—	—	—	·08	—	—	—	·59	·06	—	·49	13
14	—	·01	·07	—	—	—	—	—	—	—	—	·77	14
15	—	·02	·02	—	—	—	—	—	—	—	·25	·12	15
16	—	—	—	—	—	·29	—	—	—	—	·57	·34	16
17	—	—	—	—	·14	·08	—	—	—	—	·07	·21	17
18	—	·49	·04	·07	—	·28	—	—	—	—	—	—	18
19	—	—	—	·12	—	·58	—	—	·28	·18	—	·53	19
20	—	·1	·13	·05	—	—	—	—	·14	·11	—	·79	20
21	—	·22	—	·01	—	—	—	1·29	—	·70	—	·18	21
22	—	·03	·10	—	—	·6	—	—	—	·16	—	·20	22
23	—	·24	·18	—	—	—	·05	—	·11	·13	—	·20	23
24	—	·11	—	—	—	·47	—	·08	—	·39	—	·15	24
25	—	·14	—	·09	·03	·11	—	—	—	·61	—	·02	25
26	—	·17	—	·3	·04	·05	—	·01	—	·08	·11	Not taken	26
27	—		·24	·11	—	—	—	·26	·39	—	·14	·11	27
28	—	·61	—	·39	—	—	—	·13	—	—	·01	—	28
29	—		—	·05	—	·38	·14	—	—	·39	—	—	29
30	—		·02	—	·04	·01	—	—	·13	·20	·02	—	30
31	—		—		—	·02	—	—	—	·02	—	—	31
Total	(1.25)	2·28	2·30	1·41	1·13	2·87	·19	2·51	1·72	~~2·15~~ 3·28	4·29	6·51	TOTAL (29·74) ~~27·86~~
No. of Rain Days	(10)	14	16	12	8	11	2	10	8	15	17	23✓	(146)

7,000. X. '09.

Jan es
Oct c

[illegible] 12.IV.12

RE[illegible]

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at The Midland Fishery, Horsley
in the County of Gloucestershire
by Ian Robert Bruce

RAIN GAUGE
Pattern
Diameter of top 5½ in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 270 ft. (about)

Time of Observation 9.0.A.M

Nearest Railway Station
Name Nailsworth
Distance 1 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·14	—	—	—	·04	—	—	—	—	1
2		—	·01	·07	·44	—	—	·28	—	—	·37	·23	2
3		—	—	—	·34	—	—	·1	—	—	·16	—	3
4		·01	·17	·01	—	—	—	—	·03	·08	·40	·53	4
5		—	·03	—	—	—	—	·3	—	·12	—	—	5
6		—	·11	—	—	—	—	·02	—	·05	·08	·53	6
7		—	—	—	—	—	—	—	—	—	·53	·01	7
8	not taken (1·25)	—	·16	—	—	—	—	—	—	—	·03	·38	8
9		—	·06	—	—	—	—	—	—	—	·11	·34	9
10		·12	·34	—	—	—	—	—	—	—	·02	·26	10
11		·01	—	—	·02	—	—	—	—	—	·86	·01	11
12		—	·62	—	—	—	—	—	·05	—	·51	·11	12
13		—	—	—	·08	—	—	—	·59	·06	—	·49	13
14	—	·01	·07	—	—	—	—	—	—	—	—	·77	14
15	—	·02	·02	—	—	—	—	—	—	—	·25	·12	15
16	—	—	—	—	—	·29	—	—	—	—	·57	·34	16
17	—	—	—	—	·14	·08	—	—	—	—	·07	·21	17
18	—	·49	·04	·07	—	·28	—	—	—	—	—	—	18
19	—	—	—	·12	—	·58	—	—	·28	·18	—	·53	19
20	—	·1	·13	·05	—	—	—	—	·14	·11	—	·79	20
21	—	·22	—	·01	—	—	—	1·29	—	·70	—	·18	21
22	—	·03	·10	—	—	·6	—	—	—	·16	—	·20	22
23	—	·24	·18	—	—	—	·05	—	·11	·13	—	·20	23
24	—	·11	—	—	—	·47	—	·08	—	·39	—	·15	24
25	—	·14	—	·09	·03	·11	—	—	—	·61	—	·02	25
26	—	·17	—	·3	·04	·05	—	·01	—	·08	·11	not taken	26
27	—		·24	·11	—	—	—	·26	·39	—	·14	·11	27
28	—	·61	—	·39	—	—	—	·13	—	—	·01	—	28
29	—		—	·05	—	·38	·14	—	—	·39	—	—	29
30	—		·02	—	·04	·01	—	—	·13	·20	·02	—	30
31	—		—		—	·02	—	—		·02	—	—	31
Total	(1·25)	2·28	2·30	1·41	1·13	2·87	·19	2·51	1·72	~~2·15~~ 3·28	4·29	6·51	TOTAL (29·74) ~~27·86~~
No. of Rain Days	(10)	14	16	12	8	11	2	10	8	15	17	23✓	(146)

7,000. X. '09.

from C

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-3 MAR 1913

Kept at Nailsworth Ex RR

in the County of Gloucestershire [illegible] 3

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3	.07												3
4	.19												4
5	.43												5
6	.37												6
7													7
8	.52												8
9	.10												9
10	.03												10
11	.13												11
12													12
13	.04												13
14	.21												14
15	14												15
16	93												16
17													17
18													18
19	1·15												19
20	02												20
21	#												21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
Total													YEAR'S TOTAL
Rain Days.													

W. 7,500, XI. 12

em 75

8 JAN 1921

FORM A./1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Three Corners
Kept at Nailsworth
in the County of Gloucester
by Francis R. Rushton

Lat. 51° 42′ 3″ Long. 2° 13′ 11″ W.
Time of Observation 9 A.M
Nearest Railway Station Nailsworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·31	·49	-	·34	·04	·02	·16	·01	·47	1
2				·26	·02	-	·04	·15	·05	·14	-	·24	2
3				·19	·01	-	·61	·01	·05	·40	-	-	3
4				·05	-	-	·01	·54	-	·21	-	·01	4
5				·02	·02	-	·32	-	-	·30	-	·01	5
6				-	·20	-	·13	-	-	·02	-	·04	6
7				·10	·06	-	·16	-	-	-	-	-	7
8				·54	·04	-	·74	·01	-	-	-	·03	8
9				·76	-	·03	·02	·01	-	-	-	-	9
10				·16	-	·31	·23	-	-	-	·03	·01	10
11				·35	·48	·02	·07	-	-	-	-	·01	11
12				·18	·02	·76	·03	-	-	-	·06	-	12
13				·28	-	-	-	-	-	·03	-	·03	13
14				·47	-	·56	·04	·03	·11	·13	·80	-	14
15				·42	·01	·04	-	-	·13	·20	·11	-	15
16				·08	·03	·38	·33	·01	·53	·22	·13	-	16
17				·01	·23	·01	·01	·02	·51	·09	-	·01	17
18				·16	·16	-	·03	·33	·55	-	-	·02	18
19				·30	-	·14	·01	-	·17	-	-	·01	19
20				·20	-	·17	-	-	-	-	-	·33	20
21				·02	-	-	·01	-	·01	-	-	·04	21
22				·17	-	-	·04	·10	·02	-	-	·30	22
23				-	-	-	·46	·05	-	-	-	·44	23
24				·01	-	-	-	-	-	-	·03	·32	24
25				·02	-	-	·63	·03	-	-	-	·02	25
26				-	-	·16	·11	-	-	-	·04	·07	26
27				·25	-	·48	·05	-	-	-	·01	·30	27
28				·01	·19	·03	·03	-	-	-	·01	·01	28
29				·04	·03	·10	·20	-	-	-	·17	·46	29
30				·03	·01	·19	·22	-	·31	-	·27	·60	30
31					-		-	-		·27		·24	31
TOTAL				5·39	2·00	3·38	4·87	1·33	2·46	2·17	1·07	4·02	YEAR'S TOTAL
Days with ·01 in. or more				27	16	15	26	13	12	12	12	24	
Days with ·04 in. or more				20	8	11	18	6	9	10	7	13	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2135/5 —

NEWENT, CLIFFORDS MANOR

1920 — ~~30~~

1 FEB 1921

Form A. 1. **METEORO GANIZATION.**

R O.

Kept at CLIFFORD 2° 25' 30"

in the County of G .A.M.

by Franci Newent. G.W.Ry.

in Gauge 5 in.

ove Ground 1 ft. 5 in.

, Sea Level 311·59 ft.

IMPORTANT NOT entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09		·14	·05					·30	·16	·30	1
2				·19	·38		·30			·26		·32	2
3			·03	·24	·02			·02	·07	·10		·21	3
4	·14	·06		·15		·05	·48	·04	·05	·30			4
5				·06				·33		·22			5
6			·17	·08	·03		·09	·05		·42			6
7			·45		·06		·16			·21			7
8				·10			·10						8
9	·08	·05		·38			·26				·02	·06	9
10	·14			·41									10
11	·68	·10	·05	·05		·32	·21						11
12	·32		·13	·50	·35	·12	·06						12
13	·18	·07		·22		·60	·06					·03	13
14	·03		·36	·13									14
15		·06	·53	·50		·41			·21	·17	·30		15
16		·06	·19	·88		·04	·02		·03	·06			16
17				·04	·04	·05	·31		·23	·30			17
18					·30	·50			·91	·22			18
19	·22			·11	·25			·20	·43				19
20		·21		·38		·11							20
21	·03	·09		·26		·12						·22	21
22							·03			·06		·06	22
23				·20			·40	·10				·30	23
24								·03				·32	24
25			·35								·06	·15	25
26		·10	·21				·82	·03				·02	26
27	·24		·40		·13	·05	·06					·10	27
28	·70	·03	·18	·09	·04	·25					·07	·42	28
29	1·02		·10	·03	·42		·04						29
30	·45		·15				·09				·12	·66	30
31	·05		·17				08					·31	31
Total	4·28	·92	3·47	5·14	2·07	2·62	3·57	·80	1·93	2·62	·73	3·48	YEAR'S TOTAL 31·63
Days with ·01 in. or more	14	11	15	22	12	12	18	8	7	12	6	25	152
Days with ·04 in. or more	12	10	14	21	10	12	16	5	6	12	5	~~xx~~13	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W. Rainfall recorded on 152 days during the year

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH GANIZATION.

1 FEB 1921

REGISTER OF RAINFALL IN 1920.

Kept at CLIFFORD MANOR, NEWENT.
in the County of Gloucestershire
by Francis F. Grafton

Lat. 51° 53' 30" Long. 2° 25' 30"
Time of Observation 9. A. M.
Nearest Railway Station Newent. G. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 311·59 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·09		·14	·05					·30	·16	·30	1
2				·19	·38		·30			·26		·32	2
3			·03	·24	·02			·02	·07	·10		·21	3
4	·14	·06		·15		·05	·48	·04	·05	·30			4
5				·06				·33		·22			5
6			·17	·08	·03		·09	·05		·42			6
7			·45		·06		·16			·21			7
8				·10			·10						8
9	·08	·05		·38			·26				·02	·06	9
10	·14			·41									10
11	·68	·10	·05	·05		·32	·21						11
12	·32		·13	·50	·35	·12	·06						12
13	·18	·07		·22		·60	·06					·03	13
14	·03		·36	·13									14
15		·06	·53	·50		·41			·21	·17	·30		15
16		·06	·19	·88		·04	·02		·03	·06			16
17				·04	·04	·05	·31		·23	·30			17
18					·30	·50			·91	·22			18
19	·22			·11	·25			·20	·43				19
20		·21		·38		·11							20
21	·03	·09		·26		·12						·22	21
22							·03			·06		·06	22
23				·20			·40	·10				·30	23
24								·03				·32	24
25			·35								·06	·15	25
26		·10	·21				·82	·03				·02	26
27	·24		·40		·13	·05	·06					·10	27
28	·70	·03	·18	·09	·04	·25					·07	·42	28
29	1·02		·10	·03	·42		·04						29
30	·45		·15				·09				·12	·66	30
31	·05		·17				08					·31	31
TOTAL	4·28	·92	3·47	5·14	2·07	2·62	3·57	·80	1·93	2·62	·73	3·48	YEAR'S TOTAL 31·63
Days with ·01 in. or more	14	11	15	22	12	12	18	8	7	12	6	25	152
Days with ·04 in. or more	12	10	14	21	10	12	16	5	6	12	5	13	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W. Rainfall recorded on 152 days during the year

R 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

NORTHLEACH

SHERBORNE HSE

GLOUCESTER

1911 - 1920

Kept at Sherborn 5 in.

ve Ground 1 ft. – in.

in the County of Gl Sea Level 420 ft. –

by Arthur am

Name Bourton-on-Water

Distance 5 Direction North

IMPORTANT NO d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	"	04	17	"	"	05	"	"	"	02	"	1
2	08	"	"	09	28	"	"	"	"	18	18	.28	2
3	"	"	"	"	30	"	"	24	"	"	13	.06	3
4	04	"	14	"	"	"	"	"	"	12	23	.40	4
5	03	"	1	03	"	"	"	29	"	"	05	–	5
6	43	"	"	"	"	"	"	"	"	"	04	78	6
7	"	"	"	"	"	"	"	"	"	15	37	07	7
8	1.4	"	"	"	"	"	"	"	"	"	"	20	8
9	03	"	"	"	"	"	"	"	"	"	10	21	9
10	03	19	50	02	"	"	"	"	"	"	03	24	10
11	34	"	"	"	08	"	"	"	"	"	72	"	11
12	"	"	54	"	"	"	"	"	01	"	47	"	12
13	"	"	02	"	18	"	"	"	35	13	"	42	13
14	"	"	02	"	01	"	"	"	"	"	"	58	14
15	"	02	"	"	"	"	"	"	"	"	21	04	15
16	"	"	04	"	"	20	"	"	"	"	40	22	16
17	"	"	"	"	"	05	"	"	"	"	"	40	17
18	"	28	04	06	"	06	"	"	"	"	"	24	18
19	"	"	"	"	"	60	"	"	15	04		09	19
20	03	07	15	05	"	03	"	24	15	12	10	55	20
21	"	09	03	02	"	"	"	03	"	43	"	09	21
22	"	"	10	"	"	39	"	15	"	25	"	75	22
23	"	15	14	"	"	30	39	"	18	05	"	27	23
24	03	"	"	"	"	31	"	08	"	53	"	20	24
25	01	17	04	04	15	09	"	03	08	"	"	09	25
26	"	12	"	22	"	05	"	"	"	35	.08	25	26
27	"	37	22	03	"	"	"	25	31	"	.10	21	27
28	"	30	"	35	"	"	41	21	"	"	.08	"	28
29	"	X	"	07	"	26	08	"	27	38	"	"	29
30	"	X	03	05	1.9	05	"	35	"	24	"	02	30
31	"	X	"	X	08	X	"	"	X	02	X		31
Total	1.26	1.76	2.06	1.20	1.27	2.39	.93	1.87	1.50	2.99	3.31	6.66	TOTAL 21.20
No. of Rain Days	12	10	16	13	8	12	4	10	8	14	18	24	149

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
2 - JAN 1912

Kept at Sherborne House

in the County of Gloucestershire

by Arthur Mitchell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 420 ft. –

Time of Observation 9 am

Nearest Railway Station
Name Bourton-on-Water
Distance 5 Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	"	04	17	"	"	05	"	"	"	02	"	1
2	08	"	"	09	28	"	"	"	"	18	18	.28	2
3	"	"	"	"	30	"	"	24	"	"	13	.06	3
4	04	"	14	"	"	"	"	"	"	12	23	.40	4
5	03	"	01	03	"	"	"	29	"	"	05	–	5
6	43	"	"	"	"	"	"	"	"	"	04	78	6
7	"	"	"	"	"	"	"	"	"	15	37	07	7
8	14	"	"	"	"	"	"	"	"	"	"	20	8
9	03	"	"	"	"	"	"	"	"	"	10	21	9
10	03	19	50	02	"	"	"	"	"	"	03	24	10
11	34	"	"	"	08	"	"	"	"	"	72	"	11
12	"	"	54	"	"	"	"	"	01	"	47	"	12
13	"	"	02	"	18	"	"	"	35	13	"	42	13
14	"	"	02	"	01	"	"	"	"	"	"	58	14
15	"	02	"	"	"	"	"	"	"	"	21	04	15
16	"	"	04	"	"	20	"	"	"	"	40	22	16
17	"	"	"	"	"	05	"	"	"	"	"	40	17
18	"	28	04	06	"	06	"	"	"	"	"	24	18
19	"	"	"	"	"	60	"	"	15	04		09	19
20	03	07	15	05	"	03	"	24	15	12	10	55	20
21	"	09	03	02	"	"	"	03	"	43	"	09	21
22	"	"	10	"	"	39	"	15	"	25	"	75	22
23	"	15	14	"	"	30	39	"	18	05	"	27	23
24	03	"	"	"	"	31	"	08	"	53	"	20	24
25	01	17	04	04	15	09	"	03	08	"	"	09	25
26	"	12	"	22	"	05	"	"	"	35	.08	25	26
27	"	34	22	03	"	"	"	25	31	"	.10	21	27
28	"	30	"	35	"	"	41	21	"	"	08	"	28
29	"	✕	"	07	"	26	08	"	27	38	"	"	29
30	"	✕	03	05	1.9	05	"	35	"	24	"	02	30
31	"	✕	"	✕	08	✕	"	"	✕	02	✕		31
Total	1.26	1.76	2.06	120	1.27	2.39	.93	1.87	1.50	2.99	3.31	6.66	TOTAL 27.20
No. of Rain Days	12	10	16	13	8	12	4	10	8	14	18	24	149

9,000, IX. '10.

corr for arith 1.III.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2-JAN 1913

Kept at Sherborne House Gardens
in the County of Gloucestershire
by Arthur Mitchell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 420 ft.
Time of Observation 9 am
Nearest Railway Station: Name Bourton on the Water; Distance 5 Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	1.0	"	"	6.5	2.3	1.5	02	4.1	"	1 5	1
2	"	"	1.9	04	"	3.5	3 5	03	02	"	"	03	2
3	"	"	08	"	07	1.2	1.6	7.5	"	"	02	08	3
4	2.0	"	8.2	"	1.9	7.3	"	02	"	"	2.4	"	4
5	2 6	01	04	"	08	02	"	4.3	"	"	"	07	5
6	3.8	1 9	"	"	0.8	"	03	"	"	"	01	1 3	6
7	"	2.0	03	"	08	5 7	6.0	7 2	02	"	"	07	7
8	5.5	1.8	4.3	"	"	1.0	07	08	"	"	"	09	8
9	1.2	05	3.2	04	"	3.5	"	08	"	"	"	3 7	9
10	04	1.2	"	04	"	1.8	"	04	"	"	"	"	10
11	1.7	07	"	"	"	04	"	"	"	"	2.5	4 3	11
12	.07	3.9	2.0	"	03	"	01	"	"	"	03	03	12
13	03	05	"	"	"	"	02	07	"	"	02	04	13
14	2 3	"	4 8	"	2.0	"	"	1.0	"	"	"	—	14
15	2 2	1.5	"	"	2 6	3.5	"	03	"	"	"	2.8	15
16	5.1	"	2 3	"	1 4	04	"	1.0	"	1.0	03	"	16
17	2.9	"	2.6	"	"	1.0	"	4.4	"	"	"	2 6	17
18	1.1	01	3.5	"	"	"	"	02	"	05	"	04	18
19	10.7	05	"	"	02	"	1.7	4.2	"	05	"	"	19
20	2 7	04	4.7	"	05	"	1.0	3 3	"	2.1	"	"	20
21	01	08	4.0	"	7.8	"	03	1.8	"	3.5	"	"	21
22	3.1	1.4	.7	"	4.0	3.0	4.3	2.0	"	02	"	1 1	22
23	4 9	3 4	3.7	"	"	1.4	2.7	2 5	"	04	07	4 0	23
24	08	04	03	"	"	1.8	3.1	1.0	"	"	"	1 2	24
25	"	"	"	"	"	2.2	"	4.3	"	"	4.0	3 7	25
26	"	09	"	"	"	"	08	5.8	"	5.8	3.8	3 2	26
27	"	"	"	"	"	1.5	2.9	"	"	6.6	"	2 3	27
28	"	08	"	"	"	1.0	1.2	8.5	1.6	5.1	2.7	8 7	28
29	"	1 0	"	"	"	2.3	3.2	"	5.8	2.9	03	1 1	29
30	"	×	"	"	"	2 5	1.6	"	1 2	3.2	"	"	30
31	"	×	.3	×	1 8	×	6.5	1.1	×	04	×	1 2	31
Total	5:41	2:38	4:90	0:12	2:56	5:17	4:40	6:51	.92	3:63	1.75	4.72	42.47
No. of Rain Days	2.0	2 0	1.9	.3	1.4	2.1.	2.0	2.5	.6	1.4	1.2	2 3	197

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Sherborne House

in the County of Gloucester 7

by Arthur Mitchell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bourton on the Water

Diameter of Rain Gauge 5 in. –

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	24	19	3	5	„	„	„	78	„	26	2	1
2	2	14	5	24	„	„	„	16	20	1.25	5	„	2
3	6	1	10	„	43	„	„	9	„	5	„	8	3
4	92	„	6	„	23	„	„	„	19	15	5	22	4
5	7	„	3	„	29	„	9	„	2	9	5	„	5
6	„	8	11	„	24	16	53	„	„	48	„	39	6
7	„	45	„	„	19	10	4	„	„	63	25	„	7
8	„	15	„	„	„	3	„	„	14	47	„	„	8
9	„	25	„	„	1	8	„	„	„	„	5	4	9
10	16	„	„	11	5	„	8	„	„	„	41	„	10
11	1.26	„	„	46	4	„	„	„	„	9	46	2	11
12	„	„	„	„	34	„	„	„	1	„	40	„	12
13	4	„	5	„	„	„	„	„	21	„	23	„	13
14	17	2	30	3	„	„	45	9	9	9	„	„	14
15	6	12	42	70	„	„	50	„	„	„	„	„	15
16	9	„	56	12	„	„	„	„	„	„	1	„	16
17	3	„	8	10	„	05	17	„	„	„	4	„	17
18	3	„	20	18	„	„	3	„	7	„	6	„	18
19	45	„	15	„	„	5	„	„	22	„	„	8	19
20	14	„	25	13	„	„	„	„	„	25	20	„	20
21	„	„	30	14	23	„	„	„	„	8	40	„	21
22	49	„	42	2	3	5	„	16	40	„	„	„	22
23	3	„	1	„	„	„	„	„	„	„	„	„	23
24	6	„	„	9	„	„	„	„	„	„	„	8	24
25	„	11	„	18	„	„	„	„	„	5	1	„	25
26	„	7	„	28	„	„	„	„	„	15	„	„	26
27	„	„	8	25	7	„	„	18	„	4	„	30	27
28	38	„	17	47	„	„	„	„	„	25	„	„	28
29	2	X	68	64	„	„	„	„	„	5	„	„	29
30	32	X	„	„	„	„	„	„	„	26	5	„	30
31	3	X	10	X	32	X	„	3	X	„	X	„	31
Total	4.86	1.64	4.31	4.17	2.52	52	1.89	71	2.33	4.43	2 98	1.23	YEAR'S TOTAL 31.59
Rain Days.	22	11	21	18	14	7	8	6	11	17	17	9	1.61

W.7,000, XI. 13

Obsr says no R on June 10 & 11 7.VII.14 HLMcC conf to auth

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 - JAN 1915

Kept at Sherborne House

in the County of Gloucester 7

by Arthur Mitchell

Lat. .... Long. ....

Time of Observation 9 A.M

Nearest Railway Station Bourton on Water's Hill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	"	11	"	"	60	40	"	"	10	"	1
2	"	"	"	2	"	"	29	18	"	"	1.02	33	2
3	10	"	10	10	35	"	21	"	"	"	"	4	3
4	25	"	"	32	7	"	10	35	"	"	42	57	4
5	"	"	9	25	15	"	38	"	"	"	31	"	5
6	"	8	3	5	10	"	"	4	"	"	15	30	6
7	"	55	31	17	15	10	29	12	3	"	"	11	7
8	"	5	36	10	16	80	7	17	"	"	"	7	8
9	20	"	32	13	5	92	"	5	9	"	"	"	9
10	4	26	"	28	10	""	"	"	"	"	"	"	10
11	"	11	43	3	15	"	"	–	33	"	31	43	11
12	"	8	16	"	"	"	62	"	31	"	7	39	12
13	"	54	30	"	"	"	"	"	30	5	5	35	13
14	"	30	32	"	"	"	16	"	"	80	26	4	14
15	8	4	13	"	"	"	"	5	27	6	13	"	15
16	"	30	"	"	"	"	"	"	20	"	"	"	16
17	"	"	11	"	"	"	"	"	10	"	"	50	17
18	"	"	"	"	"	"	25	"	"	"	"	42	18
19	"	4	17	"	"	"	95	3	"	"	6	8	19
20	"	28	32	"	"	9	"	"	"	"	"	22	20
21	"	43	9	"	"	3	"	3	"	17	"	11	21
22	"	"	5	"	18	3	5	2	"	25	"	"	22
23	"	8	12	"	8	"	5	"	"	11	"	5	23
24	"	"	9	"	5	"	4	"	"	15	10	"	24
25	11	"	28	"	"	"	6	38	"	37	2	17	25
26	"	"	25	"	"	"	"	4	"	7	20	46	26
27	8	"	5	"	"	"	"	"	"	4	5	23	27
28	"	15	15	"	5	"	"	"	"	"	20	78	28
29	6	X	19	"	"	"	"	"	"	30	58	19	29
30	5	X	22		"	4	"	"	"	16	66	56	30
31	4	X		X	"	X	32	"	X	"	X	2	31
Total	1:07	3:29	4·64 4:6~~5~~	1.56	1:64	2:07	4:44	1:86	1:63	2:53	4:69	6:42	YEAR'S TOTAL 35.72 35.72
Rain Days.	10	15	24	11	13	7	16	13	8	12	18	23	170

W. 8,000. X. 14.

8L

Card for auth 22.III.16

2318

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Sherborne House Gardens
in the County of Gloucestershire
by Arthur Mitchell

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bourton on the Water
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35	20	5	„	10	„	„	10	19	25	4	10	1
2	25	24	27	15	„	4	„	1.20	„	41	„	10	2
3	115	3	9	16	4	„	09	46	„	„	„	16	3
4	2	„	„	„	„	„	88	16	„	„	„	85	4
5	„	57	„	„	„	„	„	6	„	„	„	53	5
6	22	6	„	20	„	„	54	1	„	„	„	12	6
7	13	53	„	3	49	„	38	9	„	„	„	13	7
8	27	33	„	„	„	„	5	2	„	„	3	„	8
9	12	02	„	13	„	2	„	„	„	„	16	66	9
10	28	„	4	„	„	„	„	4	„	„	„	„	10
11	8	„	14	10	2	„	„	„	„	„	84	6	11
12	6	6	„	12	46	„	„	5	„	5	63	„	12
13	4	46	„	„	95	„	„	„	„	„	„	4	13
14	10	9	„	„	„	„	3	19	9	4	„	80	14
15	30	„	„	„	10	„	„	5	„	8	„	13	15
16	„	79	„	„	24	„	70	10	„	„	„	4	16
17	„	70	„	„	1:05	„	„	„	„	„	„	„	17
18	„	40	5	„	1	„	„	„	„	„	„	„	18
19	„	4	4	„	10	„	14	„	„	„	„	„	19
20	28	„	„	8	„	„	„	„	„	„	„	19	20
21	7	„	„	„	„	„	10	„	„	10	„	„	21
22	13	19	30	5	„	„	53	„	„	„	„	29	22
23	„	4	11	„	„	2	7	„	19	75	„	45	23
24	11	„	2	9	„	„	13	„	43	49	„	27	24
25	„	„	„	„	„	90	2	„	„	„	„	30	25
26	„	15	„	„	„	8	4	„	„	„	„	55	26
27	„	4	„	„	„	5	15	„	„	58	„	3	27
28	„	6	„	„	„	4	„	„	59	„	„	„	28
29	„	X	„	„	„	„	46	9	„	„	16	1	29
30	5	X	„	„	„	„	„	„	„	12	30	14	30
31		X	„	X	„	X	5	4	X	95	X	40	31
Total	4 07	5:00	1:11	1 11	3:56	1.15	4:36	2.66	1 49	3:82	2:16	635 6 35	36.78 36:78
Rain Days.	19	20	10	10	11	7	17	13	5	11	7	23	1:55

DAYS TOTAL

W. 8,000. X. 15.

See copy with days adjusted

Exd CSE

2252

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Sherborne House Gardens

in the County of Gloucestershire

by Arthur Mitchell Gardener

Lat. Long.

Time of Observation 9 Am

Nearest Railway Station Bourton on the Water

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	7	"	"	"	25	8	48	"	"	5	25	"	1
2	43	4	8	"	44	"	"	"	3	93	5	"	2
3	"	88	"	"	4	"	"	"	7	45	14	"	3
4	41	12	10	"	17	38	"	"	5	19	40	"	4
5	3	5	"	"	13	19	"	"	"	10	34	"	5
6	1	17	"	"	17	7	57	"	"	14	44	"	6
7	"	2	3	"	3	"	9	"	"	8	31	20	7
8	"	"	15	"	24	15	"	"	"	"	5	36	8
9	8	"	14	"	10	6	3	"	"	"	"	"	9
10	3	46	3	10	3	7	"	"	2	10	3	"	10
11	5	"	15	9	5	35	"	"	"	"	"	29	11
12	2	12	5	17	34	"	27	"	"	19	"	"	12
13	"	32	15	8	"	"	"	21	"	3	"	"	13
14	"	10	9	"	5	"	"	10	"	15	"	"	14
15	"	46	52	"	9	"	"	15	"	1	"	"	15
16	"	3	15	20	5	"	12	25	"	"	"	"	16
17	16	31	"	16	"	"	"	24	35	64	"	"	17
18	1	9	3	23	"	"	"	4	22	6	59	15	18
19	21	"	10	18	"	"	"	"	7	"	31	"	19
20	15	"	35	"	"	"	"	"	"	"	"	80	20
21	25	"	82	"	12	"	"	"	"	"	"	41	21
22	"	"	"	"	"	3	"	"	"	11	"	92	22
23	3	3	"	"	"	"	"	"	"	13	19	38	23
24	"	20	"	"	"	15	"	9	"	25	2	19	24
25	"	30	27	"	21	"	"	55	48	15	12	"	25
26	1	25	10	"	"	19	"	7	"	"	"	"	26
27	7	30	20	"	"	3	"	15	12	47	"	"	27
28	"	26	68	"	"	"	"	"	20	15	"	22	28
29	"	97	76	"	"	35	"	2:50	"	50	"	40	29
30	"	X	"	3	40	10	"	"	"	34	"	"	30
31	"	X	"	X	"	X	"	"	X	37	X	8	31
Total	2:02	5:48	4:95	1:24	2:91	2:20	1:56	4 35	1:61	5:59	3:24	4 40	YEAR'S TOTAL 39.55
Rain Days.	17	21	21	9	18	14	6	11	10	23	14	12	176

W. 8,000, VIII. 16

8L Days adjusted by own stats =

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Sherborne House

in the County of Gloucestershire

by A. Mitchell

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07				·25	·08	·48			·05	·25		1
2	·43	·04	·08		·44				·03	·93	·05		2
3		·88	·10		·04				·07	·45	·14		3
4	·41	·12			·17	·38			·05	·19	·40		4
5	·03	·05			·13	·19				·10	·34		5
6	·01	·17	·03		·17	·07	·57			·14	·44		6
7	·08	·02	·15		·03		·09			·08	·31	·20	7
8	·03		·14		·24	·15					·05	·36	8
9					·10	·06	·03						9
10		·46	·03	·10	·03	·07			·02	·10	·03		10
11	·05	·07	·15	·09	·05	·35						·29	11
12	·02	·05	·05	·17	·34		·27			·19			12
13		·32	·15	·08				·21		·03			13
14		·35	·09		·05			·10		·15			14
15		·21	·52		·09			·15		·01			15
16		·03	·15	·20	·05		·12	·25					16
17	·16	·31		·16				·24	·35	·64			17
18	·01	·09	·03	·23				·04	·22	·06	·59	·15	18
19	·21		·10	·18					·07		·31		19
20	·15		·35									·80	20
21	·25		·82		·12							·41	21
22						·03				·11		·92	22
23	·03	·53								·13	·19	·38	23
24		·20			·21	·15		·09		·25	·02	·19	24
25		·40	·27					·55	·48	·15	·12		25
26	·01	·15	·10			·19		·07					26
27	·07	·30	1·40			·03		·15	·12	·47			27
28		·56	·24						·20	·15		·22	28
29		·17				·35		2·50		·50		·40	29
30				·03	·40	·10				·34			30
31										·37		·08	31
Total	2·02	5·48	4·95	1·24	2·91	2·20	1·56	4·35	1·61	5·59	3·24	4·40	YEAR'S TOTAL 39·55
Rain Days.	17	22	20 21	9	18	14	6	11	10	23	14	12	176

W. 8,000. X. 15.

2145

FORM A.
BRITISH RAINFALL

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Sherborne House Gardens

in the County of Gloucestershire

by Arthur Mitchell

Lat. Long.

Time of Observation 9 am

Nearest Railway Station 5 miles Bourton on Water

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	10	4	"	4	"	61	20	"	7	"	1
2	"	"	2	5	"	13	"	4	"	5	4	"	2
3	8	"	"	2	"	"	"	25	"	51	"	"	3
4	"	"	"	"	"	"	"	12	"	41	"	"	4
5	34	"	21	15	"	"	"	"	9	"	"	"	5
6	"	"	"	"	"	10	"	"	"	10	9	3	6
7	32	"	"	"	"	"	22	10	"	40	"	5	7
8	76	"	"	18	"	"	77	32	"	42	14	20	8
9	4	"	21	3	23	"	"	22	10	5	11	2	9
10	17	"	37	31	27	"	"	10	"	3	"	"	10
11	17	"	26	23	30	"	"	33	61	34	3	"	11
12	"	"	5	8	"	"	"	15	"	29	"	"	12
13	"	"	9	4	"	5	"	15	3	"	"	"	13
14	"	"	"	12	"	"	"	14	"	"	"	"	14
15	"	"	"	"	"	"	"	5	"	15	"	20	15
16	"		"		15	"	"	"	"	14	"	75	16
17	"	25	"	25	54	"	33	8	13	13	"	"	17
18	10	9	"	11	"	"	38	"	1 53	8	"	"	18
19	"	34	15	1	"	"	"	"	4	"	"	"	19
20	"	15	18	"	55	"	4	3	3	"	3	"	20
21	"	"	10	"	"	"	"	"	"	3	5	"	21
22	"	"	9	"	"	28	"	8	"	9	"	"	22
23	"	36	"	"	"	18	"	81	"	13	"	"	23
24	"	14	"	"	"	"	"	25	"	30	"	"	24
25	"	10		"	"	"	"	"	3	"	7	"	25
26	"	"	11	"	"	"	"	40	13	"	32	"	26
27	"	"	5	"	1 61	"	"	83	"	"	"	"	27
28	"	"	9	"	"	87	"	30	"	"	"	9	28
29	"	X	11	"	3	49	8	29	"	49	"	"	29
30	"	X	14	"	"	"	25	8	"	3	"	25	30
31	"	X	13	X	"	X	1		X	4	X	4	31
Total	1:98	1:46	2:46	1:62	3:68	2:14	2:08	5:73	2:42	4:21	.95	1 63	YEAR'S TOTAL 30:36
Rain Days.	8	7	18	14	8	8	8	23	11	21	10	9	145

W. 7,500, XI. ·12

[illegible] [illegible]

88

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3.1.19

Kept at Sherborne House Gardens
in the County of Gloucestershire
by Arthur Mitchell

Lat. .... Long. —
Time of Observation 9 am
Nearest Railway Station Bourton-on-the-Water
Diameter of Funnel of Rain Gauge 5 — in.
Height of top of Gauge above Ground 1 — ft. — in.
" " " " Sea Level 420 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	4	"	9	"	"	"	5	"	2	35	5	1
2	"	20	"	14	"	"	"	30	"	"	5	16	2
3	"	06	15	5	17	"	"	19	30	"	5	5	3
4	"	14	2	"	"	"	"	12	7	5	1:00	12	4
5	"	04	"	"	31	"	"	10	10	15	4	"	5
6	11	15	"	20	"	"	"	"	3	10	"	14	6
7	"	10	"	5	"	"	"	"	3	3	30	6	7
8	"	08	"	5	"	"	"	"	13	45	"	15	8
9	5	20	"	24	"	30	32	"	67	"	"	15	9
10	5	"	"	12	"	"	47	"	9	15	2	24	10
11	"	"	"	2	"	"	5	"	8	14	3	12	11
12	"	9	8	"	19	"	10	"	2	"	"	3	12
13	"	"	"	"	"	"	15	"	28	5	"	15	13
14	45	"	5	"	"	9	35	"	27	27	"	15	14
15	10	"	"	68	"	"	30	"	27	"	"	25	15
16	10	"	"	54	"	"	"	"	19	"	"	5	16
17	70	"	"	15	23	" 6	33	"	5	"	"	17	17
18	1:25	"	"	"	"	55	20	"	27	14	"	45	18
19	5	"	15	"	"	"	5	"	6	5	"	3	19
20	3	18	"	47	"	6	14	"	15	6	"	8	20
21	9	"	"	25	"	"	"	"	65	12	"	8	21
22	18	"	"	"	22	"	12	"	17	10	"	32	22
23	10	"	"	"	47	"	14	"	"	"	"	5	23
24	2	20	"	"	"	"	"	"	"	"	4	"	24
25	"	"	"	"	"	"	22	59	7	4	13	"	25
26	"	"	"	"	"	"	10	"	4	5	12	23	26
27	"	"	"	"	"	"	59	25	16	"	12	5	27
28	"	"	32	"	"	"	"	"	"	"	18	6	28
29	"	✕ "	8	"	"	"	"	"	1:30	"	"	3	29
30	"	✕	52	"	"	"	"	"	"	"	12	10	30
31	"	✕	29	✕	"	✕	"	3	✕	5	✕	"	31
Total	3:28 ✓	1:48 ✓	1:66 ✓	3:05 ✓	1:59 ✓	1:06 ✓	3:63 ✓	1 63 ✓	5·45 ~~5:44~~ ✓	2:02 ✓	2:55 ✓	3:52	YEAR TOTAL 30·92 ~~30·91~~
Rain Days.	14 ✓	12 ✓	9 ✓	14 ✓	6 ✓	5 ✓	16 ✓	8 ✓	24 ✓	18 ✓	14 ✓	27 ✓	167

W. 8,000, IX. 17.

Excd gd

2012

5 JAN 20
FORM
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Sherborne House Gardens
in the County of Gloucestershire
by Arthur Mitchell

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Bourton on Water 5 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	50	3	5	"	"	"	20	"	"	13	"	81	1
2	12	"	2	"	5	"	5	"	43	3	16	12	2
3	31	"	20	"	4	"	23	"	32	"	5	44	3
4	28	"	43	"	"	21	"	"	47	"	5	12	4
5	30	25	66	"	"	"	"	"	40	"	"	22	5
6	38	13	10	"	39	"	"	"	"	"	"	"	6
7	12	"	28	6	"	"	"	"	"	"	"	4	7
8	15	"	"	34	"	"	"	"	"	"	10	"	8
9	10	"	4	15	"	"	"	"	"	"	4	"	9
10	3	"	45	10	"	"	"	"	"	"	"	25	10
11	"	"	23	5	13	"	40	"	"	"	"	"	11
12	2	"	"	"	"	30	"	"	"	10	"	13	12
13	5	"	"	33	"	"	"	"	"	8	"	9	13
14	45	3	"	45	"	"	7	"	"	"	"	5	14
15	41	5	2	17	"	"	"	"	"	"	"	63	15
16	8	75	"	"	"	"	"	"	"	"	16	"	16
17	"	28	"	"	"	"	"	"	"	"	18	"	17
18	"	1	40	"	"	"	"	30	"	"	"	3	18
19	45	78	98	"	"	10	1:15	34	3	"	10	8	19
20	66	21	64	"	"	6	4	28	"	"	"	1	20
21	3	62	2	"	"	"	15	"	"	"	"	32	21
22	"	30	"	"	"	5	"	"	23	"	"	"	22
23	"	"	"		"	4	"	"	"	38	25	"	23
24	"	"	"	4	"	"	"	23	"	89	5	4	24
25	10	"	"	"	"	2	"	"	"	"	"	"	25
26	2	"	14	"	"	"	15	"	20	"	"	51	26
27	9	"	1	1:00	"	"	"	43	"	"	"	"	27
28	10	"	20	"	"	"	"	75	"	"	"	36	28
29	5	X	"	"	"	"	"	3	"	13	19	30	29
30	"	X	"	20	"	15	"	30	"	"	43	45	30
31	"	X	"	X	"	X	"	"	X	5	X	"	31
Total	4:80	3:44	4:87	2:89	0:61	0:93	2:44	2:66	2:08	1:79	1:74	5:00	YEAR'S TOTAL 33:25
Rain Days.	23	12	18	11	4	8	9	8	7	8	12	20	140

H R V [illegible] 1925

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Sherborne House Gardens Northleach
in the County of Gloucestershire
by Arthur Mitchell

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Bourton on the Water
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
„ „ „ „ Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	..	17	45	..	38	..	..	35	..	32	1
2	..	..	..	0.5	0.3	..	4	15	0.5	15	..	22	2
3	..	..	..	15	0.4	..	67	55	..	28	..	..	3
4	10	..	0.8	11	..	..	0.3	..	..	22	..	..	4
5	..	..	12	0.3	0.9	..	55	..	..	53	..	..	5
6	..	..	22	..	13	..	22	..	..	12	..	..	6
7	0.1	..	0.2	22	..	..	15	..	..	..	..	05	7
8	0.9	..	..	66	..	..	39	..	..	02	..	..	8
9	25	10	..	1.26	..	..	0.2	..	..	..	..	..	9
10	55	..	0.7	12	..	..	15	..	..	..	..	..	10
11	23	10	..	33	41	15	0.5	..	..	..	..	..	11
12	0.8	14	11	18	..	78	0.1	31	..	..	0.5	..	12
13	0.8	..	37	0.8	..	..	..	..	..	..	..	..	13
14	0.1	0.5	54	40	..	0.8	0.5	..	19	0.8	65	..	14
15	0.2	10	27	36	..	25	..	..	13	12	10	..	15
16	..	..	..	0.3	15	34	0.7	..	19	10	..	..	16
17	..	..	0.2	0.6	19	0.2	..	21	40	..	..	0.8	17
18	15	..	..	0.8	0.8	12	..	..	60	..	..	0.3	18
19	0.6	15	..	49	..	39	..	..	..	..	..	0.2	19
20	..	22	..	36	..	..	..	..	..	..	..	18	20
21	..	..	..	0.4	..	..	..	0.9	0.5	..	..	15	21
22	0.4	..	..	22	..	..	..	0.8	15	..	..	21	22
23	..	..	..	..	..	..	75	..	..	..	..	46	23
24	..	..	30	..	..	..	..	0.4	..	..	..	15	24
25	0.1	12	..	0.4	..	..	50	..	..	..	..	0.2	25
26	22	..	32	0.3	..	09	0.5	..	..	..	..	17	26
27	55	16	0.5	21	..	66	10	..	..	0.6	0.9	37	27
28	56	..	0.3	..	35	..	0.7	..	..	..	..	01	28
29	20	0.2	0.6	..	0.5	14	10	..	..	..	18	48	29
30	0.5	X	18	05	..	11	30	..	25	..	19	38	30
31	17	X	03	X	..	X	..	..	X	77	X	18	31
TOTAL	3:37	1:16	2:79	~~5:42~~ 5.73	1:97	3:13	4:65	1:43	2:07	2:80	1:26	~~3:58~~ 3.48	YEAR'S TOTAL ~~33:87~~ 33:78
Days with ·01 in. or more	20	10	17	25	11	12	21	7	9	12	6	18	~~[illegible]~~

(44,283). Wt.21/958—218. 7500. 10/19. Gp.132. A.&E.W.

16 4 13 23 10 11 18 7 9 11 6 14 147

8L

362

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Leygore

in the County of E. Gl

by A. E. Moss

NORTHLEACH
LEYGORE MANOR

GLOUCESTER

1911-1920

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in " application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·05	·16			·11	·01			·02	·07	1
2	·04		·01	·09	·30			·21		·18	·19	·15	2
3	·01			·01	·35			·15		·03	·11	·05	3
4	·02		·13	·01					·04	·09	·21	·29	4
5	·03		·02					·27		·01	·03		5
6	·39		·02					·01			·04	·58	6
7	·02										·35	·06	7
8	·12		·09								·03	·23	8
9	·06		·01								·07	·18	9
10	·03	·15	·33									·23	10
11	·30	·01	·01								·61	·03	11
12			·48						·02		·44	·08	12
13			·03		·13				·35	·23		·30	13
14	·01		·02									·70	14
15			·03								·25	·05	15
16	·01					·16					·42	·20	16
17					·28	·02					·05	·34	17
18		·26	·03	·03		·09				·04		·20	18
19	·01	·01				·58		·01	·21	·13	·11	·09	19
20	·02	·06	·13			·01		·32	·10	·09		·66	20
21	·01	·07	·03	·04				·04		·43		·12	21
22	·02		·11			·29		·16		·27		·66	22
23	·01	·14	·10			·48	·27		·25	·02		·25	23
24		·07	·03			·29		·06		·45		·15	24
25		·10	·02		·10	·08		·02	·07			·10	25
26		·11		·24	·01	·05		·01		·46	·14	·24	26
27		·32	·15	·04				·27	·35		·11	·18	27
28		·26	·01	·23			·11	·09			·07	·01	28
29				·03		·18	·21		·23	·34			29
30			·04	·08	·20	·03		1·52	·01	·15		·02	30
31			·01										31
Total	1·18	1·56	1·89	·96	1·37	2·26	·70	3·15	1·63	2·92	3·25	6·22	TOTAL for year 27·09
No. of Rain Days	18	12	24	11	7	12	4	15	10	15	18	28	174

9,000, IX. '10.

8L ✓

362

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAI

Kept at Leygore Manor, Northleach

in the County of E. Gloucestershire 7

by A. E. Moss

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07		·05	·16			·11	·01			·02	·07	1
2	·04		·01	·09	·30			·21		·18	·19	·15	2
3	·01			·01	·35			·15		·03	·11	·05	3
4	·02		·13	·01					·04	·09	·21	·29	4
5	·03		·02					·27		·01	·03		5
6	·39		·02					·01			·04	·58	6
7	·02										·35	·06	7
8	·12		·09								·03	·23	8
9	·06		·01								·07	·18	9
10	·03	·15	·33									·23	10
11	·30	·01	·01								·61	·03	11
12			·48						·02		·44	·08	12
13			·03		·13				·35	·23		·30	13
14	·01		·02									·70	14
15			·03								·25	·05	15
16	·01					·16					·42	·20	16
17					·28	·02					·05	·34	17
18		·26	·03	·03		·09				·04		·20	18
19	·01	·01				·58		·01	·21	·13	·11	·09	19
20	·02	·06	·13			·01		·32	·10	·09		·66	20
21	·01	·07	·03	·04				·04		·43		·12	21
22	·02		·11			·29		·16		·27		·66	22
23	·01	·14	·10			·48	·27		·25	·02		·25	23
24		·07	·03			·29		·06		·45		·15	24
25		·10	·02		·10	·08		·02	·07			·10	25
26		·11		·24	·01	·05		·01		·46	·14	·24	26
27		·32	·15	·04				·27	·35		·11	·18	27
28		·26	·01	·23			·11	·09			·07	·01	28
29				·03		·18	·21		·23	·34			29
30			·04	·08	·20	·03		1·52	·01	·15		·02	30
31			·01										31
Total	1·18	1·56	1·89	·96	1·37	2·26	·70	3·15	1·63	2·92	3·25	6·22	TOTAL for year 27·09
No. of Rain Days	18	12	24	11	7	12	4	15	10	15	18	28	174

9,000, IX. '10.

81 WDD 362

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Leygore Manor, Northleach

in the County of Gloucestershire 7

by A. E. Moss

RAIN GAUGE: Pattern ......
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation ......

Nearest Railway Station: Name ......
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·56	·10	·02	·03	·29		·12	1
2			·15	·05		·31	·37					·03	2
3	·01		·08		·04	·13	·08	·65	·01		·02	·09	3
4	·16		·70		·24	·76		·18			·22	·01	4
5	·22		·05		·10	·01		·61				·18	5
6	·40	·20	·02		·03		·06	·70			·01	·10	6
7	·01	·16	·02		·07	·51	·19	·07				·05	7
8	·46	·17	·46			·03	·08	·01	·05			·08	8
9	·05	·04	·27			·19	·01	·06				·32	9
10	·02	·11	·01			·30		·04			·15	·02	10
11	·15	·06	·01			·02		·08			·14	·46	11
12	·07	·29	·16	·04	·03		·02				·06	·03	12
13	·02	·06	·01				·03	·14				·02	13
14	·15		·45		·18			·14				·01	14
15	·13	·12	·02		·22	·41		·04			·01	·33	15
16	·52	·01	·20		·16	·04		·09		·11	·02	·01	16
17	·19		·12			·09		·47				·31	17
18	·04	·01	·27					·06		·05	·01	·04	18
19	1·00	·06	·02				·12	·31			·02	·01	19
20	·03	·03	·45		·11		·17	·67		·32	·02		20
21	·01	·07	·46		·66		·01	·21		·37			21
22	·10	·12	·13		·20	·17	1·12	·20		·04		·07	22
23	80	·37	·36		·01	·19	·44	·22		·03	·05	·36	23
24	·08	·04	·02			·18	·05	·12			·01	·13	24
25	·01		·01			·42		·44			·41	·35	25
26		·08	·03			·01	·20	·69		·58	·32	·16	26
27		·01				·15	·19			·63		·39	27
28		·08				·17	·13	·84	·13	·42	·26	·66	28
29		·12	·02			·64	·28	·04	·47	·18	·03	·09	29
30	·01					·12	·18	·02	·13	·22		·01	30
31			·05		·11		·62	·10		·02		·10	31
Total	4·64	2·21	4·65	·09	2·16	5·41	4·45	7·22	·82	3·26	1·76	4·54	TOTAL for year 41·21
No. of Rain Days.	24	21	28	2	14	22	21	28	6	13	17	29	225

W. 8,000, X. '11.

Dl ✓

REGISTER OF RAINFALL IN 1913

[illegible]

372

FORM A.
BRITISH RAINFALL.

28 JAN 1914

Kept at Leygore Manor
in the County of Gloucestershire
by A. E. Moss

7

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·19	·19	·04	·04				·90		·11	·01	1
2	·02	·12	·03	·12			·01		·17	1·18	·05		2
3	·06	·01	·07		·48				·01	·03		·06	3
4	1·12	·01	·03		·37				·17	·36	·06	·18	4
5	·02	·02	·03		·01	·14	·09		·03	·10	·07	·02	5
6	·05	·05	·14		·28	·13	·49			·37	·02	·41	6
7		·40	·01		·23	·12	·06			·12	·24	·01	7
8	·01	·09			·23	·04				·55		·01	8
9		·23			·06	·05	·02	·34	·19		·04	·02	9
10	·14			·21	·06		·09	·09		·02	·44		10
11	1·05			·45	·03			·02		·08	·37		11
12				·01	·28			·01	·01	·01	·55		12
13	·04		·04		·02				·21		·23		13
14	·13	·01	·31	·01			·12	·07		·10			14
15	·10	·07	·44	·69			·47		·07		·02		15
16	·09		·43	·11					·01				16
17	·03	·02	·07	·08		·07	·17		·02		·03		17
18	·06		·14	·14			·04		·06		·05		18
19	·27		·08			·04	·02		·24		·01	·05	19
20	·26		·10	·11						·23	·18		20
21	·02		·24	·08	·17		·03			·07	·38		21
22	·47		·54	·03	·01	·02		·17	·36		·01		22
23	·02					·03			·01		·01	·08	23
24	·03			·04				·04				·02	24
25		·04		·16						·02		·02	25
26		·05		·22				·16		·13		·26	26
27		·03		·15	·08					·01		·01	27
28	·36	·01	·27	·45						·24			28
29	·02		·43	·76						·02	·01	·08	29
30	·27									·40	·04		30
31	·03		·07		·11			·01		·01			31
Total	4·69	1·35	3·66	3·56	2·46	·64	1·61	·91	2·46	4·05	2·92	1·24	YEAR'S TOTAL 29·85
Rain Days.	25	16	20	19	16	9	12	9	15	20	21	15	197

W. 7,500, XI. 12

DL

Exd SD

358

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Leygore Manor, Northleach

in the County of Gloucestershire 7

by A. E. Moss

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	.01				.47	.31			.05	.02	1
2				.10			.27	.19			1.06	.26	2
3	.01		.06	.03	.47		.16				.02	.05	3
4	.24		.01	.09	.04		.04	.13			.44	.42	4
5	.03		.06	.24	.15	.02	.33	.01			.18	.01	5
6		.05	.02	.25	.09			.03			.11	.27	6
7	.02	.47	.25	.03	.13	.25	.17	.09	.01		.01	.09	7
8	.02	.03	.30	.11	.12	.68	.12	.11				.05	8
9	.17	.02	.29	.05	.05	.90		.06	.15			.01	9
10	.05	.22	.01	.16	.08	.07			.30	–		.01	10
11		.08	.37	.06	.15	.43	.01		.01		.28	.44	11
12		.05	.18		.01	.01	.46		.32		.05	.29	12
13		.43	.27						.30	.05	.06	.36	13
14	.01	.24	.24				.04			.54	.27	.03	14
15	.04	.04	.11					.02	.18	.03	.08		15
16	.01		.01						.13			.01	16
17		.23	.10						.12			.40	17
18		.01	.01				.21					.45	18
19		.04	.12				.94		.02		.06	.08	19
20		.35	.28			.10				–		.21	20
21		.41	.07			.01		.07		.15	.03	.07	21
22		.02	.03		.25	.10	.07	.03		.17		.05	22
23		.05	.11	.01	.10		.06	.01		.08		.03	23
24		.01	.08		.02		.03			.18	.09		24
25	.12		.22				.04	.37		.37	.02	.12	25
26			.08				.01	.03		.08	.20	.46	26
27	.07		.05							.03	.06	.20	27
28	.01	.12	.15		.05					.01	.18	.83	28
29	.03		.13		.02					.26	.57		29
30	.05		.18			.05				.15	.55	.45	30
31	.04						.36			.04		.02	31
Total	.92	2.88	3.80	1.13	1.73	2.62	3.79	1.46	1.54	2.14	4.37	5.69	YEAR'S TOTAL 32.07
Rain Days.	16	20	29	11	15	11	18	14	10	14	21	28	207

W.7,000, XI. 13

2320
~~350~~

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1915

Kept at Leygore, Northleach
in the County of Gloucestershire
by A. E. Moss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·16	·03		·08		·03	·15	·10	·23	·03	·13	1
2	·29	·22	·25	·09		·04		1·73	·01	·47		·09	2
3	1·01	·03	·07	·13	·06		·06	·57		·02	·01	·14	3
4	·01		·01		·04		·44	·12				·72	4
5	·01	·63			·13		·02	·05				·49	5
6	·18	·12		·19			·49					·18	6
7	·14	·60			·07	·32	·37	·08				·14	7
8	·26	·26					·07	·02			·03		8
9	·12	·02		·16				·03			·16	·64	9
10	·37		·03	·03				·02			·01	·01	10
11	·02		·07	·08	·01						·79	·08	11
12	·05	·05	·01	·15	·39			·05		·04	·55		12
13	·03	·54			·80				·01			·03	13
14	·05	·08					·03	·12	·08	·02		·75	14
15	·25				·10		·01	·03		·06	·05	·13	15
16	·02	·74			·29		·69	·12				·07	16
17		·36			·96		·01	·01			·01	·02	17
18		·50	·08		·01						·01		18
19		·02	·01		·09		·16						19
20	·24			·05								·15	20
21	·07	·02					·10			·09		·07	21
22	·13	·24	·27	·08			·40					·25	22
23	·07	·12	·24			·02	·06		·10	·68		·36	23
24	·08		·04	·07		·01	·07		·30	·47		·18	24
25	·01					·91	·02		·01	·03		·48	25
26		·11				·01	·05					·55	26
27		·05				·07	·21			·54		·02	27
28		·07				·04			·49	·01			28
29							·35	·10	·01		·10	·03	29
30	·06	X				·12	·05	·02		·09	·36	·18	30
31	·03	X		X		X	·02	·04	X	·91	X	·30	31
Total	3·75	4·94	1·11	1·03	3·03	1·54	3·71	3·26	1·11	3·66	2·11	6·19	YEAR'S TOTAL 35·44
Rain Days.	24	21	12	10	13	9	22	17	9	14	12	26	189

W. 8,000. X. 14.

81

cord per month

~~313~~ 2234

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Leygore Manor, Northleach
in the County of Gloucestershire
by A. E. Moss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		04		·21	·11	·39			·04	·37		1
2	·40	·03	·05		·40	·01	·01		·02	·90	·04		2
3	·01	·79	·14		·01				·10	·50	·08		3
4	·41	·06			·22	·41			·07	·11	·43		4
5	·03	·02	·04		·11	·11	·03			·10	·39		5
6		·16	·02		·25	·09	·49			·20	·56		6
7	·02		·24		·04	·01	·23			·14	·36	·15	7
8	·01		·05		·21	01	·01			·01	·02	·28	8
9		·01	·01		·11	·12	·02			·06	·01	·03	9
10		·46		·10	·03	·10	·02		·03	·08	·01		10
11	·04	·06	·12	09	·06	·15				·01		·60	11
12	·02	·05	·02	·20	·31	·02	·25	·01		·21			12
13		·28	·14	·07			·01	·15		·02			13
14		·05	·08	01	·04			·07		·05			14
15		·62	·37	·02	·08		·02	·14		·03	·01		15
16	·02	·03	·09	·17	·04		·09	·20					16
17	·15	·20	·01	·16			·01	·12	·39	·63			17
18	·02	·13	·03	·28		—		·02	·21	·08	·22		18
19	·18	·01	·12	·20				·01	·15	·03	·55		19
20	·10		·37	·01					·01		·02	·65	20
21	·19	·01	·54		·10		·02				·01	1·06	21
22		·02	02		·09	·04				·13	·01		22
23	·03	·02	·01					·05		·16	·14		23
24		·41	·01	·01	·06	·16		·04		·26	·02	·56	24
25		·14	·22	—	—			·50			·16		25
26		·25	·06			·17		·02	·19	·15	·05		26
27	·07	·37	·55			·13		·30	·15	·60			27
28		·07	·18			·21		·02	·37	·13	02	·26	28
29		·77				·47		1·93	01	·45		·33	29
30		✕		·03		·10		·01		·27		·02	30
31		✕		✕		✕		·01	✕	·40	✕	·03	31
Total	1·82	5·02 5·03	3·53	1·35	2·37	2·42 2·47	1·60	3·60	1·70	5·75	3·48	3·97	YEAR'S TOTAL 3[illegible] 36·67
Rain Days.	17	25	6 25	13	18	18	14	17	12	27	21	11	219

W. 8,000. X. 16.

8L

~~ot~~ 8L [illegible]

214·7
~~19~~7

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Leygore Manor
in the County of Gloucestershire
by A. E. Moss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·17		·04		·57	·19		·08		1
2			·04	·04		·14		·08		·03	·03		2
3	·06			·02		·01		·25		·50			3
4		·16	·22					·11		·42		·04	4
5	·32		·08	·11				·02	·07	·20	·09		5
6						·13			·01	·07	·11	·01	6
7	·28					·01	·15	·14		·39	·03	·04	7
8	·55			·23			·68	·37	·01	·42	·11	·30	8
9			·21	·05	·17		·05	·14	·04	·03	·10	·01	9
10	·14		·39	·22	·22			·18		·06			10
11	·24		·22	·30				·53	·69	·29			11
12	·05		·03	·08		·10		·10	·01	·35	·03	·01	12
13			·09	(·06)	·02	·01		·73	·05	·01			13
14				·08				·04				·01	14
15							·04	·11		·08		·08	15
16		·10		·24			·03	·01	·01	·10		·50	16
17				·12	·58		·33	·06	·18	·13		·03	17
18	·06	·04		·02	·01	·02	·35		1·07	·04			18
19		·38	·10			·05			·04				19
20		·13	·38		·49	·01	·05		·02		·03		20
21		·02	·15		·02	·46				·02	·08		21
22			·13			·05		·02		·09	·01		22
23		·18				·02		·58		·15		·03	23
24		·09	·01			·19		·25		·26	·03	·01	24
25		·15	·11				·12	·03	·02	·01	·04		25
26			·02		·09			·55	·15		·32		26
27					1·43	·03		·66	·01		·01		27
28		·02	·09			·58		·25				·02	28
29			·09			·30	·09	·07		·41		·24	29
30		×	·10			·01	·20	·27		·04			30
31		×	·06	×		×	·01	·10	×	·05	×	·05	31
Total	1·70	1·27	2·65	1·74	3·03	2·16	2·10	6·22	2·57	4·15	1·10	1·38	YEAR'S TOTAL 30·07
Rain Days.	8	10	20	14	9	18	12	26	16	24	15	15	186

W. 8,000, VIII. 16

8L

90

~~277~~

REGISTER OF RAINFALL IN 1918

Kept at Leygore Manor, Northleach

in the County of Gloucestershire

by A. E. Moss

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

FORM A. BRITISH RAINFALL.

30. i. 18

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·03	·13	·02			·05		·02	·39	·04	1
2		·16	·01	·08				·30	·02	·02	·04	·10	2
3			·04	·10	·13			·16	·35	·04	·06	·03	3
4		·16	·02	·01				·10	·05		·84	·08	4
5		·03			·26			·07	·21	·22	·11	·02	5
6	·06	·17		·21	·01	·02		·01	·02	·03		·09	6
7	·03	·10		·05	·31	·02			·04	·16	·31	·03	7
8		·08							·08	·09	·01	·04	8
9	·04	·16		·24		·31	·18		·62	·39	·01	·09	9
10	·07	·01		·10			·36		·22	·16		·22	10
11	·05			·02			·03		·06	·15	·02	·13	11
12		·04	·12	·01	·17		·10		·03	·01		·02	12
13		·02	·01	·01	·13		·08		·31	·04		·15	13
14	·40	·01	·04		·01	·06	·49		·56	·23		·10	14
15	1·20		·01	·52	·01		·23		·03	·01		·23	15
16	·02			·54		·01	·01		·20		·01	·05	16
17	·44		·01	·10	·02		·25	·01	·03	·03		·08	17
18	·73			·01		·49	·14		·41	·12		·45	18
19	·04	·03	·16	·05			·06		·03	·06		·03	19
20	·03	·14	·01	·36		·06	·48		·27	·07	·02	·08	20
21	·11	·01		·23		·02	·01		·60	·10		·08	21
22	·13	·01		·01	·11		·10		·15	·43		·34	22
23	·06				·44	·02	·18		·02	·01	·02	·05	23
24	·02	·21			·01		·22	·01	·07		·11	·02	24
25		·01					·18	·33		·02	·01		25
26							·44		·05	·05	·15	·20	26
27		·03				·02	·02	·21	·14	·01	·16	·05	27
28		·13	·27					·01			·25	·06	28
29			·04						1·33		·01	·02	29
30		X	·46						·04	·02	·10	·08	30
31		X	·20	X		X		·03	X	·03	X		31
Total	3·43	1·54	1·43	2·78	163	1·03	3·56	1·29	5·94	~~2·62~~ 2·52	2·63	2·96	YEAR'S TOTAL 30·74
Rain Days.	16	20	15	19	13	10	19	12	27	26	19	29	225

W. 8,000, IX. 17.

81

[illegible]

2013
~~256~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Leygore Manor, Northleach
in the County of Gloucestershire
by A. E. Moss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·02	·04	·03	·07		·26			·17		·68	1
2	·14	·03	·03		·04		·06	·03	·35	·11	·17	·12	2
3	1·30		·11		·03		·13		·19		·06	·41	3
4		·06	·40		·01	·11	·07	·08	·39		·02	·14	4
5	·06	·24	·40				·01	·01	·40		·02	·20	5
6	·05	·10	·09		·54						·01	·07	6
7	·16		·31	·02	·01						·04	·02	7
8	·12			·33	·28						·01		8
9	·14		·04	·13		·02					·03		9
10	·02		·37	·09							·01	·21	10
11	·02		·25	·04	·07		·27					·02	11
12			·41	·02		·62	·01			·11	·02	·12	12
13	·06		·01	·40		·01			·02	·07	·01	·09	13
14	·45			·25			·09		·03	·03		·07	14
15	·39	·06	·06	·34	·03		·01			·08		·54	15
16	·14	·82	·01								·14		16
17	·01	·56		·01							·20	·02	17
18			·36		·08		·01	·31	·01		·04	·06	18
19	·37	·33	·91			·08	1·25	·29	·03		·04	·01	19
20	·61	·19	·60			·07	·04	·32	·02		·09		20
21	·03	·68	·02			·07	·16	·01			·03	·15	21
22		·22				·02	·07		·17		·01	·23	22
23		·01				·08		·04		·32	·15	·01	23
24	·01			·03		·01				·79	·07	·03	24
25	·12				·01	·03		·22				·08	25
26	·05		·12	·07			·14	·01	·19			·41	26
27	·04		·01	·87				·37				·02	27
28	·12		·16					·62			·19	·31	28
29	·04		·03	·02		·01		·02		·24	·05	·26	29
30		✕		·21		·20		·36		·05	·27	·37	30
31		✕		✕		✕	·02		✕	·02	✕	·02	31
Total	4.82	3.32	4.74	2.86	1.17	1.33	2.60	2.66	1.80	1.99	1.68	4.67	YEAR'S TOTAL 33·64
Rain Days.	24	13	22	16	11	13	16	14	11	11	23	27	201

W. 6,500, VII. 18. W W C

325 Engl 1926

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Stn No 2208

Kept at Northleach, Leygore Manor
in the County of Gloucestershire
by A. E. Moss

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·22	·41		·28		·01	·47	·01	·34	1
2	·03		·03	·06	·01		·09	·14	·05	·20		·28	2
3	·13	·04		·19	·06	·02	·54	·01	·08	·27		·02	3
4	·01		·07	·09			·02	·50		·20		·03	4
5			·21	·03	·09		·37	·05	·01	·56			5
6		·01	·23		·12		·30		·01	·22			6
7	·01		·04	·12			·30			·01	·01		7
8	·10	·11		·48	·01		·50			·01			8
9	·23	·01		·93			·01					·10	9
10	·56	·06	·06	·08		·12	·13				·02		10
11	·25	·03	·11	·33	·34	·16	·07						11
12	·09	·12	·02	·29	·02	·80		·10			·04		12
13	·08	·03	·31	·09		·01			·01		·02		13
14	·02	·02	·40	·31		·07	·07		·16	·07	·53		14
15	·02	·09	·30	·27		·21	·01		·22	·11	·09		15
16		·01	·01	·03	·03	·47	·10		·18	·14	·01		16
17	·01		·01		·16	·03	·01		·19	·05		·03	17
18	·19			·08	·14	·03	·02	·22	·55			·02	18
19	·08	·15		·31		·12		·03	·01			·02	19
20	·04	·23		·33		·28			·02		·01	·14	20
21	·01	·01		·02			·02	·02	·04			·08	21
22	·02			·18				·06	·07			·25	22
23							·50	·07	·01			·47	23
24			·25	·02				·01			·04	·18	24
25	·02	·12	·11	·09			·48	·01			·01	·02	25
26	·22	·01	·28	·04	·02	·08	·07				·02	·14	26
27	·41	·10	·02	·26		·46	·23				·01	·37	27
28	·57	·01	·13	·01	·37	·01	·07					·01	28
29	·15		·06	·02	·07	·10	·07				·15	·50	29
30	·06	✕	·13	·06	·01	·11	·25		·23		·24	·31	30
31	·09	✕	·03	✕		✕	·01		✕	·61	✕	·12	31
TOTAL	3·40	1·17	2·81	4·94	1·86	3·08	4·52	1·22	1·85	2·92	1·21	3·43	YEAR'S TOTAL 32·41
Days with ·01 in. or more	25	19	21	27	15	17	25	12	17	13	15	20	226
04	16	9	15	21	9	12	18	7	10	11	6	13	147

(44,283). Wt.21 958—218. 7500. 10/19. Gp.132. A.&E.W.

GLOUCESTER

NORTHLEACH VIC

1911 – 1918

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS 9 11

Kept at the Vicarage, p 5 in.

in the County of Glouce ove Ground ft. 9 in.

„ Sea Level 545 ft.

by the Revd R. C. S. Jo 9 am. Lat: 51·50 Long 1·50

Name Bourton-on-the-Water

Distance 6 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·04	·17				·01			·02	·05	1
2	·04			·10	·31			·23		·18	·18	·13	2
3					·34			·11	·01	·02	·08	·04	3
4	·02		·14	·01					·04	·10	·22	·30+	4
5	·03		·02					·29		·01+	·03		5
6	·40		·03								·03	·63	6
7	·01										·45		7
8	·13		·09								·02	·32	8
9	·06		·02								·11	·17	9
10	·02	·16	·31								·01	·18	10
11	·32				·04						·68	·02	11
12			·54						·02		·41	·03	12
13			·03		·15				·35	·35	·01	·32	13
14			·03									·56	14
15		·01	·03							·01	·22	·04	15
16						·18					·41	·19	16
17					·11	·03					·08	·35	17
18		·31	·03	·04		·07				·03		·21	18
19				·01		·55		·01	·16	·11	·12	·08	19
20	·02	·07	·10	·02		·01		·43	·09	·09		·62	20
21		·10	·02					·09		·43		·10	21
22		·01	·14	·01		·36		·06		·24		·59	22
23		·14	·08			·75	·39		·22	·06		·21	23
24	·03	·07	·03			·31		·08		·44		·16	24
25		·07	·01	·03	·07	·09		·03	·09	·01		·09	25
26		·12		·20		·04		·01		·43+	S	·22	26
27		·29	·10	·05				·28	·36+	·01	S	·36	27
28		·27		·24				·12			·35		28
29				·05		·24	·24		·21	·35	·01		29
30			·03	·04	·13	·03		·52		·18	·02	·01+	30
31					·02					·02			31
Total	1·16	1·62	1·82	·97	1·17	2·66	·63	2·27	1·55	3·07	3·46	5·98	TOTAL for year 26·36
No. of Rain Days	12	12	20	13	8	12	2	14	10	19	22	26	170

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS 11

Kept at the Vicarage, Northleach

in the County of Gloucester

by the Revd R. C. S. Jones

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 545 ft.

Time of Observation 9 am. Lat: 51.50 Long 1.50

Nearest Railway Station
Name Bourton on the Water
Distance 6 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·04	·17				·01			·02	·05	1
2	·04			·10	·31			·23		·18	·18	·13	2
3					·34			·11	·01	·02	·08	·04	3
4	·02		·14	·01					·04	·10	·22	·30+	4
5	·03		·02					·29		·01	·03		5
6	·40		·03								·03	·63	6
7	·01										·45		7
8	·13		·09								·02	·32	8
9	·06		·02								·11	·17	9
10	·02	·16	·31								·01	·18	10
11	·32				·04						·68	·02	11
12			·54						·02		·41	·03	12
13			·03		·15				·35	·35	·01	·32	13
14			·03									·56	14
15		·01	·03							·01	·22	·04	15
16						·18					·41	·19	16
17					·11	·03					·08	·35	17
18		·31	·03	·04		·07				·03		·21	18
19				·01		·55		·01	·16	·11	·12	·08	19
20	·02	·07	·10	·02		·01		·43	·09	·09		·62	20
21		·10	·02					·09		·43		·10	21
22		·01	·14	·01		·36		·06		·24		·59	22
23		·14	·08			·75	·39		·22	·06		·21	23
24	·03	·07	·03			·31		·08		·44		·16	24
25		·07	·01	·03	·07	·09		·03	·09	·01		·09	25
26		·12		·20		·04		·01		·43+	S	·22	26
27		·29	·10	·05				·28	·36+	·01	S	·36	27
28		·27		·24				·12			·35		28
29				·05		·24	·24		·21	·35	·01		29
30			·03	·04	·13	·03		·52		·18	·02	·01+	30
31					·02					·02			31
Total	1·16	1·62	1·82	·97	1·17	2·66	·63	2·27	1·55	3·07	3·46	5·98	TOTAL for year 26·36
No. of Rain Days	12	12	20	13	8	12	2	14	10	19	22	26	170

9,000, IX. '10.

cord for auth 1·14·13 W. DS

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Vicarage, Northleach

in the County of Gloucester

by the Revd R. C. S. Jones

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 545 ft.

Time of Observation 9 a.m. Lat: 51·50. Long: 1·50

Nearest Railway Station { Name Bourton-on-water
Distance 6 miles Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·67	·06	·09	·03	·39		·13	1
2		not	·16	·10+		·49	·38	·01					2
3	·01	+	·08		·06	·13	·09	·63	·02		·02	·10	3
4	·21	given	·76		·23	·77		·15			·24		4
5	·22		·04		·07			·73				·14	5
6	·41	·20	·02		·04		·08	·65			·01	·11	6
7		·17	·01		·09	·52	·10	·13				·04	7
8	·37	·16	·49			·03	·07	·08	·09			·08	8
9	·09	·02+	·25	·02		·24		·04				·39	9
10	·01+	·09	·02	·02		·26		·03			·11	·01	10
11	·15	·05+				·03		·02			·18	·41	11
12	·07	·27	·16		·04		·02				·06	·03	12
13	·01	·04					·03	·12			·03	·03	13
14	·13		·44		·17			·10		·01			14
15	·16+	·12+	·01+		·26	·38		·03				·29	15
16	·36		·20		·10	·09		·12		·13	·03		16
17	S		·13			·09		·52				·28	17
18	5·57 ·16		·30					·06		·07	·01	·04	18
19	—	·07			·01		·13	·37		·02			19
20	·02+	·02+	·42		·13		·19	·45		·31	·02		20
21		·06	·50		·68		·08	·18		·36			21
22	·36	·12	·16		·22	·20	·87	·26		·03		·08	22
23	·29	·34	·34			·18	·33	·28		·04	·06	·39	23
24	·07	·04	·02			·24	·04	·10				·10	24
25	—		·01			·36		·40			·40	·35	25
26	—	·07	·02				·24	·62		·53	·30	·16	26
27		·01				·16	·19			·67		·38	27
28		·08				·15	·16	·87	·15	·42	·24	·73	28
29		·13	·02			·47	·32	·01	·49	·20	·02	·13	29
30						·25	·19		·12	·37			30
31			·07		·11		·66	·10		·02		·08	31
Total	3·67	2·06	4·73	·14	2·21	5·71	4·23	7·15	·90	3·57	1·73	4·47	TOTAL for year 40·57
No. of Rain Days.	19	19	25	3	14	20	20	28	6	3·57 15	15	23	20

W. 8,000, X. '11.

cwd for arith 26·III·14

FORM A2.
BRITISH RAINFALL.

2-JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at the Vicarage, Northleach
in the County of Gloucester
by the Rev. R. C. S. Jones.

7

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
„ „ „ Sea Level 545 ft.

Time of Observation 9 am. Lat: 51.50. Long 1.50

Nearest Railway Station
Name Bourton-on-the-Water
Distance 6 m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·19	·19	·05	·05				·93		·16	·02	1
2	·02	·14	·03	·02			·01		·16	1·10	·05		2
3	·08	·01	·09		·44					·04		·07	3
4	1·00	·01	·04		·37		·01		·16+	·46	·06	·20	4
5	·01	·02	·02			·13	·07		·03	·02	·06	·02	5
6	·06	·07	·14		·29	·10	·54			·24	·02	·40+	6
7		·38			·23	·13	·09			·12	·23		7
8		·10+			·17					·63			8
9		·22			·06	·08		·41	·22		·03	·04	9
10	·12		·01	·13+	·07		·11	·13		·02	·40		10
11	·98			·47	·04			·03		·12	·40+		11
12		·01			·21				·01	·01	·60		12
13	·03		·05						·20		·26		13
14	·12		·30	·01			·12	·10		·10			14
15	·08	·08	·45	·67			·39	·01	·05		·01		15
16	·08		·49	·17									16
17	·02	·01	·06	·08		·06	·18				·04		17
18			·15	·16			·06		·07		·06		18
19	·28		·13			·06	·02		·23			·02	19
20	·23		·12	·09						·24	·17		20
21	·01		·26	·15	·21		·02	·01			·36		21
22	·42		·43	·06	·01+	·01		·19	·35				22
23	·02		·01			·05					·02	·08	23
24	·05			·06				·02					24
25		·06		·15					·01	·02		·01	25
26		·05		·27				·18		·13		·28	26
27	·01	·03	·06	·18	·10					·01			27
28	·34		·20	·44						·22			28
29			·41	·79						·03		·08	29
30	·28									·36	·05		30
31	·04		·07		·18			·07					31
Total	4·28	1·38	3·71	4·05	2·43	·62	1·62	1·15	2·42	3·87	2·98	1·22	TOTAL for year 29·73
No. of Rain Days.	22	15	22	18	14	8 ·62	12	10	12	18	18	11	180

W. 8,000, X. '11.

6.IV.15

Corr for auth 25.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

1 JAN 1915

Kept at The Vicarage, Northleach
in the County of Gloucester
by the Revd R. C. S. Jones

7

Lat. 51.50. Long. 1.50
Time of Observation 9 a.m.
Nearest Railway Station Bourton on the Water
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11			·37	·35			·06	·02	1
2			·01				·34	·20			1·11	·27	2
3			·06	·09	·46		·14					·05	3
4	·26		·01	·26	·05		·05	·15			·45	·47	4
5	·02		·09	·26	·10	·02	·34	·01			·25		5
6		·06	·02	·03	·09	·02		·03			·04	·27	6
7		·53	·26	·13	·14	·15	·25	·11				·08	7
8	·04	·04	·36	·02	·17	·69	·16	·15				·08	8
9	·16		·30	·05	·05	·94		·06	·22				9
10	·05	·26		·14	·09				·30				10
11		·08	·36	·07	·22	·53					·38	·34	11
12		·05	·17				·47		·32		·06	·27	12
13		·46	·27						·28	·06	·05	·38	13
14		·24	·28				·05			·62	·23		14
15	·06	·04	·11					·02	·22	·65	·09	·02	15
16	·03		·02						·15				16
17		·22	·11						·10			·45	17
18							·20					·49	18
19		·03	·13				·91		·02		·07	·06	19
20		·33	·28			·11		·02				·26	20
21		·33	·07					·06		·15	·04	·10	21
22		·02	·02		·31	·08	·05	·04		·18		·08	22
23		·07	·12		·10		·03			·08			23
24			·08				·11	·07		·18	·09		24
25	·11		·17		·02		·03	·35		·37	·01	·15	25
26			·09					·014		·07	·17	·48	26
27	·07		·02							·04	·06	·28	27
28		·11	·15		·057						·02	{·52	28
29	·04		·15		·02					·28	·55	·29}	29
30	·05		·18			·04				·14	·68	·45	30
31	·02						·39					·01	31
Total	·91	2·87	3·89	1·46	1·87	2·58	3·89 ~~4·19~~	1·57	1·61	2·22	4·41	5·87	YEAR'S TOTAL ~~32·85~~ 32·85
Rain Days.	12	16	27	10	14	9	16	15	8	12	19	23	181

W.7,000, XI. 13

cod 22.III.16

2319

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at The Vicarage, Northleach

in the County of Gloucester

by R. C. S. Jones

Lat. 51·50 Long. 1·50
Time of Observation 9 a.m.
Nearest Railway Station Bourton on the Water
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·21	·17	·03		·10		·02	·13	·15	·24	·03	·13	1
2	·29	·23	·26	·14		·04		1·86		·50		·09	2
3	1·21	·03	·07	·15	·06		·07	·40				·10	3
4					·04		·48	·27				·74	4
5	·02	·61			·06			·04		[illegible]	·01	·47	5
6	·20	·10		·21			·48					·18	6
7	·19	·58			·10	·33	·40	·08				·14	7
8	·28	·24		·01			·08	·02			·03		8
9	·13	·01		·20							·15	·67	9
10	·31		·03	·04				·03				·01	10
11	·03		·08	·08	·01						·75	·05	11
12	·06	·04			·43			·08		·04	·49		12
13	·03	·45		·12	·76				·02			Snow report	13
14	·08	·09					·03	·05	·08	·02		·80	14
15	·28				·08			·03		·07	·04	·05	15
16	·024	·80			·28		·64	·14				·08	16
17		·32			1·06			·04					17
18		·49	·10								·01		18
19	·28	·02	·01		·09		·16						19
20	·05			·06								·17	20
21		·02					·12			·11		·06	21
22	·17	·25	·29	·09			·45					·25	22
23	·04		·32			·07	·06		·13	·63		·43	23
24	·06	·12	·05	·07		·02	·12		·33	·50		·47	24
25						·69	·02					·35	25
26		·08				·01	·05					·54	26
27		·03				·05	·19			·53		·03	27
28		·07				·03			·54				28
29							·38	·12			·09	·03	29
30	·05					·07	·05	·01		·09	·35	·18	30
31					[illegible]		·03	·05		·96		·31	31
Total	3·99	4·75 4·75	1·24	1·17	3·07	1·31	3·83	3·35	1·25	3·69	1·96	6·33	YEAR'S TOTAL 35·94 35·94
Rain Days.	21	21	10	11	12	9	19	16	6	12	10	23	172

W. 8,000. X. '14.

2253

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at the Vicarage, Northleach

in the County of Gloucester

by R. C. S. Jones.

Lat. 51·50 Long. 1·50

Time of Observation 9 a.m.

Nearest Railway Station Bourton-on-the-Water

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 525 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·03			·11	·43			·06	·28		1
2	·46	·03	·185		·65				·02	·87	·04		2
3		·79	—		·05	·01			·12	·45	·07		3
4	·41	·07			·18	·42			·11	·17	·39		4
5	·02	·02	·03		·10	·17	·04			·10	·28+		5
6	·02	·19			·29	·01	·51			·31	·50		6
7	·01		S		·06		·23			·14	·43	·16	7
8			·25		·25	·13					·05	·25	8
9					·10	·02	·04			·05		·03	9
10	·01	·45	S	·12	·02				·04	·07	·01		10
11	·04	·06	·065	·10	·05	·11						·23	11
12	·02	·04	·02	·18	·38		·25	·02		~		·38	12
13	—	·28	·14	·09			·02	·13	·01	·22			13
14	—	·27	·07		·06			·07+		·06			14
15	—	·23+	·33	·04	·08			·15		·03			15
16	·02		·09	·19	·04		·09	·27					16
17	·15	·21		·14				·12	·45	·57			17
18		·09	·02	·29				·01	·24	·07	·30	·14	18
19	·17		·12+	·23					·16	·03	·53		19
20	·13		·34									·68	20
21	·20		·52		·12+		·02				·02		21
22					·07	·05				·13		S	22
23	·03	S				·02		·05		·17	·14	1·25	23
24		·28			·08	·08		·04		·21	·02	·10	24
25		S	·23					·53	·12	·10	·17		25
26		S	·07		·02	·18		·03	·05		·05		26
27	·07	·42	S			·14	·01½	·13	·14	·63			27
28		·49	·53			·09		·02	·21	·13		·22	28
29		·20				·39		1·87		·38		·39	29
30		X				·07				·30			30
31		X		X		X			X	·45	X	·03	31
Total	1·85	4·07	3·05	1·38	2·60	2·00	1·64	3·46	1·67	5·70	3·30	3·86	YEAR'S TOTAL 34·57
Rain Days.	16	20	20	9	18	16	10	14	12	25	16	16	192

W. 8,000. X. 14.

Thunder 1 pm S.W. Lightning
[illegible] 10.30

Exd C.L.

2146

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at the Vicarage, Northleach

in the County of Gloucester.

by R. C. S. Jones.

Lat. 51·50 Long. 1·50

Time of Observation 9 a.m.

Nearest Railway Station Bourton-on-the-Water

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 545. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13+	·05		·06		·58	·19		·08		1
2	·06		·03	·05		·10		·07		·06	·03	·03	2
3				·04				·23		·53			3
4		·12	·04				·01	·16		·41			4
5	·30		·12	·17		·04		·01	·08	·20	·08		5
6										·17	·11		6
7	·30						·22	·21		·30	·02	·06	7
8	·66		S	·24			·68	·28	·01	·40	·09	·32	8
9	·14	S	·16	·07	·15		·01	·15	·04	·08	·09		9
10	·12		·27	·27+	·18			·16		·03			10
11	·21		·21	·38				·34	·77	·29	·03		11
12	·04		·02	·03	·02	·15		·07		·26	·01		12
13	·03		·10	·07		·04		·69	·05				13
14	·01			·14				·04				·02	14
15							·01	·12+	·01	·11		·06	15
16		·08		·30	·05		·05			·08		·37	16
17				·12	·50		·33	·06	·16	·16			17
18		·04				·03	·37+		1·08	·05			18
19	·05	·37	— x			·04			·03				19
20		·10	·47x		·60		·06		·01		·05		20
21		·02	·11			·20				·06	·09		21
22			·12			·15		·03					22
23		·21			·04			·71				·03	23
24		·07				·19		·24		·46	·03		24
25		·14	·10							-	·03		25
26					·13			·58	·15	-	·32		26
27					1·48	·04		·65		-			27
28			·08			·77		·36				·02	28
29		X	·12			·27	·11	·08		·43		·16	29
30	—	X	·15				·20	·27		·04			30
31	·03	X	·10	X		X		·11	X	·03	X	·02	31
Total	1·95	1·15	2·33	1·93	3·15	2·08	2·05	6·20	2·58	4·15	1·06	1·09	YEAR'S TOTAL 29·72
Rain Days.	13	~~10~~ 9	~~19~~ 18 x	13	9	13	11	24	12	21	14	10	167

W. 8,000, VIII. 16

29th March 3pm. W to E – with lightning visible – snow + sleet fell. lasted about 10 minutes – about 6 rolls. 119

Cov. for auth

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

89

Kept at the Vicarage Northleach
in the County of Gloucester
by Canon R. C. S. Jones

Lat. 51·50 Long. 1·50 W.
Time of Observation 9 a.m.
Nearest Railway Station Bourton on the Water
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·04		·19	·01			·08		·02			1
2		·16		·11				·26	·05	·02			2
3		·06	·03	·06	·14			·11	·25				3
4		·11	·01					·10	·09				4
5		·01		·02	·39			·07	·13	·18			5
6	·05	·17		·22+		·03			·03	·11			6
7	·04	·10		·06	·30	·01			·07	·08			7
8		·08					·01+		·09	·10			8
9	·04	·18		·19		·32	·20		·62	·38			9
10	·06						·38		·10	·19			10
11				·02	·02		·04			·09			11
12	·02	·05	·14		·15		·09		·09				12
13		·02			·10		·18		·40				13
14	·40		·04			·08	·32		·54				14
15	1·20			·56			·23		·01				15
16	×S			·43		·01		·01	·20				16
17	×·30			·09	·03	·02	·25						17
18	·82					·51	·19		·45				18
19	·04	·04	·19	·06			·07		·07				19
20	·02	·12		·33+		·07	·46		·22				20
21	·10			·13		·01			·69				21
22	·13				·10		·13		·15				22
23	·07				·52	·02	·26		·04				23
24		·19					·13	·05					24
25							·17	·38					25
26							·53		·04				26
27		·02	·06			·03		·21	·15				27
28		·12	·24										28
29		X	·08						1·25				29
30		X	·39						·04				30
31		X	·20	X		X		·05	X		X		31
Total	3·33	1·47	1·38	2·47	1·76 1·76	1·11	3·64	1·32	~~5·75~~				YEAR'S TOTAL
Rain Days.	16	16	10	14	10	11	17	10	25				

1·76 5·77

W. 8,000, IX. 17.

2136

OXENHALL, DYMOCK WOODS

1919–20

1940

FORM A. 2. METEORO … GANIZATION.

R. … 9.

Kept at Oxenhall, … 2'27'W

… M.

in the County of Glo…

… Gauge 8 in.

… Ground 1 ft. 0 in.

by A. E. Walker … Sea Level 232 ft.

IMPORTANT NOTE. … entered to the previous day.

If an Observer prefers not … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5.3	·3			·7	5.5	1.5		·5	2.7	·3	11.4	1
2	2.1		·6				3.2		13.4		1.9	2.4	2
3	11.6		2.2	1.6	·7	4.1	·5	2.4	·9		2.1	5.5	3
4	4.8	2.3	12.6			·3	7.3		6.4			6.2	4
5	·6	7.2	6.9		1.7				9.5			3.6	5
6	3.3	1.4	1.7		1.9						1.7	3.4	6
7	3.3		8.2		·9							·4	7
8	6.4		·6										8
9	6.4			4.3									9
10			10.1	·9						·7		6.5	10
11			9.1	1.9			11.4			·4		·8	11
12			11.2	·4	1.0	9.8	·2		·7	1.4		·6	12
13	1.4			·3					·4	1.1		·7	13
14	5.7	·4		·9			2.1					2.5	14
15	5.2	·6		4.5						·7		8.6	15
16	4.9	28.0		4.8							2.4		16
17		12.3		·5							1.3		17
18			14.9				·4		1.2		·5	1.4	18
19	3.7	8.1	17.3				31.3	3.1	1.6		·2	·4	19
20	9.4	·3	11.2			3.7		11.8	·3			·3	20
21	4.4	1.7	·8			1.6	2.5	3.2			·7	3.6	21
22							6.8		5.6			3.5	22
23								·2		24.3	1.3		23
24										23.6	4.7	1.1	24
25	2.9			·7	2.6			7.3			·4	2.1	25
26	·7		2.3	3.2				2.0				4.1	26
27	1.9			11.5				14.2	1.3			·6	27
28	·7	·4	4.6					10.8			7.3	5.6	28
29	1.0			1.7		·7				4.3		6.2	29
30				2.4		4.3		5.1			4.5	9.5	30
31			·3							1.4		·2	31
TOTAL	85.7	63.0	114.6	39.6	9.5	30.0	67.2	60.1	41.8	60.6	29.3	91.2	YEAR'S TOTAL 692.6
Days with 0·2 mm. or more	21	12	17	15	7	8	11	10	12	10	14	26	163

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1940

Form A. 2. METEORO GANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Oxenhall, Crown Lodge

in the County of Gloucestershire

by A. E. Walker

Lat. 51' 57' Long. 2' 27' W

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 232 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	5·3	·3			·7	5·5	1·5		·5	2·7	·3	11·4	1
2	2·1		·6				3·2		13·4		1·9	2·4	2
3	11·6		2·2	1·6	·7	4·1	·5	2·4	·9		2·1	5·5	3
4	4·8	2·3	12·6			·3	7·3		6·4			6·2	4
5	·6	7·2	6·9		1·7				9·5			3·6	5
6	3·3	1·4	1·7		1·9						1·7	3·4	6
7	3·3		8·2		·9							·4	7
8	6·4		·6										8
9	6·4			4·3									9
10			10·1	·9						·7		6·5	10
11			9·1	1·9			11·4			·4		·8	11
12			11·2	·4	1·0	9·8	·2		·7	1·4		·6	12
13	1·4			·3					·4	1·1		·7	13
14	5·7	·4		·9			2·1					2·5	14
15	5·2	·6		4·5						·7		8·6	15
16	4·9	28·0		4·8							2·4		16
17		12·3		·5							1·3		17
18			14·9				·4		1·2		·5	1·4	18
19	3·7	8·1	17·3				31·3	3·1	1·6		·2	·4	19
20	9·4	·3	11·2			3·7		11·8	·3			·3	20
21	4·4	1·7	·8			1·6	2·5	3·2			·7	3·6	21
22							6·8		5·6			3·5	22
23								·2		24·3	1·3		23
24										23·6	4·7	1·1	24
25	2·9			·7	2·6			7·3			·4	2·1	25
26	·7		2·3	3·2				2·0				4·1	26
27	1·9			11·5				14·2	1·3			·6	27
28	·7	·4	4·6					10·8			7·3	5·6	28
29	1·0	✕		1·7		·7				4·3		6·2	29
30		✕		2·4		4·3		5·1			4·5	9·5	30
31		✕	·3	✕		✕			✕	1·4	✕	·2	31
TOTAL	85·7	63·0	114·6	39·6	9·5	30·0	67·2	60·1	41·8	60·6	29·3	91·2	YEAR'S TOTAL 692·6
Days with 0·2 mm. or more	21	12	17	15	7	8	11	10	12	10	14	26	163

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W

310

1854

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oxenhall, Dymock Woods Crown Lodge
in the County of Gloucestershire
by A. E. Walker

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 232 ft.

1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			14.4	4.5	6.0		5.7			3.4		10.7	1
2	4.7		·9	6.4			3.2	·3		5.2		2.5	2
3	2.5	·7		3.2	1.3	·3	18.1	4.9		16.4			3
4				1.0			·4			6.4			4
5			3.6	6.4	1.1		5.9			10.1			5
6			10.3		1.9		4.7			3.4			6
7			·4	2.1			3.0						7
8	4.4	1.6		12.5	1.6		9.2						8
9	2.5			10.0			1.6						9
10	17.1	1.7		5.1		10.8	3.4						10
11	5.1		2.8	14.8	8.6	1.3	·8						11
12	4.4			5.5		15.5	·4				·9		12
13	·6	·8	9.3	2.3		·3							13
14			12.4	10.7		11.1				6.2	5.1		14
15		1.3	3.4	18.4		1.3			9.4	·5			15
16				·5	1.6	4.8	6.6		3.1	8.9		·6	16
17					3.6	37.4		76	18.6	5.2		·6	17
18	4.1			·6	3.4		·5		9.8				18
19		5.7		8.2		5.3			3.1				19
20	·6	·4		4.2		2.9						2.5	20
21				·3				2.6				1.3	21
22				2.1			1.1	·7				6.6	22
23							8.0					6.6	23
24			5.6								1.4	3.7	24
25		1.6	5.0				16.5					·6	25
26	4.8		8.9			1.9	·3				3.2	1.5	26
27	17.2	·6	7.1	1.6	2.0	5.9	·5					17.4	27
28	28.1		1.5		6.5	·3							28
29	9.3		3.7		1.3		4.4				1.3	13.2	29
30	·5		3.7	1.7		1.0	·8		8.9		5.3	4.2	30
31	1.8		3.1							5.6		1.0	31
TOTAL	107.7	14.4	96.1	122.1	38.9	100.1	95.1	16.1	52.9	71.3	17.2	73.0	YEAR'S TOTAL 604.9
Days with 0·2 mm. or more	16	9	17	22	12	15	21	5	6	11	6	15	155
10	13	5	15	19	12	12	14	3	6	10	5	12	126

(44384). Wt.11958—218 500. 10/19. Gp.132 A.&E.W.

QUEDGELEY HSE

—

GLOUCESTER
1912

REG

Kept at Quedgeley

in the County of Glouc

by T Curtis

FORM A.
BRITISH RAINFALL.
3 MAR 1913

in.

e Ground ft. in.

Sea Level ft.

IMPORTANT NOT … the result entered to the previous day. If an O… …versal rule, he is earnestly requested to add the rea… …r in the space provided for it at the end of thi… …ment of rain, the selection and placing… …itish Rainfall Organization are given in… …application to Dr. H. R. Mill, 62, Ca…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.46	.24						1
2						.35	.28						2
3						.16	27						3
4						.79							4
5						.04							5
6						.05	.04						6
7						.98	.31						7
8						01	.06						8
9						.37							9
10													10
11						.05							11
12						.02	.01						12
13						.06							13
14													14
15						.04							15
16													16
17						.05							17
18													18
19							.31						19
20							.26						20
21													21
22						.09	1.92						22
23						.44	.02						23
24						.27	.03						24
25						.74							25
26							.53						26
27						.31	.79						27
28						.18	1.29						28
29						.29	.03						29
30						.07	06						30
31							61						31
Total						5.82	7.06						YEAR'S TOTAL
Rain Days.						22	18						

W. 7,500, XI. '12

✓

REGISTER OF from m RAIN 1912

FORM A. BRITISH RAINFALL. 3 MAR 1913

Kept at Quedgeley House Long.

ervation

in the County of Gloucester 3

llway Station

Rain Gauge in.

by J Curtis Hayward

op of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.46	.24						1
2						.35	.28						2
3						.16	27						3
4						.79							4
5						.04							5
6						.05	.04						6
7						.98	.31						7
8						01	.06						8
9						.37							9
10													10
11						.05							11
12						.02	.01						12
13						.06							13
14													14
15						.04							15
16													16
17						.05							17
18													18
19							.31						19
20							.26						20
21													21
22						.09	1.92						22
23						.44	.02						23
24						.27	.03						24
25						.74							25
26							.53						26
27						.31	79						27
28						.18	1.29						28
29						.29	.03						29
30						.07	06						30
31							61						31
Total						5.82	7.06						YEAR'S TOTAL
Rain Days.						22	18						

W. 7,500, XI. 12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTE

GLOUCESTER.

SEDBURY PARK.

1911 - 1915, 1919-1920

Kept at Sedbury Park

in the County of Gloucester

by Sir William Henry

in.

round 1 ft. — in.

Sea Level 150 ft.

Name Chepstow

Distance 2m. Direction S.W.

IMPORTANT NOTE.—Rain should be measu the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01	·08							·01	·02	1
2					·40			·32		·05	·45	·21	2
3					·45			·03			·22	·09	3
4			·15							·01	·50	·37	4
5	·03		·05					·10		·08	·08	·05	5
6	·23		·05					·01			·13	·37	6
7											·82		7
8	·11		·16								·16	·29	8
9	·05										·15	·29	9
10	·03	·08	·35		·02						·01	·15	10
11	·31				·15						·80	·10	11
12			·60								·33	·10	12
13					·09				·58	·05	·02	·40	13
14		·08									·04	·79	14
15						·01					·28	·10	15
16						·10					·28	·26	16
17		·03		·09		·09					·25	·24	17
18		·38	·07			·42					[illegible]	·28	18
19	·01					·20			·11	·20	·01	·29	19
20	·02	·05	·12	·12					·08	·23	[illegible]	·47	20
21	·01	·35	·19			·03		·17	·08	·37		·27	21
22		·02	·20	·08		·53				·22		·66	22
23		·32							·10	·34	·01	·27	23
24		·12				·36		·50		·16		·19	24
25	·01			·15		·06				·10		·02	25
26		·28		·32	·09	·01	·02	·09		·49	·16	·19	26
27		·50	·21	·03				·44	·23		·11	·15	27
28		·29		·40				·02			·16		28
29				·03		·26		·09	·24	·41			29
30			·01	·02		·01	·03	·10		·28	·01	·01	30
31													31
Total	·82	2·50	2·17	1·32	1·20	2·08	·05	1·87	1·42	2·99	4·99	6·63	TOTAL for year 28·04
No. of Rain Days.	10	12	13	10	6	12	2	11	7	14	23	27	~~147~~ 148

8,000, X. '11. 11

✓

REGISTE

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Sedbury Park (Tidenham)

in the County of Gloucester 2

by Sir William Henry Marling
Bart.

Rain Gauge: Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 150 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Chepstow
Distance 2m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·01	·08							·01	·02	1
2					·40			·32		·05	·45	·21	2
3					·45			·03			·22	·09	3
4			·15							·01	·50	·37	4
5	·03		·05					·10		·08	·08	·05	5
6	·23		·05					·01			·13	·37	6
7											·82		7
8	·11		·16								·16	·29	8
9	·05										·15	·29	9
10	·03	·08	·35		·02						·01	·15	10
11	·31				·15						·80	·10	11
12			·60								·33	·10	12
13					·09				·58	·05	·02	·40	13
14		·08									·04	·79	14
15						·01					·28	·10	15
16						·10					·28	·26	16
17		·03		·09		·09					·25	·24	17
18		·38	·07			·42					~~[illegible]~~	·28	18
19	·01					·20			·11	·20	·01	·29	19
20	·02	·05	·12	·12					·08	·23	~~[illegible]~~	·47	20
21	·01	·35	·19			·03		·17	·08	·37		·27	21
22		·02	·20	·08		·53				·22		·66	22
23		·32							·10	·34	·01	·27	23
24		·12				·36		·50		·16		·19	24
25	·01			·15		·06				·10		·02	25
26		·28		·32	·09	·01	·02	·09		·49	·16	·19	26
27		·50	·21	·03				·44	·23		·11	·15	27
28		·29		·40				·02			·16		28
29				·03		·26		·09	·24	·41			29
30			·01	·02		·01	·03	·10		·28	·01	·01	30
31													31
Total	·82	2·50	2·17	1·32	1·20	2·08	·05	1·87	1·42	2·99	4·99	6·63	TOTAL for year ✓ 28·04
No. of Rain Days.	10	12	13	10	6	12	2	11	7	14	23	27	~~147~~ 148

8,000, X. '11. 11

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
9 - JAN 1913

Kept at Sedbury Park, near Chepstow
but in the County of Gloucester 2
by Sir Wm. H. Marling Bart.

Lat. 51°39' N. Long. 2°39' W.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11		.	·38	·24	.	.	·61	.	·23	1
2			·12	·04	.	·45	·28	·23	.	.	.	.	2
3			·32	.	·01	·25	·10	·63	·02	.	·02	.	3
4			·82	.	·06	·21	.	·10	.	.	·17	.	4
5	·16		·13	.	·07	·07	.	·50	.	.	.	·06	5
6	·41	·06	·09	.	·06	·02	.	·69	.	.	.	.	6
7	·27	·30	·02	.	·04	·58	·22	·63	.		·02	·02	7
8		·10	·15	.	.	·05	·11	·23	.	.	.	·13	8
9	·58	·07	·21	.	.	·29	.	·43	.	.	.	·23	9
10		·06	·02	·09	.	·06	.	·11	.	.	·17	.	10
11	·12	·05		.	.	.	.	·05	.	.	.	·45	11
12	·07	·07	·09	.	·01	·12	·02	.	.	.	.	·15	12
13		·32	.	·10	.	.	.	.	.	·06	.	·29	13
14	·06		·78	.	·24	.	.	·02	.	.	.	·06	14
15	·07		.	.	·23	·56	.	·07	.	·11	.	·40	15
16	·12	·22	·30	.	.	.	.	·20	.	.	·07	.	16
17	·60	·02	·30	.	.	·08	.	·95	.	.	.	·67	17
18	·36		·12	.	.	·01	.	·71	.	·07	.	·11	18
19	·12	·05	[illegible]	.	.	.	·05	·40	.	·07	.	.	19
20	·39	·13	·48	.	·11	.	·04	·08	.	·46	.	.	20
21	·02	·02	·28	.	1·00	.	·06	·17	.	·14	.	.	21
22	·02	·10	·07	.	·45	·02	·70	·30	.	·07	·03	.	22
23	·57	·32	·42	.	.	·27	.	·32	.	·20	.	·35	23
24	·31	·46	·11	.	.	·30	·03	·07	.	.	.	·08	24
25	·12	·05		.	.	·83	.	·80	.	·03	·53	·47	25
26			·01	.	.	.	·21	·22	.	·76	·60	·20	26
27		·10		.	.	·62	1·40	.	.	1·09	.	·65	27
28		·13		.	.	·13	1·47	·92	·11	·31	·35	·48	28
29		·07		.	.	·13	·50	·24	·40	·49	.	·07	29
30				.	.	·18	·10	.	·02	·16	.	·02	30
31			·20	—	·18	–	·68	·27		.		·30	31
Total	4·37	2·64	5·15	·23	2·46	5·61	6·21	8·68	·55	4·45	1·96	5·42	YEAR'S TOTAL 47·73
Rain Days.	18	20	22	3	12	22	17	26	4	15	9	21	189

W. 7,500, XI. ·12

up to 27 February entries were made 1 day late in each case

FORM A.
BRITISH RAINFALL.

3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sedbury Park
in the County of Gloucester
by Col. P. S. Marling V.C., C.B.

Lat. 51°39'N Long. 2°39'W
Time of Observation 9 a.m.
Nearest Railway Station Chepstow & Tidenham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·09	·32		·01				·44		·04		1
2	·01	·23	·24	·10	·22				·01	·16	·18	·01	2
3		·03	·08		·28					·01		·19	3
4	·04	·06			·30	·64			2·40	·21	·02	·11	4
5	1·06	·06	·04		·17	·11			~~·14~~		·25	·15	5
6		·02	·21		·22	·16				·37	·28	·59	6
7		·33			·19	·01	·09			·21	·32	·01	7
8		·26			·04	·16				·09		·02	8
9		·20	·02		·17		·28	·11	·08		·06	·01	9
10				·01	·25			·11		·10	·28		10
11	·24			·16	·06					·04	·65	·06	11
12	·66	·03			·01						·40		12
13			·54					·04	·44		·26		13
14		·04	·42	·02					·16	·13		·01	14
15	·10		·38	·92				·22	·01			·03	15
16	·12		·62	·18			·03						16
17	·18		·03				·01		·10				17
18	·02		·10	·18			·01						18
19	·20		·16			·11			·21				19
20	·12		·05	·11			·03			·13	·38		20
21	·32		·04	·09	·08		·06			·23	·28		21
22			·64		·03	·19		·40	·42		·01		22
23	·43							·01			·08	·13	23
24	·13	·09		·06									24
25	·08			·29					·04			·10	25
26				·11				·12		·01	·01	·14	26
27			·10	·22						·03			27
28			·12	·31	·01					·06	·02	·05	28
29	·62		·60	·36				·06		·12	·01		29
30	·01									·46	·02		30
31	·41		·10		·24			·08					31
Total	4·80	1·42	4·90	3·12	2·28	1·24	·60	1·16	4·44	2.36	3·63	1·64	YEAR'S TOTAL 31·73
Rain Days.	18	12	20	16	16	4	4	9	12	16	19	15	166

W. 7,500, XI. 12

ExLMC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Seabury Park
in the County of Gloucester 2
by Colonel Marling VCCB

Lat. Long.
Time of Observation 9 am
Nearest Railway Station —
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08			·88	·45			·12	·80	1
2							·75	·25			·42	·60	2
3			·02	·28	·60			·03			·01	·04	3
4	·26			·25	·05		·34	·04			·45	·68	4
5	·02		·05	·26	·09		·03	·10			·13		5
6		·18	·06	·09	·10		·30	·03				·30	6
7		·33	·32	·24	·26		·21	·17				·22	7
8	·10	·01	·42	·07		1·15						·15	8
9		·03	·25	·21	·05	1·52		·13	·10				9
10		·13		·23	·04				·60		·07		10
11		·10	·34			·65	·30					·76	11
12		·06	·15			·03			·36		·06	·17	12
13		·59	·36				·05		·24	·25		·37	13
14		·67	·40				·02			·02	·31		14
15			·17					·40	·25		·34		15
16							·05						16
17		·43	·17				·06		·01			·80	17
18		·04	·02				·15		·06			·50	18
19		·08	·20				·54		·01			·25	19
20		·20	·17									·15	20
21		·30					·02			·15			21
22		·09			·22	·05		·09		·11			22
23		·05	·28		·09					·40			23
24			·12							·16			24
25	·07		·22				·09	·70		·29		·47	25
26										·08	·29	·32	26
27	·06										·46	·43	27
28		·27	·26		·05							·81	28
29	·46		·27		·08					·12			29
30	·24	✕	·24							·23	·19	·60	30
31	·07	✕		✕		✕	·73		✕	·13	✕	·04	31
Total	1·28	3·56	4·49	1·71	1·63	3·40	4·52	2·39	1·63	1·94	2·85	8·46	YEAR'S TOTAL 37·86
Rain Days.	8	17	21	9	11	5	16	11	8	11	12	20	149

W. 8,000. X. 14.

and pr auth 12.IV.16

22214

FORM A.
BRITISH RAINFALL.
28 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sedbury Park, Chepstow

in the County of Gloucestershire

by Col Marling V.C.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·17	.	.	·17	.	.	·03	·12	·31	.	·17	1
2	·30	·25	19	25	.	.	.	04	·07	21	.	12	2
3	·59	·09	06	3	·13	.	·27	19	.	.	.	·19	3
4	·01	·02	.	.	·14	.	·11	03	.	.	.	85	4
5	·09	25	.	·06	.	.	·04	13	.	.	.	46	5
6	39	·02	.	27	.	.	·50	.	.	.	.	·32	6
7	22	59	.	03	.	.	·25	·08	.	.	.	25	7
8	·50	·32	.	.	.	.	.	·09	.	.	.	.	8
9	·03	·09	03	·02	.	.	.	.	.	.	·28	92	9
10	·20	·02	14	·06	.	.	.	.	.	.	.	.	10
11	·17	.	.	.	.	.	.	.	.	.	114	·08	11
12	.	·12		11	·48	.	.	.	.	·09	·58	.	12
13	·01	·48		.	·81	.	.	.	13	.	.	.	13
14	·11	·01	.	.	.	.	.	33	04	.	.	79	14
15	·48	·75	.	.	.	.	.	·05	.	·03	06	.	15
16	.	·28		.	·63	.	·70	12	.	.	.	·04	16
17	.	·30	.	.	·48	.	.	.	.	.	.	.	17
18	.	.	.	.	.	.	·22	.	.	·02	.	.	18
19	.	.		·02	20	.	.	.	.	.	.	.	19
20	15	·08	.	11	.	.	.	.	.	.	.	·11	20
21	.	·16	.	.	.	.	.	.	.	17	.	·13	21
22	·15	.	47	.	.	.	·37	.	.	.	.	·27	22
23	.	.	·20	.	.	.	.	.	09	112	.	·52	23
24	.	.	·12		.	.	·75	.	27	·65	.	.	24
25	.	28	.	·03	.	·31	.	.	.	.	.	·75	25
26	.	28	.	.	.	.	·17	.	.	.	.	·57	26
27	.	·13	.	.	.	.	·07	.	.	40	.	.	27
28	.	·17	.	.	.	.	·03	.	43	10	.	.	28
29	.		.	.	.	·14	25	·03	.	.	·10	·03	29
30	·16	×	.	.	.	·54	.	.	.	31	·14	·11	30
31	.	×	.	×	.	×	06	.	×	65	×	·32	31
Total	3·96	4·86 4·86	1·26	·99	3·04	·99	3·99	1·02	1·15	4·06	2·30 2·30	6·99 6·99	YEAR'S TOTAL 34·55 34·55
Rain Days.	17	22	7	11	8	3	14	11	7	12	6	20	138

W. 8,000. X. 15.

1933

15 JAN 20

FORM A. 1

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Ledbury Park Gardens
in the County of Gloucester
by A. S. Cole

Lat. 51·30 Long. 3
Time of Observation 9 a.m. each day
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 3 in.
„ „ „ „ Sea Level 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. no Rainfall here

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	in. Points	
1	·40	·	·6	·2			·4		·14	12		·65	1
2	·32	·2	·5				·24		·59		·6	·15	2
3	·36		·22		·9				·12		·10	·30	3
4	·12	Snow ·15	·44			·12	·26	·4	·32			·26	4
5		·33	·43		·8				·59			·28	5
6	·6	·8	·33								·18	·4	6
7	·15		·46	·6								·2	7
8	·14		·15	·8									8
9	·26		·2	·22									9
10			·46	·2						·6		·16	10
11	·4		·58	·10	·10		·21					·14	11
12	·5		·16	·4		·38				·5		·20	12
13	·15	·6		·32					·4				13
14	·66	·9		·23			·10						14
15	·2	·2		·4						·4		·23	15
16	·55					·4	·8						16
17	·12	in. 1·5				·2	·5		·3		·18	·4	17
18	·3	·45	·61					·88			·12	6	18
19	·27	·51	·83			·22	in. 1·45	·54			·6	·5	19
20	·45	·12	·41			·12		·22	·5		·4	·3	20
21		1·10	·6					·3			·5	·12	21
22		·6					·6		·46		·22	·14	22
23										in. 1·24		·18	23
24				·6		·9			·2	1·5	·23	·30	24
25	·15				·16			·32	·5			·2	25
26			·12			·4			·22			·45	26
27			Snow ·32	Snow ·42				·65			Snow ·28	·10	27
28				·4				·34				·42	28
29				·12						·12		·60	29
30	Snow ·4	X		·15		·48		·64			·41	·45	30
31		X	6	X		X	·3		X	·2	X		31
TOTAL	in. Points 4·40	in. Points 4·94	in. Points ~~5·83~~ 6·07	in. Points 1·92	Points ·43	in. Points 1·51	in. Points ~~4·83~~ 2·85	in. Points ~~3·44~~ 3·69	in. Points 2·63	in. Points 2·73	in. Points 1·49	in. Points 5·42	YEAR'S TOTAL in. Points 37·48 ~~36·30~~
Days with ·01 in. or more	20	13	~~18~~ 19	15	·4	9	10	9	12	8	12	25	

156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1847

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Sedbury Park Gardens
in the County of Sedbury Gloucestershire
by A. S. Cole
for Sir Percival Marling, Bart. V.C., C.B.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Chepstow. G.W.R.
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " above Sea Level 156 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·35	·65		·24	·15		·12	·6	·49	1
2	[illegible]		·5	·16	·4		·42	·8	·15	20		·25	2
3	·6	·10		·23			1·14	·5	·4	·15			3
4				·3		·2	·55	·83		·28			4
5			·25	·4	·15		·15						5
6			·16		·23		·55			·21			6
7	·12		·2	·10	·14		·14						7
8	·02	·4		·48			·12						8
9	·30	·12		·55		·3	·28				·02		9
10	1·44	·14	·6	·32		·32	·25						10
11	·33		·21	·31	·58		·16				·15		11
12	·9	·15	·6	·14	·3	·96							12
13	12	·8	·32	·22			·9					·4	13
14	·6		·40	·24					·8	·30	·68		14
15	·8	·9		·51	·6	·20	·5			·24	·12	·2	15
16	·12			·12		·26				·35	·20		16
17	·10		·3	·8	·35		·65		·85	·26			17
18	·38			·5	·15	·18		·71	1·45				18
19		·28		·32	·12	·15							19
20	·02	·12		·10		·28						·18	20
21	·02			·2		·27	·4		·4	·20		·8	21
22	·06			·8				·7				·33	22
23							·41				·6	·64	23
24	·8		·41									·55	24
25		·05	·23				·68						25
26	·23		·42								·5	·6	26
27	·20		·4	·12	·5	·65	·6					·20	27
28	·85		·12		·25		·5					·4	28
29	·25	·03	·21	·3	·3		·31				·12	·60	29
30	·31	☒	·6	·5		·36			·52		·35	·45	30
31	·22	☒	·26	☒		☒			☒	·48	☒	·18	31
TOTAL	in. Points 5·46	1·23	3·61	4·65	2·86	3·68	6·34	1·89	3·13	2·79	1·81	4·12	YEAR'S TOTAL ~~41·59~~ 41·68
Days with ·01 in. or more	23	11	18	24	14	12	20	6	7	11	10	15	171 ~~181~~
Days with ·04 in. or more	20	10	18	24	12 ~~12~~	10	20	6	7	11	9	14	156

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER

STAPLETON

"MILTON COTTAGE"

1911 – 1915

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGIST

Kept at Milton Cottage &
in the County of Gloucester
by Robt C Sikes

wdon
5 in.
Ground 1 ft. — in.
Sea Level 112 ft.
30. am
Name Ashley Hill
Distance 5/6 m. Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·01	–	·01	–	–	·09	–	–	·03	–	1
2	–	–	–	·05	·20	–	–	·23	–	·06	·26	·17	2
3	–	–	·03	·02	·36	–	–	–	–	–	·11	·07	3
4	–	–	·18	·01	–	–	–	–	·01	·04	·29	·36	4
5	·02	–	·03	·02	–	–	–	·29	–	·01	·26	·01	5
6	·18	–	·08	–	–	–	–	·07	–	–	·08	·26	6
7	·01	–	–	–	–	–	–	–	–	–	·47	–	7
8	·08	–	·12	–	–	–	–	–	–	–	·03	·37	8
9	·16	–	·01	–	–	–	–	–	–	–	·11	·24	9
10	·03	·08	·16	–	·04	–	–	–	–	–	·01	·21	10
11	·32	–	·01	–	·01	–	–	–	–	–	·90	·20	11
12	–	–	·70	–	–	–	–	–	·01	–	·49	·20	12
13	–	–	·01	–	·08	–	–	–	·64	·35	·01	·41	13
14	–	·03	–	–	·01	–	–	–	–	–	–	·86	14
15	–	·02	–	–	–	·02	–	–	–	·01	·23	·17	15
16	–	·04	–	–	–	·12	–	–	–	·01	·31	·21	16
17	–	·02	–	–	–	·03	–	–	–	–	·07	·20	17
18	–	·47	·06	·14	–	·21	–	–	–	·06	·01	26	18
19	–	·01	–	·11	–	·07	–	–	·34	·10	·01	·14	19
20	·01	·03	·13	·07	–	·01	–	–	·09	·07	–	·44	20
21	–	·17	·10	·01	–	–	–	·01	–	·39	–	·28	21
22	–	·02	·25	·01	–	1·21	–	–	–	·24	–	·46	22
23	–	·25	·32	–	–	·18	–	–	·07	·09	·01	·20	23
24	·01	·08	–	–	–	·39	–	·08	–	·42	–	·10	24
25	–	·04	·01	·09	–	·09	–	·01	·02	·01	–	·11	25
26	–	·07	–	·27	04	·04	·07	·05	–	·35	·10	·24	26
27	–	·33	·14	·08	–	·01	–	·24	·18	–	·08	·13	27
28	–	·36	–	·37	–	·41	–	·53	–	–	·04	–	28
29	–		–	·06	–	·08	·01	·01	·09	·26	–	–	29
30	–		·01	·04	–	·08	–	–	–	·22	–	·01	30
31	–		–		–		–	–		19		–	31
Total	·85	2·02	2·36	1·35	·75	2·95	·08	1·61	1·45	2·88	3·91	6·31	TOTAL for year
No. of Rain Days.	10	16	19	·15	8	15	2	11	9	18	22	26	26·52 171

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER

Kept at Milton Cottage Stapleton Bristol
in the County of Gloucester
by Robt C Sikes M Inst C.E.

RAIN GAUGE
Pattern wdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 112 ft.
Time of Observation 8·30· am
Nearest Railway Station Name Ashley Hill
Distance 5/6 m. Direction W.S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·01	—	·01	—	—	·09	—	—	·03	—	1
2	—	—	—	·05	·20	—	—	·23	—	·06	·26	·17	2
3	—	—	·03	·02	·36	—	—	—	—	—	·11	·07	3
4	—	—	·18	·01	—	—	—	—	·01	·04	·29	·36	4
5	·02	—	·03	·02	—	—	—	·29	—	·01	·26	·01	5
6	·18	—	·08	—	—	—	—	·07	—	—	·08	·26	6
7	·01	—	—	—	—	—	—	—	—	—	·47	—	7
8	·08	—	·12	—	—	—	—	—	—	—	·03	·37	8
9	·16	—	·01	—	—	—	—	—	—	—	·11	·24	9
10	·03	·08	·16	—	·04	—	—	—	—	—	·01	·21	10
11	·32	—	·01	—	·01	—	—	—	—	—	·90	·20	11
12	—	—	·70	—	—	—	—	—	·01	—	·49	·20	12
13	—	—	·01	—	·08	—	—	—	·64	·35	·01	·41	13
14	—	·03	—	—	·01	—	—	—	—	—	—	·86	14
15	—	·02	—	—	—	·02	—	—	—	·01	·23	·17	15
16	—	·04	—	—	—	·12	—	—	—	·01	·31	·21	16
17	—	·02	—	—	—	·03	—	—	—	—	·07	·20	17
18	—	·47	·06	·14	—	·21	—	—	—	·06	·01	26	18
19	—	·01	—	·11	—	·07	—	—	·34	·10	·01	·14	19
20	·01	·03	·13	·07	—	·01	—	—	·09	·07	—	·44	20
21	—	·17	·10	·01	—	—	—	·01	—	·39	—	·28	21
22	—	·02	·25	·01	—	1·21	—	—	—	·24	—	·46	22
23	—	·25	·32	—	—	·18	—	—	·07	·09	·01	·20	23
24	·01	·08	—	—	—	·39	—	·08	—	·42	—	·10	24
25	—	·04	·01	·09	—	·09	—	·01	·02	·01	—	·11	25
26	—	·07	—	·27	04	·04	·07	·05	—	·35	·10	·24	26
27	—	·33	·14	·08	—	·01	—	·24	·18	—	·08	·13	27
28	—	·36	—	·37	—	·41	—	·53	—	—	·04	—	28
29	—		—	·06	—	·08	·01	·01	·09	·26	—	—	29
30	—		·01	·04	—	·08	—	—	—	·22	—	·01	30
31	—		—		—		—	—		19		—	31
Total	·85	2·02	2·36	1·35	·75	2·95	·08	1·61	1·45	2·88	3·91	6·31	TOTAL for year 26·52
No. of Rain Days.	10	16	19	·15	8	15	2	11	9	18	22	26	171

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Milton Cottage Stapleton

in the County of Bristol (Gloucester)

by Robert C Sikes B.A.

Lat. 51° 28′ 50″ N. Long. 2° 33′ 22″ W.

Time of Observation 8. 30 am

Nearest Railway Station Ashley Hill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·13	—	—	·37	·19	—	·01	·70	—	·22	1
2	—	—	·09	—	—	·23	·25	—	—	·02	—	·01	2
3	·01	—	·09	—	—	·19	·01	·44	·08	—	·03	—	3
4	·16	—	·57	—	·07	·22	—	·05	—	—	·20	—	4
5	·37	·06	·14	—	·04	—	—	1·00	—	—	—	·17	5
6	·29	·10	·07	—	·04	—	·14	·56	—	—	·01	·06	6
7	·02	·18	·05	—	·08	·43	—	·07	—	—	—	·10	7
8	·41	·13	·18	—	—	·20	·14	—	—	—	—	·11	8
9	·02	·03	·23	·06	—	·02	·01	·03	—	—	·03	·31	9
10	·03	·10	—	—	—	·49	—	·03	—	—	·05	·06	10
11	·10	·02	—	—	—	·01	—	—	—	—	—	·49	11
12	·01	·34	·05	·07	·03	—	·02	—	—	—	—	·09	12
13	—	·01	·01	—	—	—	—	·07	—	—	·01	·31	13
14	·09	—	·54	—	·22	·01	—	·02	—	01	—	·07	14
15	·08	·18	·01	—	·35	·67	—	·01	—	—	—	·43	15
16	·57	·01	·16	—	·01	·01	—	·21	—	·12	·05	·05	16
17	·91	—	·26	—	·02	·13	—	·63	—	—	·03	·34	17
18	·16	01	34	—	—	—	—	·16	—	·01	01	·11	18
19	·05	·08	·01	—	—	·17	·19	·32	—	·12	·01	·01	19
20	·01	·01	·30	—	·33	—	·07	·19	—	·53	—	—	20
21	·01	·01	·13	—	·62	—	·03	·25	—	·20	—	—	21
22	·53	·38	·09	—	·12	·02	·11	·20	—	·04	·01	·13	22
23	·23	·44	·47	—	—	·04	·01	·69	—	·13	·03	·30	23
24	·04	·01	·19	—	—	·17	·02	·12	—	—	—	·14	24
25	—	—	·01	—	—	1·01	—	·82	—	·05	·52	·58	25
26	—	·03	—	—	—	—	·20	·35	—	·46	·71	·22	26
27	—	·01	—	—	—	·19	1·03	—	—	·64	·01	·56	27
28	—	·07	—	—	—	·24	·54	62	·09	·41	·38	·74	28
29	—	·07	·02	—	—	·03	·47	·02	·34	·36	—	·10	29
30	·01		—	—	—	·05	·18	—	·07	19	—	·01	30
31	—		·19		·03		·34	·01		·01		·13	31
Total	4·11	2·28	4·33	·13	1·96	4·90	3·95	6·87	·59	4·00	2·09	5·85	YEAR'S TOTAL 41·06
Rain Days.	22	22	25	2	13	22	19	24	5	17	16	27	214

W. 7,500, XI. ·12

Ex JL

FORM A. BRITISH RAINFALL.

21 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Milton Cottage Stapleton Bristol

in the County of Gloucester

by Robt C Sikes M Inst C.E.

Lat. 51° 28' 50" Long. 2° 33' 22" W

Time of Observation 9 am

Nearest Railway Station Ashley Hill (G.W.R)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·11	·18	·03	·14	—	—	–	·35	—	·06	·03	1
2	·01	·16	·02	·13	·02	—	·02	—	·04	·15	·16	·02	2
3	·19	·01	·25	·01	·55	—	—	—	·01	·04	·05	·28	3
4	·93	—	·17	—	·26	—	—	—	1·06	·21	·03	·12	4
5	·01	·04	·02	—	·19	·21	·08 ?	—	·33	—	·11	·08	5
6	·01	·05	·23	—	·21	·08	·07	—	—	·53	·06	·58	6
7	—	·14	—	—	·14	·19	·16	—	—	·20	·22	·01	7
8	—	·10	—	—	·20	·01	·02	—	—	·08	·01	—	8
9	—	·11	—	·01	·02	·16	·08	1·08	·08	—	·05	—	9
10	·17	—	·01	·01	·02	·01	—	·13	—	·07	·13	—	10
11	·82	·01	·01	·12	·10	—	—	—	—	·21	·96	·04	11
12	·01	·01	—	—	·07	—	·01	—	·05	·01	·34	—	12
13	·06	·01	·04	—	—	—	·01	·05	·48	—	·15	—	13
14	·10	—	·36	·01	—	—	—	·01	·01	·22	·03	·02	14
15	·17	·03	·43	·70	—	—	—	·03	·02	—	·05	·02	15
16	·28	—	·39	·05	—	—	—	·01	·07	—	·01	—	16
17	·04	—	—	·05	—	—	·03	—	·07	—	·06	—	17
18	·18	—	·10	·18	·02	·02	—	—	—	—	·05	·01	18
19	·29	—	·02	—	·01	·04	·05	—	·26	—	·01	·02	19
20	·28	—	·15	·04	—	—	—	—	—	·04	·10	—	20
21	—	—	·07	·03	·18	—	·13	·01	—	—	·30	—	21
22	·55	—	·63	·01	·02	·07	·01	·04	·27	·01	—	—	22
23	·02	—	—	—	—	·05	—	·15	—	—	·10	·19	23
24	·12	—	—	·03	—	—	—	·02	·01	—	—	·01	24
25	—	·09	—	·15	—	—	—	—	·02	—	·01	·11	25
26	—	·07	—	·22	—	—	—	·19	—	—	—	·21	26
27	·03	—	·09	·32	—	—	—	—	—	·03	—	—	27
28	·29	—	·18	·17	—	—	—	—	—	·04	—	·06	28
29	·03		·42	·46	—	—	—	·10	—	·13	·04 }	·01	29
30	·40		—	—	—	—	—	·01	—	·35		—	30
31	·10		·06		·26		—	·04		·01		—	31
Total	5·09	·94	3·83	2·73	2·41	·84	·67	1·87	3·13	2·33	3·09	1·82	YEAR'S TOTAL 28·75
Rain Days.	24	14	21	20	17	10	12	14	16	17	24	18	207

W.7,000, XI. 13

Esd B]

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.
15 JAN 1915 R

Kept at Milton Cottage Stapleton, Bristol

in the County of Gloucester 5

by Robt C Sikes M.Inst. C.E

Lat. 51° 28' 50" Long. 2° 33' 22" 15

Time of Observation 9 am

Nearest Railway Station Ashley Hill

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·10	—	·02	·86	·74	—	—	·04	·01	1
2	—	—	·01	·01	—	—	·72	·05	—	—	·59	·41	2
3	—	—	·02	·19	·24	—	·02	·13	—	—	·05	·28	3
4	·25	—	·01	·21	·40	—	·22	·06	—	—	·49	·80	4
5	·03	—	·07	·39	·04	—	·12	·01	—	—	·03	·12	5
6	—	·05	·09	·17	·06	·01	·12	·04	—	—	·01	·23	6
7	·01	·37	·48	·24	·28	·09		—	—	—	·01	·16	7
8	·10	—	·91	·01	·03	·45	·90 }	·15	·08	—	—	·04	8
9	·15	—	·34	·04	·02	·80	—	·07	·05	—	—	—	9
10	—	·12	—	·05	·03	—	—	—	·47	—	—	—	10
11	—	·06	·21	—	·10	·27	·31	—	—	—	·05	·31	11
12	—	·09	·12	—	—	—	—	—	·17	—	·08	·30	12
13	—	·40	·22	—	—	—	·01	—	·23	·15	·02	·44	13
14	—	·24	·41	—	—	—	—	·14	·02	·23	·22	—	14
15	·01	—	·15	—	—	—	—	·54	·28	·05	·24	—	15
16	—	—	—	—	—	—	·08	—	·09	—	—	·01	16
17	—	·30	·11	—	—	—	·02	—	·04	—	—	·58	17
18	—	·03	·04	—	—	—	·16	—	·03	—	—	·31	18
19	—	·15	·15	—	—	—	·41	—	—	—	·04	·08	19
20	—	·38	·11	—	—	·04	—	—	—	—	—	·18	20
21	—	·42	—	—	—	·06	—	—	—	·10	·02	—	21
22	—	—	—	—	·33	·29	—	·05	—	·10	—	—	22
23	—	·06	·25	—	·04	—	—	·01	—	·20	—	·01	23
24	—	—	·05	—	—	—	·14	·01	—	·13	·06	·01	24
25	·07	—	·21	—	—	—	·01	·32	—	·32	·02	·33	25
26	—	·01	·01	—	—	—	·15	·04	—	·07	·24	·42	26
27	·06	—	—	—	—	—	—	—	—	·06	·19	·23	27
28	·01	·12	·11	—	·02	—	—	—	—	—	·60	·96	28
29	·24		·09	—	·10	—	—	—	—	·11	·23	·01	29
30	·02	✕	·04	—	—	·03	·03	—	—	·21	·47	·52	30
31	·01	✕	—	✕	·01	✕	·32	—	✕	·20	✕	·06	31
Total	·96	2·80	4·21	1·41	1·70	2·06	4·60	2·36	1·46	1·93	3·70	6·81	YEAR'S TOTAL 34·00
Rain Days.	12	15	24	10	14	10	19 18	15	10	13	21	25	18~~7~~ 188

W: 8,000. X. 14.

2291

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2 FEB 1916

Kept at Milton Cottage Stapleton Bristol
in the County of Gloucester
by Robert C Sikes M.Inst.C.E.

Lat. 51°-28'-50" N Long. 2° 33' 22" W
Time of Observation 9 am
Nearest Railway Station Ashley Hill G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·11	—	—	·11	—	—	·13	·03	·32	·02	·22	1
2	·22	·23	·14	·17	—	—	—	·85	·11	·06	—	·09	2
3	·28	·03	·05	·08	·11	—	·16	·20	—	·01	·01	·18	3
4	·03	—	—	—	·07	—	·88	—	—	—	—	·99	4
5	·06	·48	—	·01	—	—	—	·08	—	—	—	·19	5
6	·30	·01	—	·15	—	—	·36	·06	—	—	—	·32	6
7	·41	·30	—	·06	·12	—	·51	·01	—	—	—	·19	7
8	·44	·21	—	·02	—	—	·03	·10	—	—	·11	·01	8
9	·01	·05	—	·01	—	—	—	·07	—	—	·19	·91	9
10	·22	·01	·10	·05	—	—	—	·09	—	·01	·01	·01	10
11	—	—	·06	·01	—	—	·05	·05	—	—	·88	·05	11
12	·18	·28	·01	·18	·44	—	—	·08	—	·12	·21	·01	12
13	·03	·45	—	—	1·09	—	—	·01	·20	—	·02	—	13
14	·16	—	—	—	—	—	·13	·32	·05	·02	—	·57	14
15	·33	·01	—	·02	·05	—	·25	·03	·03	·02	·09	·03	15
16	—	·58	—	—	·34	—	·72	·05	—	—	—	·07	16
17	—	·15	·01	—	·37	—	—	—	—	—	—	·01	17
18	—	·18	·01	—	·01	—	—	—	—	·01	—	—	18
19	—	·01	—	—	·06	—	·22	—	—	—	—	—	19
20	·19	·03	—	·18	—	—	—	—	—	·02	—	—	20
21	·03	·34	—	—	—	—	·01	—	—	·08	—	—	21
22	·06	·03	·45	·01	—	·01	·65	—	·01	1·20 }	—	·42	22
23	—	—	·21	—	—	—	·15	—	·07		—	·55	23
24	—	—	·03	·03	—	—	·22	—	·33	·84	—	·27	24
25	—	—	—	—	—	·21	·12	—	·01	·02	—	·30	25
26	—	·11	—	—	—	—	1·00 }	—	·01	—	—	·45	26
27	—	·03	—	—	—	·03		—	·01	·32	—	—	27
28	—	·12	·01	—	—	·01	—	—	·55	·09	—	·01	28
29	—	—	—	—	—	·20	—	·03	—	·01	·04	·03	29
30	·16	✕	—	—	—	·21	—	—	—	·44	·21	·07	30
31	—	✕	—	✕	—	✕	·10	·11	✕	·62	✕	·34	31
Total	3·41	3·75	1·08	·98	2·77	·67	5·56	2·27	1·41	4·21	1·79	6·29	YEAR'S TOTAL 34·19
Rain Days.	18	22	11	14	11	6	18	17	12	19	11	25	184

W. 8,000. X. 15.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

STONE~~HOO~~SE
WYECLIFFE COLL

GLOUCESTER

1911 - 1920

REGI

Kept at Wycliffe
Stonet

in the County of

by W. A. Sibly

in.
nd 1 ft. in.
Level ~~120~~ 130 ft.
e Stonehouse (Burdett Rd) G.W.R.
nce 150 yds Direction N.

IMPORTANT NOTE.— result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·02	·14				·05			·03	·02	1
2	·02		·07	·03	·33			·21			·24	·18	2
3			·05		·30			·09			·07	·04	3
4	·03		·17					·	·05	·17	·36	·40	4
5	·13		·02					·17		·04	·		5
6	·34		·11					·02			·07	·76	6
7	·02		·								·42	·	7
8	·20		·10								·06	·03	8
9	·11		·02								·13	·49	9
10	·02		·26		·05						·04	·18	10
11	·17	·10	·		·47			·02			·68	·03	11
12	·		·61						·05		·25	·13	12
13	·	·01			·21				·51	·26		·50	13
14										·01		·83	14
15			·01								·03	·11	15
16						·27					·32	·26	16
17		·02		·01		·05					·07	·15	17
18		·13	·03	·08		·39				·01		·28	18
19	·01			·03		·21			·15	·21		·23	19
20		·04	·13	·02					·13	·06		·62	20
21	·01	·12	·05	·01				·20		·35		·12	21
22		·02	·09	·01		·58				·15	·01	·52	22
23		·17	·16			·19			·08	·08	·	·23	23
24		·05				·93		·22		·42		·11	24
25		·08	·01	·02	·01	·06		·01	·01	·06		·	25
26		·15		·17	·04		·06			·30	·14	·11	26
27		·12	·24	·01			·	·37	·39	·01	·14	·09	27
28		·25		·23				·05			·01		28
29						·24	·04		·07	·20	·01		29
30			·01	·05	·01	·01		·04		·09	·		30
31										·02			31
Total	1·11	1·26	2·16	·81	1·42	2·93	0·10	1·45	1·44	2·44	3·08	6·42	TOTAL for year 24·62
No. of Rain Days.	12	13	19	13	8	10	2	12	9	17	19	24	158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REG

Kept at Wyclиffe College
Stonehouse.
in the County of Glos 3
by W. A. Sibly

RAIN GAUGE
Pattern
Diameter of top 4 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ~~120~~ 130 ft.

Time of Observation 9.0 a.m

Nearest Railway Station
Name Stonehouse (Burdett Rd) G.W.R.
Distance 150 yds Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·02	·14				·05			·03	·02	1
2	·02		·07	·03	·33			·21			·24	·18	2
3			·05		·30			·09			·07	·04	3
4	·03		·17					·	·05	·17	·36	·40	4
5	·13		·02					·17		·04	·		5
6	·34		·11					·02			·07	·76	6
7	·02		·								·42	·	7
8	·20		·10								·06	·03	8
9	·11		·02								·13	·49	9
10	·02		·26		·05						·04	·18	10
11	·17	·10	·		·47			·02			·68	·03	11
12	·		·61						·05		·25	·13	12
13	·	·01			·21				·51	·26		·50	13
14										·01		·83	14
15			·01								·03	·11	15
16						·27					·32	·26	16
17		·02		·01		·05					·07	·15	17
18		·13	·03	·08		·39				·01		·28	18
19	·01			·03		·21			·15	·21		·23	19
20		·04	·13	·02					·13	·06		·62	20
21	·01	·12	·05	·01				·20		·35		·12	21
22		·02	·09	·01		·58				·15	·01	·52	22
23		·17	·16			·19			·08	·08	·	·23	23
24		·05				·93		·22		·42		·11	24
25		·08	·01	·02	·01	·06		·01	·01	·06		·	25
26		·15		·17	·04		·06			·30	·14	·11	26
27		·12	·24	·01			·	·37	·39	·01	·14	·09	27
28		·25		·23				·05			·01		28
29						·24	·04		·07	·20	·01		29
30			·01	·05	·01	·01		·04		·09	·		30
31										·02			31
Total	1·11	1·26	2·16	·81	1·42	2·93	0·10	1·45	1·44	2·44	3·08	6·42	TOTAL for year 24·62
No. of Rain Days.	12	13	19	13	8	10	2	12	9	17	19	24	158

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at Wycliffe College, Stonehouse
in the County of Gloucestershire 3
by W. A. Sibly

Lat. 51° 45′ Long. 2° 16
Nearest Railway Station Stonehouse G.W.R.
Time of Observation 9·0 a.m.
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 120 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·12			·54	·14		·03	·53		·16	1
2			·16	·07		·29	·46			·02			2
3	·06		·16		·05	·16	·24	·33	·01		·03	·01	3
4	·10		1·14		·07	·78		·16			·18		4
5	·34	·15	·05		·02	·04	·20	·49	·02			·19	5
6	·47	·05	·01		·05	·20		1·13					6
7	·03	·20	·07		·03	·35			·01			·08	7
8	·42	·12	·25			·13	·02	·23	·05				8
9	·06	·07	·34	·03		·14		·19				·15	9
10	·10	·09	·82			·05		·52			·04		10
11	·02	·06			·01	·05		·03			·01	·05	11
12	·03	·58	·07	·03	·05	·01	·02				·03	·11	12
13	·01	·13						·15				·07	13
14	·10		·51		·13			·05					14
15	·13	·07	·02		·33	·20		·17				·22	15
16	·81		·26		·01	·22		·07		·05	·05		16
17	1·06		·16			·04		·61				·50	17
18	·16	·04	·12		·02	·01		·11		·03		·04	18
19	·11	·04			·03		·33	·17		·03		·01	19
20			·59		·18		·17	·16		·34	·05		20
21		·01	·22		·66	·07		·16		·42			21
22	·61	·13	·02		·20	·30	·45	·11		·04		·02	22
23	·09	·41	·30			·17		·37		·09		·41	23
24	·04	·02	·04			·86	·03	·06		·01		·07	24
25								·67		·03	·30	·34	25
26		·03	·02			·17	·28	·47		·49	·33	·11	26
27		·01				·30	·60			·72		·43	27
28		·08				·32	1·04	·95	·24	·30	·21	·52	28
29		·14				·04	·53	·05	·57	·30		·12	29
30							·11	·02	·06	·17		·01	30
31			·13		·36		·40	·14				·14	31
Total	4·75	2·43	5·58	·13	2·20	5·44	5·02	7·57	·99	3·57	1·23	3·76	TOTAL for year 42·67
No. of Rain Days	20	20	23	3	16	24	16	26	8	16	10	22	204

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Ex. + 1c

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Wycliffe College, Stonehouse
in the County of Gloucestershire 3
by W. A. Sibly

Lat. as last Long. year
Time of Observation 9.0 a.m.
Nearest Railway Station Stonehouse G.W.R.
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·14	·23	·21					·93		·05		1
2	·01	·12	·05	·04			·06		·17	·40	·04		2
3	·12	·01	·06		·45							·25	3
4	1·05	·01	·04		·34				·53	·53	·01	·11	4
5	·01	·03	·04		·06	·11	·18		·08		·07	·03	5
6	·02	·01	·16		·23	·04	·17			·24	·17	·42	6
7		·24			·29	·05	·09			·27	·21		7
8		·15			·24	·01				·14		·01	8
9		·14			·05	·07	·08	·10	·17		·07	·03	9
10	·27			·06			·01	·11		·03	·10		10
11	1·02			·22	·06			·07		·08	·74	·01	11
12					·20				·01		·33		12
13	·03	·02			·07			·12	·17		·17		13
14	·12	·01	·09	·02				·07		·19	·01		14
15	·23	·10	·43	·64				·06	·02		·01		15
16	·20		·56	·06				·09					16
17		·01	·08	·12			·03	·02	·04		·03	·01	17
18	·06		·12	·11			·04		·20		·02	·01	18
19	·26		·07		·01				·13	·01	·01	·01	19
20	·13		·09	·08						·03	·12		20
21			·18	·07	·18		·03	·01		·07	·26		21
22	1·11		·65	·17				·06	·35		·01		22
23	·01					·06					·02	·10	23
24	·02			·09		·01							24
25		·02		·22					·01	·01		·04	25
26		·03		·29				·32		·02		·18	26
27			·13	·29									27
28	·34		·09	·30						·35		·01	28
29	·01		·36	·40				·08		·08		·01	29
30	·21							·05		·29	·03	[illegible]	30
31	·02		·12		·43			·02					31
Total	5·25	1·04	3·55	3·39	2·61	·35	·69	1·18	2·81	2·74	2·48	1·23	YEAR'S TOTAL 27·32
Rain Days.	21	15	19	18	13	7	9	14	13	16	21	15	181

W. 7,500, XI. 12

REGISTER OF [illegible] RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
2 - JAN 1915

Kept at Wycliffe College, Stonehouse
in the County of Gloucester 3
by W A Sibly, ~~G. L. Reade, K. L. Jones & H. V. [illegible]~~

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Stonehouse G. W. R.
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·01	-	-	·02	·50	·53	-		·17	·08	1
2	-	-	-	-	-	·03	·52	·04	-		·84	·06	2
3	-	-	·02	·13	·43	-	·29	-	-		·03	·60	3
4	-	-	-	·26	·01	-	·12	·02	-		·28		4
5	·17	-	·06	·16	·07	-	·36	·03	-			·22	5
6	-	·17	·04	·07	·03	-	·28	·05	-		·08	·08	6
7	-	·21	·18	·17	·27	·07	·22	·05	-		·02	·08	7
8	-	·01	·24	·07	·05	·64	·09	·03	-				8
9	·06	·03	·27	·22	·08	1·20	-	·07	·10				9
10	·02	·18	·01	·12	·01	-	-	-	·28				10
11	-	·10	·23	-	·10	·44	·02	-	·02				11
12	-	·15	·14	-	-	·05	·03	-	·22		·12	·78	12
13	-	·42	·36	-	-	-	·02	-	·21	·23	·09	·59	13
14	-	·28	·38	-	-	-	·02	·03	·01	·30	·19		14
15	·03	·12	·10	-	-	-	·03	·15	·21	·01	·25		15
16	·01	-	·01	-	-	-	·08	-	·19				16
17	-	·15	·21	-	-	-	·04	-	-			·55	17
18	-	-	·01	-	-	-	·15	-	-			·24	18
19	-	·08	·15	-	-	-	·63	·10	·01		·06	·16	19
20	-	·42	·15	-	-	-	-	-	-			·13	20
21	-	·52	-	-	-	·02	·08	-	-	·20	·04	·06	21
22	-	·05	·05	-	·18	·08	-	·05	-	·13			22
23	-	·04	·14	-	·12	-	·02	-	-	·08			23
24	-	-	·04	-	-	-	·01	-	-	·05			24
25	·12	-	·18	-	-	-	·07	·32	-	·26	·07	·22	25
26	-	-	·10	-	-	-	·04	-	-		·13	·39	26
27	·05	-	-	-	-	-	-	-	-	·10	·16	·39	27
28	·01	·11	·23	-	·11	-	-	-	-		·30	·94	28
29	·06	/	·09	-	·07	-	-	-	-	·26	·30		29
30	·13	/	·11	-	-	-	-	-	-		·55	·66	30
31	·03	/	-	/	·06	/	·40	-	/	·28		·05	31
Total	·69	3·04	3·51	1·20	1·59	2·55	4·02	1·47	1·25	1·90	3·68	6·28	YEAR'S TOTAL 31·18 ✓
Rain Days.	11	17	26	8	14	9	23	13	9	11	18	19	178 ✓

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✓ [illegible]

2250

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
27. JAN 1916

Kept at Wycliffe College Stonehouse
in the County of Gloucester.
by W A Sibly

Lat. Long.
Time of Observation 9·0 a.m
Nearest Railway Station Stonehouse G.W.R
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 120- ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·49	·09			·10			·17	·60	·16	·02		1
2	·13	·20	·13	·10		·06		1.40	.02	·09		·09	2
3	1.23	.08	·04	.07	·01		·45	·19					3
4	·04						·17	.25				·65	4
5	·01	.65						·06				·31	5
6	·15	·16		·15			·45	.05				·32	6
7	·11	·28		·01			·11	.04				·09	7
8	.29	·37		·02		·02	.22	.05					8
9	·04	·27		·05				·21			·14	·50	9
10	·10		.08	.05									10
11	·01		·08	.10							·96	·20	11
12	·10	·27	·01	.18	·47					·09	.51		12
13		·61			1.0				·05				13
14	·09	·01			·03		·03	·10	·06			·40	14
15	·29			·01	.23		.20	.10		·11	·09		15
16		·90			·74		.36	.28				·03	16
17		·33						.13				·09	17
18	·01	·19	.02		·09								18
19		.01											19
20	·13			·08								·11	20
21	·19	.05					·10					·12	21
22		.16	·35				.08					·30	22
23		·06	·43			·01	·17		·01	1.66		.31	23
24			·04	·06		·02	·63		·47	·09		·14	24
25						·83				·07		·16	25
26		·14					·15		·02	·40		·35	26
27		.03				·05	·06					.01	27
28		·07				.02			.50				28
29						.08	·04	·01			·28	.02	29
30	·08					.55		·11			.08	.08	30
31							.06	.02		1.11		.28	31
Total	3.49	4.93	1.18	·88	2.67	1.64	3.28	3.17	1.73	3.78	2.08	4.56	YEAR'S TOTAL 33.39 ✓
Rain Days.	18	21	9	12	8	9	16	16	8	9	7	21	154 ✓

W. 8,000. X. 15.

2185

There was ~~some~~ uncertainty
as to whether fall
on Aug 30th & 31st was .06 & .01 or .60 & .10.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at Wycliffe College Stonehouse

in the County of Gloucester

by W. A. Sibly

Lat. Long.

Time of Observation 9.0 a.m

Nearest Railway Station Stonehouse G.W.R.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10				.17					.05	.25		1
2	.47	.02	.33		.22	.05				.94	.03		2
3		.31			.075	.07			.05	.47	.10		3
4	.41	.04			.25	.27			.15	.12	.50		4
5	.01		.04		.10	.07	.34			.07	.13		5
6	.04	.30	.08		.30	.08	.32			.25	.58		6
7		.02	.22		.045	.06	.015			.27	.85	.22	7
8	.05	.01	.16		.235						.05	.25	8
9			.03		.04	.29	.001				.02		9
10	.01	.45	.03	.05		.12			.02	.06			10
11	.06	.04	.04	.05	.09	.33						.10	11
12	.03		.04	.03	.36		.11	.01		.09			12
13			.08	.03				.13					13
14		.47	.04		.10			.10		.02			14
15		.29	.135	.04	.03			.44		.01	.01		15
16	.01	.01		.16			.47	.52		.01	.01		16
17	.12	.11		.10				.02		.36			17
18		.03	.015					.05	.31	.18	.45	.06	18
19	.16		.28	.35								.04	19
20	.22		.50	.01							.11	.51	20
21	.07		.52		.13		.03				.01	.85	21
22			.02		.02	.09				.11		.28	22
23	.10	.60						.05		.09	.05	.22	23
24		.02		.06	.33	.12		.05		.36			24
25		.24	.20					.55	.01		.14		25
26		.10	.01			.08		.10	.12	.27			26
27		.16	1.40		.13			.96	.24	.55			27
28		.27	.34			.08	.07		.10	.27		.24	28
29		.22						1.75		.38		.28	29
30						.36		.06 ✓		.40			30
31								.01 ✓		.48			31
Total	1.86	3.71	4.51	.88	2.61	2.07	1.36	4.80	1.00	5.81	3.29	3.05	YEAR'S TOTAL 34.95
Rain Days.	15	20	21	10	17	14	8	15	8	23	16	11	177

W. 8,000, VIII. 16

N.B. There is some doubt as to whether rainfall in July was entered to the previous day. I believe the other months are ~~[illegible]~~. almost certainly correct.

Entd

2086

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
JAN 1918

Kept at Wycliffe College, Stonehouse
in the County of Gloucestershire
by W. A. Sibly

Lat.
Long.
Time of Observation 9 A.M.
Nearest Railway Station Stonehouse G.W.R. & M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·25	·28	-	·11	-	1·01	·18	·07	·04		1
2	-	-	·01	·09	-	·25	-	·07	-	·72	-		2
3	-	·30	-	·04	-	-	·04	·06	-	·42	-		3
4	-	·23	·30	-	-	-	·10	·25	-	·25	-		4
5	·16	-	·20	·24	-	·05	-	·54	·17	·12	·01		5
6	-	-	·63	-	-	·48	-	-	-	·19	·21		6
7	·12	-	-	-	-	-	·34	·13	-	·33	-		7
8	·45	-	·03	·10	-	-	·81	·35	·02	-	·04	·21	8
9	-	-	·17	·03	-	-	-	·37	·15	·09	-		9
10	·18	-	·34	·22	·16	-	-	·25	·01	·08	-		10
11	·10	-	·20	·33	-	-	-	·85	·51	·10	-		11
12	-	-	-	·02	·36	-	-	·12	-	·26	-		12
13	-	-	·06	·09	-	·02	-	·15	·10	·01	-		13
14	-	-	·04	·03	-	-	-	·15	-	·08	-		14
15	-	-	-	-	-	-	-	·39	-	·08	-	·29	15
16	-	·18	-	·09	-	-	·01	-	-	·01	-	·21	16
17	-	·02	-	·08	·52	·10	-	·05	·15	·10	-		17
18	·03	·02	-	-	-	·01	·20	-	1·36	·10	-		18
19	-	·33	·12	-	-	·01	·33	-	-	·11	-		19
20	-	·07	·11	-	-	·07	-	-	·01	-	-		20
21	-	·05	·27	-	-	·04	-	-	-	·12	·01		21
22	-	·01	·04	-	-	·13	-	·09	-	·01	-		22
23	-	·14	-	-	·09	·03	-	·35	-	-	-		23
24	-	·01	·02	-	-	·08	-	·24	-	-	-		24
25	-	·08	·06	-	-	-	-	-	-	-	-		25
26	-	-	-	-	·09	-	-	·28	·12	-	·02		26
27	-	-	-	-	1·00	·03	·01	·63	-	-	-	·01	27
28	-	·01	·11	-	·05	·49	-	·17	-	-	-		28
29	-		·10	-	·02	·78	·08	-	-	·41	-	·29	29
30	·01		·01	-	-	-	·27	·27	-	·01	-		30
31	-		·31		-		-	·06		-		·05	31
Total	1·05	1·45	3·38	1·64	2·29	2·68	2·19	6·83	2·78	3·67	·33	1·06	YEAR'S TOTAL 29·35
Rain Days.	7	13	21	13	8	16	10	23	11	22	6	6	156

W. 8,000, IX. 17.

ex 9118

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
7. I. 19

Kept at Wycliffe College, Stonehouse

in the County of Gloucester

by W. A. Sibly

Lat. Long.

Time of Observation 9·0 a.m

Nearest Railway Station Stonehouse G.W.R.

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·15	·10			·08	·07		·48		1
2		·20						·40		·01	·01	·07	2
3		·14		·25	·15			·42	·30	·09	·05		3
4		·01		·05				·07	·09		·75	·10	4
5					·19			·06	·29	·14	·06	·02	5
6		·20		·08		·03			·02	·11		·07	6
7	·08	·12		·03	·49	·01			·15	·11	·35		7
8	·02	·14					·02		·10	·12			8
9		·12		·08		·15	·04		·61	·10		·16	9
10	·02						·25		·25	·11		·19	10
11				·33	·05		·07		·23			·16	11
12	·01		·34		·10		·15		·05			·01	12
13					·10		·03		·21			·10	13
14	·51					·12	·20		·51	·09		·13	14
15	·89			·48	·05		·21		·02	·01		·24	15
16	·39			·51		·05	·04		·17	·01		·01	16
17	·60			·13	·24		·20	·03		·01		·09	17
18	·69					·55	·20		·77			·40	18
19	·06		·10	·10			·15		·05	·09		·03	19
20	·01	·11		·25		·07	·03		·38				20
21	·03			·05		·01			·61			·03	21
22	·01				·02		·07		·11			·32	22
23					·21		·18						23
24		·20					·30	·01	·02				24
25							·11	·40					25
26							·61		·01			·09	26
27				·03		·04		·17	·16		·15	·02	27
28		·22	·32								·13	·03	28
29		X	·09						1·40			·02	29
30		X								·05	·04	·05	30
31		X	·25	X		X			X		X	·01	31
Total	3·32	1·50	1·10	2·52	1·70	1·03	2·86	1·64	6·58	1·05	2·02	2·35	YEAR'S TOTAL 27·67
Rain Days.	13	11	5	14	11	9	18	9	24	14	9	23	160

W, 6,500, VII. 18. W W C

1053

FORM A. BRITISH RAINFALL JAN 2

REGISTER OF RAINFALL IN 1919

Kept at Wycliffe College, Stonehouse
in the County of Gloucester
by W A Sibly

Lat. ~~2'42~~ 51'43"N Long. 2'12" W.
Time of Observation 9·0 a.m.
Nearest Railway Station Stonehouse G.W.R.
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32			·02	·05		·28		·03	·13	4	·65	1
2	·20	·01	·01		·02		·26	·05	·18		·19	·12	2
3	1·02		·17		·02	·01	·13		·22		·09	·22	3
4	·07		·47			·23		·04	·26			·20	4
5	·07	·04	·60		·05				·34			·21	5
6	·16		·10		·11							·12	6
7	·26		·22	·10									7
8	·17		·08	·23		·03							8
9	·21			·10									9
10	·01		·41	·01						·01		·13	10
11	·03		·39	·04	·05		·42			·01			11
12			·10	·13		·57						·01	12
13	·01			·42								·11	13
14	·45	·03		·18			·10		·01				14
15	·17	·81		·02	·07			·01				·25	15
16	·10									·09	·15		16
17	·04	·61						·01			·14	·01	17
18	·01		·87					·37	·01		·01		18
19	·20	·34	1·05			·18	1·80	·45	·01			·10	19
20	·36	·12	·30			·03	·17	·11				·01	20
21		·71	·03				·11	·02				·15	21
22		·15					·08		·32			·08	22
23						·01		·01		·87	·14	·01	23
24						·05		·24		·88	·13	·07	24
25	·11	·01		·03	·01			·01		·01		·08	25
26	·09					·02		·52	·14			·31	26
27	·01		·10	·61				·22			·35	·09	27
28	·02		·01					·02			·11	·20	28
29	·09		·29	·07				·32			·34	·45	29
30		╳	·02	·20		·23		·01				·39	30
31	·01	╳		╳		╳	·03	·01	╳		╳		31
Total	4·19	2·83	5·22	2·16	·38	1·36	3·38	2·42	1·52	2·00	1·65	3·97	YEAR'S TOTAL 31·08
Rain Days.	25	10	18	14	8	10	10	18	10	9	10	23	162

4RR

1870

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Wycliffe College Stonehouse
in the County of Gloucester
by W A Sibly

Lat. 51' 43" N Long. 2' 12" W
Time of Observation
Nearest Railway Station Stonehouse G.W.R
Diameter of Funnel of Rain Gauge ~~7~~ 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·42		·31	·03	·03	·19		·48	1
2	·14		·02	·26			·10	·12	·04	·19		·12	2
3	·08	·11		·19	·02		·50		·03	·42			3
4			·19	·24			·02	·61		·14			4
5			·22	·07	·04		·25			·19			5
6			·11	·04	·16		·22			·12			6
7	·01				·03		·17						7
8				·14	·06		·60	·02	~~[illegible]~~				8
9	·10			·40		·02	·01			·01			9
10	·82	·04	·02	·71		·23	·17				·05	·02	10
11	·18		·16	·06	·42	·06	·05						11
12	·15			·42	·01	·61	·01				·03	·01	12
13		·05	·33	·16							·01	·01	13
14	·08		·71	·20		·43	·01	·02	·06	·10	·50		14
15	·01	·13		·44		·04				·12	·11		15
16				·24	·17	·30	·30		·78	·20	·05		16
17	·01			·07	·21	·47	·07		·65	·14			17
18	·36			·17	·14		·18		·69				18
19	·05	·25		·38		·11			·03				19
20	·03	·11		·21		·16						·18	20
21	·01			·02			·02					·04	21
22				·08				·13				·28	22
23	·04						·44	·08		·01		·34	23
24			·34						·01		·01	·20	24
25		·12	·16				·72	·01				·01	25
26	·69		·34	·01		·05	·08				·02	·06	26
27			·10	·18	·02	·52					·01	·24	27
28	·71			·02	·20	·02							28
29	·19		·09	·06	·02	·25	·02				·15	·35	29
30		╳	·04	·03		·11	·19		·22		·29	·43	30
31	·29	╳	·24	╳	·01	╳			╳	·31	╳	·09	31
TOTAL	3·95	·81 ✓	3·07 ✓	4·80 ✓	1·93 ✓	3·38 ✓	4·44 ✓	1·02 ✓	2·54 ✓	2·14 ✓	1·23 ✓	2·86 ✓	YEAR'S TOTAL 32·17 ✓
Days with ·01 in. or more	19 ✓	7 ✓	15 ✓	25 ✓	15 ✓	15 ✓	22	8 ✓	10 ✓	13 ✓	11 ✓	16 ✓	176.
Days with ·04 in. or more	14 ✓	7 ✓	13 ✓	21 ✓	9 ✓	13 ✓	16 ✓	4 ✓	6 ✓	11 ✓	6 ✓	12 ✓	132 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.
STOW ON ~~THE~~ WOLD
NETHER SWELL MANOR
1911

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

R N 1911

Kept at Nethers
in the County of Glo
by Donald M
on behalf of W. M

n Ross's Registering
ter of top 8 in.
of top above Ground 3 ft. in.
,, ,, Sea Level 600 ft.
ation 9 a.m.
y Station { Name ~~[illegible]~~ Stow
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04		0.04	0.04			0.06				0.03	0.06	1
2	0.05		0.04	0.09	0.30			0.19	0.02	0.31	0.04	0.16	2
3					0.37			0.02		0.02	0.06	0.02	3
4	0.03		0.09								0.27	0.24	4
5	0.03							0.22		0.10	0.07		5
6	0.40		0.03	0.02							0.02	0.76	6
7	0.01									0.11	0.27	0.02	7
8	0.20		0.08								0.02	0.24	8
9	0.05		0.07 ~~0.07~~	0.01							0.04	0.19	9
10	0.02	0.13	0.29					0.01			0.02	0.30	10
11	0.29	0.29									0.53		11
12			0.48						0.05		0.34	0.01	12
13					0.36				0.33	0.04	0.02	0.34	13
14			0.04							0.02		0.61	14
15		0.02	0.03								0.20	0.05	15
16						0.02					0.36	0.19	16
17				0.07		0.04					0.05	0.42	17
18		0.32	0.01			0.04				0.05	~~0.11~~	0.22	18
19		0.02		0.02		0.57		0.01	0.21	0.25	0.12	0.06	19
20	0.02	0.03	0.09					0.18	0.09	0.01		0.52	20
21	0.01	0.17	0.04					0.15		0.37		0.10	21
22		~~5~~				0.22		0.02		0.07		0.60	22
23		0.05	0.41			0.18	0.08		0.19	0.06		0.26	23
24		0.08	0.03			0.34		0.11		0.54		0.09	24
25		0.12	0.01	0.02	0.16	0.05			0.05	0.01		0.05	25
26		0.07		0.18		0.03				0.32	0.16	0.19	26
27		0.34	0.17	0.02				0.32	0.24		0.09	0.21	27
28		0.22		0.04			0.11	0.07			0.04		28
29				0.03		0.22	0.02		0.17	0.34			29
30			0.03	0.09	0.18	0.01		0.28	0.02	0.12			30
31					0.01								31
Total	1.15	1.86	1.98	0.63	1.38	1.72	0.27	1.58	1.37	2.74	2.80	6.01	TOTAL for year 23.49
No. of Rain Days.	12	13	18	12	6	11	4	12	10	17	20	25	160

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

R N 19*11*

✓

Kept at Netherswell Manor

in the County of Gloucestershire 7

by Donald MacBeath
on behalf of W. M. Scott Esqr

RAIN GAUGE Pattern Ross's Registering
Diameter of top 8 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 600 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Stow ~~[illegible]~~
Distance 1 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04		0.04	0.04			0.06				0.03	0.06	1
2	0.05		0.04	0.09	0.30			0.19	0.02	0.31	0.04	0.16	2
3					0.37			0.02		0 02	0.06	0.02	3
4	0.03		0.09								0.27	0.44	4
5	0.03							0.22		0.10	0.07		5
6	0.40		0.03	0.02							0.02	0.76	6
7	0.01									0 11	0.27	0.02	7
8	0.20		0.08								0.02	0.24	8
9	0.05		0.07 ~~0.07~~	0.01							0.04	0.19	9
10	0.02	0.13	0.29					0.01			0.02	0.30	10
11	0.29	0.29									0.53		11
12			0.48						0.05		0.34	0.01	12
13					0.36				0.33	0 04	0.02	0.34	13
14			0.04							0 02		0.61	14
15		0.02	0.03								0.20	0.05	15
16						0.02					0.36	0.19	16
17				0.07		0.04					0.05	0.42	17
18		0.32	0.01			0.04				0 05	~~0.17~~	0.22	18
19		0.02		0.02		0.57		0.01	0.21	0 25	0.17	0.06	19
20	0.02	0.03	0.09					0.18	0.09	0 01		0.52	20
21	0.01	0.17	0.04					0.15		0.37		0.10	21
22		~~5~~				0.22		0.02		0.07		0.60	22
23		0.05	0.41			0.18	0.08		0.19	0.06		0.26	23
24		0.08	0.03			0.34		0.11		0.54		0.09	24
25		0.12	0.01	0.02	0.16	0.05			0.05	0.01		0.05	25
26		0.07		0.18		0.03				0 32	0.16	0.19	26
27		0.34	0.17	0.02				0.32	0.24		0.09	0.21	27
28		0.22		0.04			0.11	0.07			0.04		28
29				0.03		0.22	0.02		0.17	0 34			29
30			0.03	0.09	0.18	0.01		0.28	0 02	0 12			30
31					0.01								31
Total	1.15	1.86	1.98	0.63	1.38	1.72	0.27	1.58	1.37	2.74	2.80	6.01	TOTAL for year 23.49
No. of Rain Days.	12	13	18	12	6	11	4	12	10	17	20	25	160

STOW ON THE WOLD
ICOMB PLACE

GLOUCESTER

1911, 1915, 1916.

FORM A2.
BRITISH RAINFALL.

13 FEB 1912

RE 1

Kept at Icomb 8 in.
Ground 1 ft. 4 in.
Sea Level ft.
in the County of Glo 2. m.
by G. H. Simps Name Stow
Distance 2½ Direction N

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of thi ment of rain, the selection and placin ritish Rainfall Organization are given in "Rules for Rainfall Observers," application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·03	·07			·10				·02	·04	1
2	·06		·03	·10	·28			·20		·23	·21	·18	2
3					·39					·01	·09	·07	3
4	·04		·13						·04	·17	·26	·41	4
5	·13							·27			·06		5
6	·38		·02								·03	·85	6
7	·01									·22	·43		7
8	·21		·11								·03	·28	8
9	·06		·08								·07	·27	9
10	·02	·19	·34								·01	·26	10
11	·30				·01						·68		11
12			·55						·04		·47		12
13					·56				·36			·56	13
14										·07		·65	14
15		·02	·06		·01						·30	·06	15
16						·17					·40	·27	16
17						·06					·04	·40	17
18			·04	·03		·43				·04		·26	18
19		·28						·01	·18	·22	·21	·07	19
20	·03	·07	·12					·32	·07	·04		·60	20
21		·05		·03				·14		·42		·11	21
22	·01	·21	·04			·25		·06		·15		·70	22
23		·13	·06			·48	·21		·23	·08		·31	23
24	·01	·10	·35			·41		·07		·42		·18	24
25		·13	·02	·04	·15	·05			·07	·02		·06	25
26		·13		·16		·03				·43	·20	·25	26
27		·30	·16	·02				·11	·32	·43	·11	·24	27
28		·21		·21			·59	·26					28
29				·02		·24	·02	·23	·26		·04		29
30			·04	·05	·17					(·20)	·01	·12	30
31					·03								31
Total	1·30	1·82	2·18	·73	1·60	2·12	·92	1·67	1·57	3·15	3·67	7·20	TOTAL 27·93
No. of Rain Days.	13	12	17	10	8	9	4	10	9	16	20	24	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
13 FEB 1912

RE

Kept at Icomb Place

in the County of Gloucester 7

by G. H. Simpson-Hayward Esq.

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Stow
Distance 2½ Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·03	·07			·10				·02	·04	1
2	·06		·03	·10	·28			·20		·23	·21	·18	2
3					·39					·01	·09	·07	3
4	·04		·13						·04	·17	·26	·41	4
5	·13							·27			·06		5
6	·38		·02								·03	·85	6
7	·01									·22	·43		7
8	·21		·11								·03	·28	8
9	·06		·08								·07	·27	9
10	·02	·19	·34								·01	·26	10
11	·30				·01						·68		11
12			·55						·04		·47		12
13					·56				·36			·56	13
14										·07		·65	14
15		·02	·06		·01						·30	·06	15
16						·17					·40	·27	16
17						·06					·04	·40	17
18			·04	·03		·43				·04		·26	18
19		·28						·01	·18	·22	·21	·07	19
20	·03	·07	·12					·32	·07	·04		·60	20
21		·05		·03				·14		·42		·11	21
22	·01	·21	·04			·25		·06		·15		·70	22
23		·13	·06			·48	·21		·23	·08		·31	23
24	·01	·10	·35			·41		·07		·42		·18	24
25		·13	·02	·04	·15	·05			·07	·02		·06	25
26		·13		·16		·03				·43	·20	·25	26
27		·30	·16	·02				·11	·32	·43	·11	·24	27
28		·21		·21			·59	·26					28
29				·02		·24	·02	·23	·26		·04		29
30			·04	·05	·17					(·20)	·01	·12	30
31					·03								31
Total	1·30	1·82	2·18	·73	1·60	2·12	·92	1·67	1·57	3·15	3·67	7·20	TOTAL for year 27·93
No. of Rain Days.	13	12	17	10	8	9	4	10	9	16	20	24	152

W. 8,000, X. '11.

2325

FORM A.
BRITISH RAINFALL.
12 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Icomb Place. Stow on the Wold
in the County of Glos.
by G. H. Simpson-Hayward

Lat. 51 3/4 N Long. 1 1/2 W
Time of Observation 9 a.m
Nearest Railway Station Stow on the Wold
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·17	·09		·09			·02	·41	·21		·06	1
2	·27	·16	·27	·17		·03		1·02		·50		·08	2
3	1·13	·02	·07	·09			·06	·12				·14	3
4	·03				·02		·42					·65	4
5		·68						·02				·46	5
6	·22	·12		·19			·62					·21	6
7		·60			·23	·01	·28	·09				·12	7
8	·24	·22		·07			·02	·02					8
9	·10			·15		·01					·20	·62	9
10	·26		·02	·03				·01					10
11	·04		·05	·12	·02						·90	·01	11
12	·03	·07		·18	·55			·18		·02	·74	·04	12
13		·50			1·06			·26					13
14	·02	·06		·03			·05		·02			·73	14
15	·03				·08			·01		·05	·06	·11	15
16	·34	·78			·19		·69	·03				·02	16
17		·56			·87								17
18		·40	·07										18
19			·03	·03	·07		·10						19
20	·29											·13	20
21	·16	·02					·11			·11		·04	21
22	·18	·74	·04	·04			·44					·24	22
23		·13	·36				·05		·12	·69		·30	23
24	·05		·02	·08			·06		·71	·29		·15	24
25						·02	·17			·03		·25	25
26		·16				1·10	·03					·49	26
27		·05					·16			·59		·02	27
28		·06				·04			·45	·02			28
29			·01				·02	·15		·17	·26	·05	29
30	·05					1·75				·83	·14	·21	30
31								·02				·35	31
Total	3·72	4·90	1·03	1.18	3·18	3.02	3.58	1.95	1.71	3.51	2.30	5.48	YEAR'S TOTAL 35·56
Rain Days.	18	19	11	12	10	7	16	13	5	12	6	24	153

W. 8,000. X. 15.

Ev. dh

2259

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Icomb Place Stow on the Wold

in the County of Glos.

by G. H. Simpson-Hayward

Lat. 51¾ N Long. 1¾ W

Time of Observation 9 a.m.

Nearest Railway Station Stow on the Wold

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12				·12	·06	·46			·10	·24		1
2	·36	·03	·17		·41				·03	·76	·09		2
3		·85	·03		·04				·13	·37	·11		3
4	·49	·10			·14	·40			·04	·02	·42		4
5	·01	·02			·19		·09			·12	·42		5
6	·04	·17	·07		·14	·12	·50			·16	·59		6
7			·26		·03		·17			·04	·26	·13	7
8			·06		·16						·01	·33	8
9	·02				·13	·21				·05		·02	9
10		·45	·09	·10	·07	·08	·03			·07	·02		10
11	·03	·04	·08	·08	·06	·23					[illegible]	·52	11
12		·02	·08	·19	·35	~~·08~~	·29			·16			12
13	·02	·32	·19	·04			·09	·09					13
14		·37	·01		·03			·06					14
15		·30	·67		·19			·15					15
16	·02	·09	·34		·02		·10	·28					16
17	·15	·21		·20				·19	·43	·62			17
18		·05		·24				·11	·14	·09	·52	·21	18
19	·12		·10	·14					·09		·43		19
20	·20		·21	·21							·01	·70	20
21	·10		·70	·03	·19		·09				·01	·60	21
22		·02	·01			·01				·10		·66	22
23	·13	·36						·05		·11	·17	·21	23
24		·28			·12	·33		·03		·21	·01	·18	24
25		·40	·16			·21		·43	·75		·19	·05	25
26		·08	·05			·02			·06	·17	·05		26
27		·17	·67			·03	·01	·38	·04	·52			27
28	·07	·44	·25			·44		·02	·29	·13		·21	28
29		·16				·04		2·13		·38		·21	29
30		✕			·02					·23			30
31		✕		✕		✕		·01	✕	·35	✕	·07	31
Total	1·78	4·93	4·15	1·23	2·35	2·18	1·83	3·93	2·00	4·75	3·55	4·10	YEAR'S TOTAL 36·78
Rain Days.	15	22	20	9	18	13	10	13	10	21	17	14	182

W. 8,000. X. 15.

GLOUCESTER

STOW-ON-THE-WOLD

"DUNCOMB"

1911 – 1920 1914 1918 A/B

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

REGIS 11

Kept at Duncomb. 5 in.

ve Ground — ft. 9½ in.

in the County of Glouces

Sea Level ft.

ain

by R. I. Arkell

Name Stow on the Wold
Distance 3 Direction East

IMPORTANT NOTE.—Rain should be measured daily at 8 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·4		·7								·4		1
2			·6	·16	·30					·18	·18	·20	2
3					·32			·26			·5	·4	3
4			·14							·10	·28	·33	4
5								·21		·3	·5		5
6	·48			·5								·68	6
7	·3									13	·39		7
8	·20		·15								·4	·35	8
9	·9		·10									·21	9
10		·17	·31								·10	·34	10
11	·35										·63		11
12			·58						·13		·33		12
13					·67				·38			·39	13
14												·62	14
15			·10								·17	·5	15
16						·19					·37	·25	16
17											·6	·43	17
18		·28	·7	·135		·8						·26	18
19				·132		·65			·24	·35	·25	·8	19
20		·7						·10	·12	·3		·61	20
21		·15	·9					·16		·41		·18	21
22		·5				·30				·09 ·7		·63	22
23		·16	43			·9			·26	·8		·32	23
24		·9				·31		·7		·53		·14	24
25		·6	10		·17	·7			·7			·8	25
26				·27						·35		·22	26
27		·35	16	·8					·45		·35	·24	27
28		28		·15				40				~~7~~	28
29				·11		·23			·15	·35			29
30				·045 ·04	16	·3		89	·5	·14	·2		30
31							·8					2	31
Total	1·19	1·66	2·36	1·00	1·62	1·95	·08	2·09	1·85	2·74	3·31	6·6	TOTAL for year 26.5
No. of Rain Days.	6	10	13	8	5	9	1	7	9	13	16	23	120

W. 8,000, X. '11.

✓

REGIS 11

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Duncomb. Stow on the Wold

in the County of Gloucester 7

by R. J. Arkell

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 9½ in.
" " " Sea Level ft.

Time of Observation 8 am

Nearest Railway Station
Name Stow on the Wold
Distance 3 Direction East

IMPORTANT NOTE.—Rain should be measured daily at ~~9~~ 8 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·4		·7								·4		1
2			·6	·16	·30					·17	·18	·20	2
3					·32			·21			·5	·2	3
4			·14							·10	·28	·33	4
5								·21		·3	·5		5
6	·48			·5								·64	6
7	·3									13	·39		7
8	·20		·15								·4	·35	8
9	·9		·10									·21	9
10		·17	·31								·10	·34	10
11	·35										·63		11
12			·58						·13		·33		12
13					·67				·38			·39	13
14												·62	14
15			·10								·17	·5	15
16						·19					·37	·25	16
17											·6	·43	17
18		·28	·7	·135		·6						·26	18
19				13		·65			·24	·35	·25	·8	19
20		·7						·10	·12	·3		·61	20
21		·15	·9					·76		·41		·18	21
22		·5				·30			·07	·7		·63	22
23		·16	43			·9			·25	·8		·32	23
24		·9				·31		·7		·53		·14	24
25		·6	10		·17	·7			·7			·8	25
26				·27						·35		·22	26
27		·35	16	·8					·45		·35	·24	27
28		28		·15				40					28
29				·045 ·11		·23			·15	·35			29
30				·42	16	·3		89	·5	·14	·2		30
31							·8					2	31
Total	1·19	1·66	2·36	1·00	1·62	1·95	·08	2·09	1·85	2·74	3·31	6·64	TOTAL for year 26·52
No. of Rain Days.	6	10	13	8	5	9	1	7	9	13	16	23	120

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 JAN 1913

Kept at Duncombe Stow on the Wold
in the County of Gloster 7
by R. I. Arkell

Lat. Long.
Time of Observation
Nearest Railway Station 3 Miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9½ in.
" " " " Sea Level about 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·16	·10		·8	·19		·03	·23		·10	1
2			·17			·35	·46		[illegible]				2
3	·6		·5			·10	·24	·65			[illegible]	·14	3
4			·85		·15	1·23	[illegible]	·5	·04		·27		4
5	·27		·14		·17	·4		·61	·05				5
6	·36	·23					·5	·89				·21	6
7		·10	·5		·6	·72	·2	·17				·09	7
8	·33	·17	·42			·36	·11	·8	·07			·06	8
9	·4	·5	·28			·42						·24	9
10		·8				·7		·25			·30		10
11	·15	·9						·8			·21	·42	11
12		·42	·23			·7					·6		12
13	·8	·13					·3	·7					13
14	·15	[illegible]	·47		·4			·3					14
15	·21	·12	·9		·41	·26						·26	15
16	·30		·15		·22	·7		·7		·11			16
17			·20			·6		·40				·28	17
18	Snow ·97		·27					·12				·04	18
19	·12	6	·4				·12	·23					19
20			·44				·25	·26		·32			20
21			·21		·52		x ·3	·27		·29			21
22	·64	·16	·9		·64	·11	·69	·10		·07			22
23	11	·59	34			·27	·12	·26			·13	·39	23
24	10					·9	·33	·10				·15	24
25						·66					·33	·36	25
26		·5					·21	1·03		·57	·24	·19	26
27						·10	·39			·67		·31	27
28		·12				·11	·25	·77	·20	·33	·22	·50	28
29		·9				·22	·27	·3	·53	·15	8	·2	29
30						·17		·4	·14	·18			30
31			·11		16		79	·9		·05		·6	31
Total	3·89	2·46	4·76	·10	2·37	5·56	4·55	6·65	1·06	2·97	1·84	3·82	YEAR'S TOTAL 40.03
Rain Days.	15	15	20	1	9	21	18	24	7	11	9	18	168

5Y 92

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 MAY 1914

Kept at Donnicombe Stow on the Wold
in the County of Gloster 7
by R. J. Arkell

Lat. Long.
Time of Observation 8 oclock
Nearest Railway Station Stow on the Wold 3 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 10 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.15	.18	.	-	.	.	.	1.12	.	.13	.	1
2	.05	.16	.02	.19	-	.	.	.	.42	1.33	.04	.	2
3	.17	-	.09	.	.89	.	.	.	.	.	.	.15	3
4	1.16	.	.09	.	.24	.	.	.	.	.33	.04	.14	4
5	.02	.	-	.	.	.	.14	.	.	.23	.	.	5
6	.05	.	.12	.	.22	.	.93		.	.11	.	.28	6
7	.	.43	.	.	.18	.19	.04	.	.	.43	.	.	7
8	.	.4	.	.	.24	.	.	.	.	.14	.21	.	8
9	.	.21	.	.	.06	.14	.	.13	.17	.	.06	.	9
10	.	-	.	.10	.09	.	.	.04	.	.	.37	.	10
11	1.08	.	.	.42	.	.	.	.	.	.07	.23	.	11
12	.	.	.	.	.19	.	.	.	.	.	.69	.	12
13	.	-	.	.	.	.	.	.	.25	.	.23	.	13
14	.19	-	.30	.	.	.	.15	.21	.	.08	.06	.	14
15	.07	.15	.35	.48	.	.	.87	.	.10	.	.05	.	15
16	.	.	.47	.14	.	.	.	.	.	.	.	.	16
17	.08	.	.30	.08	.	.	.12	.	.	.	.	.	17
18	.11	.	.18	.15	.	.	.	.	.57	.	.	.	18
19	.28	.	.14	.	.	.15	.13	.	.15	.	.	.	19
20	.10	.	.13	.10	.	.	.	.	.	.	.11	.	20
21	.	.	.20	.16	.18	.	.8	.	.	.27	.38	.	21
22	.38	.	.40	.	.	.	.	.	.33	.	.	.	22
23	-	.	.	.	.	.6	.	.13	.05	.	.	.	23
24	.	.	.	.	.	.	.	.	.	.	.	.	24
25	.	.	.	.20	.	.	.	.15	.	.	.	.16	25
26	-	.13	.	.41	.	.	.	.	.	.17	.	.24	26
27	.	.03	.	.37	.12	.	.	.	.	.04	.	.	27
28	32	.	.24	.36	.	.	.	.	. .	.23	.	.	28
29	.	.	.53	.57	.	.	.	.	.	.	.	.	29
30	31	.		.	.	.	.	.	.	.33	.04	.16	30
31	.	.	.7	.	19	.	.	.	.	.	.	.	31
Total	4.37	1.30	3.81	3.73	2.60	.54	2.46	.66	3.16	3.76	2.64	1.13	YEAR'S TOTAL 3016
Rain Days.	15	8	17	14	11	4	8	5	9	13	14	6	124

W.7,000, XI. 13

2328

FORM A.
BRITISH RAINFALL.
26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dunecomb Stow on the Wold

in the County of Gloucester

by R. I. Arkell

Lat. Long.

Time of Observation

Nearest Railway Station Stow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Taken at 8. A m

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	27	·10	·10		·12			·04	·20				1
2		·09	·22					1·07		·61		·44	2
3	1·18	·03	·06	·24				·13		·03		·22	3
4	·15						·60	·19				·59	4
5		·48						·06				43	5
6	·22	·18		·15			·45					12	6
7	·05	·49			16	·48	·15	·08				16	7
8	·13	·26					·10	·03					8
9	·11			·24							·14	50	9
10	·23			·03				·03					10
11				·10							·83		11
12	03			·20	·48						·73		12
13		60			1·05								13
14		·08			·09			·18	·06			40	14
15	·23											28	15
16	·06	·65			·13		·67					07	16
17		·38			·72								17
18		·29	14										18
19			03		06		·12						19
20	30			·04								·17	20
21	·20						·04						21
22	·12	·15	25				·39					·26	22
23		·17					·08			·69		·46	23
24	·14		13	·11		·04	·10		·42	·30		·20	24
25						1·0	·03			·05		·33	25
26		·07										·42	26
27		·06					·09			·50		·07	27
28		·06				·05			29	04			28
29							·29	·20			·19		29
30		╳				·10	·04					·18	30
31	08	╳		╳		╳	·03	·04	╳	·89	╳	·17	31
Total	3·50	4·14	·93	1·11	2·81	1·67	3·18	2·05	·97	3·11	1·89	5·47	YEAR'S TOTAL 30·83
Rain Days.	16	~~18~~ 17	7	~~9~~ 8	8	5	15	11	~~5~~ 4	~~9~~ 8	4	~~21~~ 19	~~128~~ 122

W. 8,000. X. 15.

Spade

FORM A.
BRITISH RAINFALL.
20 JUL 1917

REGISTER OF RAINFALL IN 1916

Kept at Duncomb Stow on the Wold

in the County of Gloucester

by R. J. Arkell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22						36				35		1
2	·35		·24		·46					66	03		2
3		·82							05	40			3
4	·41	·06			24	32				03			4
5					16	08	12			04	·74		5
6	·02	·20			24	07	42			15	68		6
7			·35			12	24			25	28	·15	7
8			·05									·31	8
9					34	25					05		9
10		·33				03	07		13			04	10
11	·12	·11	·18	12		15						41	11
12				10	40		26			15			12
13		·30	·26				41	21					13
14		·33			·03								14
15		·21	·65					40					15
16		·08	19	25	·18		09	20					16
17	·14			26				17	36	63			17
18		·28		15				26	20		62	18	18
19	·09		·07	36					14	11	28		19
20	13		31	05								30	20
21			63				09						21
22					·15					18			22
23								·05		26	14	1.50	23
24		·61				·59						17	24
25			21		·10	22		·46			18		25
26		·59							60	13	08		26
27	·09	15						18		41			27
28		59	1·16			12			30			25	28
29		14				22		1.90		50		13	29
30		X				07				21		10	30
31		X		X		X		02	X	20	X	06	31
Total	1·57	4-80	4.30	1·29	2·30	2·24	2·06	3-85	1·78 1·78	4.31	3·43	3.60	YEAR'S TOTAL 35.53 35.53
Rain Days.	9	18	15	7	10	12	9	11	8	17	12	13	141
		15	12					10	7	16	11	12	130

W. 8,000, VIII. 16

2154

FORM A.
BRITISH RAINFALL.

18. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Duncourt Stow on the Wold

in the County of Gloster

by R. I. Arkell

Lat. Long.
Time of Observation 8 am
Nearest Railway Station Stow on the Wold
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09	.07				.68	.16		.10		1
2				.25		.15				.09	.04		2
3								.26		.20			3
4		22						.32		.57			4
5	30		30	.19					.12	.17			5
6			24			.16					.12		6
7	30						.26			.55			7
8	50			.15			.64	.26		.49	.09	.21	8
9			13	.12					.04		.23		9
10	20		24	26	.60			.21					10
11	35		19	40				.26	.67	.17	.02		11
12				.03	03			.06		.16	[illegible]		12
13			14					.34	.04				13
14				.12				.09				.04	14
15								.21		.07		.07	15
16	24			.33			.14			.10		.72	16
17						.27	.30	.05	.16	.12			17
18				13	68	.06	.31		1.15	.06			18
19		43											19
20		17			56		.07		.07				20
21						.41					.11		21
22			41			.06				.19			22
23		23						.37		.06			23
24		08				.39		.29		.16		.38	24
25		17					.05				.06		25
26			19			.03		.47	.13		.23		26
27					1.42			.66					27
28						.32		.23					28
29			11			.46	.28	.06		.36		.35	29
30		X					.49	.22		.03			30
31		X	20	X		X	.01	.03	X	.02	X	.06	31
Total	1.89	1.30	2.24	2.05	3.29	2.31	2.55	5.07	2.54	3.57	1.00	1.83	YEAR'S TOTAL 29.64
Rain Days.	6	6	11	11	5	10	10	19	9	18	9	7	121

W. 8,000, IX. 17.

EX 4N2

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

JAN 20

Kept at Duncombe Mordon-in-Marsh

in the County of Gloucestershire

by Late R. A. Arkell a/c F. Arkell.

Lat. ________ Long. ________

Time of Observation 9.a.m

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge ________ in.

Height of top of Gauge above Ground ________ ft. ________ in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·38		·09	·10	·27		·27		·43	·13	·04	·53	1
2					·07		·09				·22	·09	2
3	1·33				·03		·03		·18		·11	·32	3
4			·45			·18	·08	·05	·36			·16	4
5			·41						·35			·11	5
6			·07									·08	6
7	·14		·37		·46						·17		7
8	·16												8
9	·16			·48							·02		9
10			·42							·03		·20	10
11	·05		·33		·05		·26					·01	11
12			·35	·15		·24				·09	·14	·06	12
13	·09	·40		·23					·07	·12	·17	·10	13
14	·41			·15			·07		·02	·08		·06	14
15	·23			·29								·32	15
16	·08	·83											16
17													17
18			·30					·30				·12	18
19	·19	·89	1·24				1·14	·27			·12		19
20	·52	·09	·30				·03	·33	·12		·01	·07	20
21		·50					·16					·04	21
22		·34					·08		·16			·26	22
23										·37	·02	·02	23
24				·07						·78	·10		24
25	·07			·06	·03			·26			·06	·11	25
26	·05		·24	·28				·03	·17			·33	26
27				·90				·13				·06	27
28			·16					·73				·29	28
29								·04		·22		·28	29
30		X				·53		·11			·48	·32	30
31	·34	X		X		X			X	·05	X	·02	31
Total	4·20	3·05	4·73	2·71	·91	·96	2·21	2·25	1·86	1·87	1·66	3·96	YEAR'S TOT 30·5
Rain Days.	15	6	13	10	7.6	3.	10.	10.	9.	9.	13.	24.	129

128

W. 6,500, VII. 18. W W C

1931

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Duncombe Moreton-in-Marsh, Glos
in the County of Gloucestershire
by W. T. Arkell

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Stow-on-the-Wold
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			:01	:29	:45		:20		:01	:56		:33	1
2	:05		:02	:11			:11	:07	:05	:26		:15	2
3	:06	:04		:24	:01	:03	:29		:08	:33			3
4			:08	:27			:04	:40	:01	:23			4
5			:18	:02	:19		:55	:03	:01	1:37		:03	5
6			:28		:13		:19			:07			6
7	:02		:02	:11			:14						7
8	:14	:08		:68	:03		:60						8
9	:24	:09		:99			:01						9
10	:48	:05	:02	:32		:18	:08						10
11	:35	:06	:11	:27	:33	:12	:04						11
12	:08	:		:11		:91	:02	:44			:10		12
13		:07	:38	:11			:		:02				13
14		:	:41	:28		:09	:01		:17	:06	:26	:05	14
15	:03	:08	:62	:34		:04			:09	:03	:04		15
16		:01		:08		:20	:08		:32	:16			16
17	:01			:04	:14	:10	:02		:22	:10			17
18	:23			:07	:06	:01	:03	:22	:33			:06	18
19	:09			:26		:16	:01	:06	:03		:01		19
20		:37		:28		:17						:11	20
21				:02			:02	:02	:03	:03	:01	:09	21
22				:16				:06	:05				22
23	:03		::26				:44	:14				:59	23
24	:02			:01				:01		:02	:03	:11	24
25	:01	:11	:23	:05			:53	:02					25
26	:26		:18	:04	:18	:03	:08					:15	26
27	:35	:09	:06	:26		:35	:04				:02	:24	27
28	:45		:18		:35	:01					:05	:05	28
29	:30		:09		:06	:05					:21	:43	29
30	:05		:53	:04		:08	:13		:21		:12	:20	30
31	:08									:71		:09	31
TOTAL	3:33	1:05	3:66	5:45	1:93	2:53	3:66	1:47	1:83	3:93	:85	2:68	YEAR'S TOTAL 32:37
Days with ·01 in. or more	21	11	18	26	11	16	23	11	15	13	10	15	190
Days with ·04 in. or more	15	10	14	23	9	12	17	7	9	11	5	14	146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL ✓

REG 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

GLOUCESTER

STOW-ON-THE-WOLD
"MAUGERSBURY"
1911– 1919

Kept at Stow on the

in the County of E. Glo

by D. W. Horner

top in.

p above Ground ft. in.

„ Sea Level ft.

ation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·04	·05			·06	·02			·03	·06	1
2	·05		·04	·10	·32			·20		·28	·18	·16	2
3	·01				·38			·04		·02	·07	·03	3
4	·04		·11	·03					·03	·13	·31	·43	4
5	·03		·02	·02				·25		·01	·06		5
6	·38		·02	·02							·03	·86	6
7	·01									·15	·27	·04	7
8	·21		·10								·03	·27	8
9	·05		·10	·02							·06	·22	9
10	·04	·12	·31					·02			·03	·37	10
11	·31										·63	·01	11
12	·02	·01	·53						·08		·35	·05	12
13			·01		·47				·39	·04	·02	·36	13
14	·01		·03									·62	14
15		·03	·04							·02	·21	·05	15
16	·01					·13				·01	·41	·24	16
17						·03					·04	·50	17
18		·22	·02	·01		·05				·05		·29	18
19	·02	·02		·02	·01	·60		·02	·27	·22	·24	·10	19
20	·02	·04	·08	·03				·20	·09	·03		·57	20
21		·15	·04					·18		·44		·13	21
22		·02	·01			·26		·03		·08	·01	·57	22
23	·01	·12	·39			·17	·13		·24	·08		·34	23
24		·09	·04			·34	·01	·10		·60		·12	24
25		·07	·03	·03	·14	·04			·05	·02		·07	25
26		·08		·21		·03				·40	·21	·21	26
27		·34	·18	·02				·35	·29	·02	·10	·23	27
28		·24		·14			·09	·09			·07	·01	28
29			·01	·02		·21	·03		·19	·41	·02		29
30			·03	·03	·20	·02		·48	·03	·15	·01	·02	30
31					·01								31
Total	1·25	1·55	2·18	·75	1·53	1·88	·32	1·98	1·66	3·16	3·39	6·93	TOTAL for year 26·58
No. of Rain Days	17	14	22	15	7	11	5	13	10	20	23	28	185

9,000, IX. '10.

DL

REG 1911

FORM A2. BRITISH RAINFALL 26 JAN 1912

364

Kept at Stow on the Wold, Town

in the County of E. Gloucestershire 7

by D. W. Horner

RAIN GAUGE Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·04	·05			·06	·02			·03	·06	1
2	·05		·04	·10	·32			·20		·28	·18	·16	2
3	·01				·38			·04		·02	·07	·03	3
4	·04		·11	·03					·03	·13	·31	·43	4
5	·03		·02	·02				·25		·01	·06		5
6	·38		·02	·02							·03	·86	6
7	·01									·15	·27	·04	7
8	·21		·10								·03	·27	8
9	·05		·10	·02							·06	·22	9
10	·04	·12	·31					·02			·03	·37	10
11	·31										·63	·01	11
12	·02	·01	·53						·08		·35	·05	12
13			·01		·47				·39	·04	·02	·36	13
14	·01		·03									·62	14
15		·03	·04							·02	·21	·05	15
16	·01					·13				·01	·41	·24	16
17						·03					·04	·50	17
18		·22	·02	·01		·05				·05		·29	18
19	·02	·02		·02	·01	·60		·02	·27	·22	·24	·10	19
20	·02	·04	·08	·03				·20	·09	·03		·57	20
21		·15	·04					·18		·44		·13	21
22		·02	·01			·26		·03		·08	·01	·57	22
23	·01	·12	·39			·17	·13		·24	·08		·34	23
24		·09	·04			·34	·01	·10		·60		·12	24
25		·07	·03	·03	·14	·04			·05	·02		·07	25
26		·08		·21		·03				·40	·21	·21	26
27		·34	·18	·02				·35	·29	·02	·10	·23	27
28		·24		·14			·09	·09			·07	·01	28
29			·01	·02		·21	·03		·19	·41	·02		29
30			·03	·03	·20	·02		·48	·03	·15	·01	·02	30
31					·01								31
Total	1·25	1·55	2·18	·75	1·53	1·88	·32	1·98	1·66	3·16	3·39	6·93	TOTAL for year 26·58
No. of Rain Days	17	14	22	15	7	11	5	13	10	20	23	28	185

9,000, IX. '10.

Dl

Exd DSs

364

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Maugersbury, Stow-on-the-Wold

in the County of E. Gloucestershire 7

by D. W. Horner

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 590 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·05	·05			·03				·03	·04	1
2	·05		·04	·09	·30			·16		·26	·17	·16	2
3					·34			·08		·03	·06	·04	3
4	·04		·11	·01					·02	·12	·27	·36	4
5	·04			·01				·24		·02	·07	·01	5
6	·48		·02								·03	1·05	6
7	·02									·15	·30	·03	7
8	·20		·08								·04	·22	8
9	·06		·09								·05	·16	9
10	·02	·12	·30					·02			·03	·36	10
11	·30										·62	·01	11
12			·53						·05		·35	·05	12
13					·71				·36	·07	·02	·38	13
14			·03								·01	·61	14
15		·01	·04							·02	·22	·05	15
16						·15					·36	·25	16
17						·02					·05	·50	17
18		·31	·03	·07		·06				·04		·30	18
19		·02				·55			·21	·21	·21	·08	19
20	·03	·04	·07	·02				·20	·09	·03		·56	20
21		·17	·03					·14		·39		·11	21
22		·03				·23		·03		·10	·01	·66	22
23		·12	·37			·20	·06		·19	·05		·28	23
24		·08	·02			·35		·08		·60		·12	24
25	·01	·09	·02	·02	·14	·05			·04	·02		·07	25
26		·09		·18		·04				·37	·06	·20	26
27		·32	·17	·03				·32	·26		·12	·23	27
28		·21		·14			·08	·07			·05		28
29						·21	·02		·17	·41			29
30			·03	·04	·17	·03		·31	·03	·14		·02	30
31					·02								31
Total	1·28	1·61	2·03	·66	1·68	1·89	·19	1·65	1·42	3·03	3·13	6·91	TOTAL for year 25·48
No. of Rain Days	12	13	18	11	6	11	4	11	10	18	22	28	164

9,000, IX. '10.

8L

364

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stow-on-the-Wold Maugersbury

in the County of Gloucestershire 7

by D. W. Horner

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09			·13	·25		·02	·27		·17	1
2			·15	·03		·17	·58						2
3	·04		·05		·04	·13	·07	·63	·02			·12	3
4	·09		·71	·01	·17	·98		·03			·26		4
5	·24	·02	·03		·14			·58	·02		·02	·12	5
6	·27	·17			·02		·06	·95			·02	·08	6
7		·11	·02		·04	·84	·02	·13				·05	7
8	·31	·15	·38			·22	·16	·13	·06			·07	8
9	·03	·05	·24			·36		·09				·27	9
10		·07				·07		·07			·35	·01	10
11	·17	·12				·05		·08	·01		·12	·39	11
12	·06	·40	·21		·01		·03					·02	12
13	·01	·10						·01			·04	·02	13
14	·17		·41		·12			·04					14
15	·23	·10	·08		·33	·29		·02				·21	15
16	·44		·16		·22	·03		·05		·07	·02		16
17	1·11		·14			·08		·37				·25	17
18	·06		·31					·03		·05		·02	18
19	·14	·04	·01		·01		·13	·32			·01		19
20	·03	·02	·41		·05		·25	·44		·27	·02		20
21	·01	·03	·16		·47			·26		·32	·01		21
22	·55	·07	·09		·36	·34	·77	·18		·03		·03	22
23	·15	·37	·29			·08	·22	·20		·02	·04	·36	23
24	·06	·02	·01			·22	·11	·08				·11	24
25						·43		·43			·33	·35	25
26		·04					·14	·60		·55	·26	·22	26
27						·10	·37			·67		·32	27
28		·09				·06	·19	·83	·17	·36	·24	·53	28
29		·08	·03			·54	·24	·03	·57	·17		·03	29
30			·05			·21	·15	·03	·11	·19			30
31					·12		·70	·09		·03		·06	31
Total	4·17	2·05	4·03	·04	2·10	5·33	4·44	6·70	·98	3·00	1·74	3·81	TOTAL for year 38·39
No. of Rain Days.	20	19	22	2	14	20	18	27	8	13	14	23	200

W. 8,000, X. '11.

Gl ✓ [illegible] 26.III.14 394

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

28 JAN 1914

Kept at Maugersbury, Stow on the Wold

in the County of Gloucestershire

by D. W. Horner

7

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·15	·25	·13	·07				1·10		·14	·01	1
2	·01	·13	·03	·15					·20	1·27	·05		2
3	·12		·07		·63					·01		·09	3
4	1·12		·08		·25		·04			·30	·03	·16	4
5	·02		·02			·12	·10			·15	·03	·01	5
6	·03		·11		·19	·15	1·03			·20	·01	·24	6
7		·38			·22	·04	·05			·36	·20	·01	7
8		·05			·15	·09				·16			8
9		·21			·01	·12	·09	·10	·17		·05		9
10	·09			(·03)	·01			·04			·40		10
11	·91			·37	·03					·07	·34	·02	11
12					·21						·52		12
13	·02		·03					·01	·31		·24		13
14	·12		·24				·17	·20		·07			14
15	·03	·12	·39	·55			·38		·10		·04		15
16	·04		·49	·05									16
17	·03		·13	·08		·03	·11					·01	17
18	·09		·14	·11	·02		·06		·58		·04		18
19	·36		·10			·07	·05		·22			·04	19
20	·15		·11	·07						·23	·15		20
21			·17	·11	·12		·06			·02	·37		21
22	·47		·38					·10	·35				22
23						·02			·02			·08	23
24	·02			·03				·02					24
25		·09		·11						·02		·01	25
26		·05		·40	·01			·11		·14		·24	26
27		·02	·10	·28							·01		27
28	·33		·14	·46						·14	·01	·03	28
29	·02		·41	·54						·03		·06	29
30	·25									·23	·04		30
31	·01		·05		·09								31
Total	4·27	1·20	3·44	3·47	2·01	·64	2·14	·58	3·05	3·40	2·67	1·01	YEAR'S TOTAL 27·88
Rain Days.	22	9	20	16	14	8	11	7	9	16	18	14	164

W. 7,500, XI. ·12

82 1 Write 1.IV.15

cnd by Obr 8.IV.15

360
64

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Stow-on-the-Wold Maugersbury

in the County of Glos. 7

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·09			·15	·31			·07	·07	1
2							·20	·08			1·08	·32	2
3	·03		·08	·03	·35		·31	·05			·05	·03	3
4	·27		·02	·18	·04		·04	·21			·48	·49	4
5	·01		·04	·19	·08	·02	·30				·34	·01	5
6	·02	·03	·02	·06	·09	·03		·03			·13	·30	6
7	·01	·53	·20	·08	·22	·04	·14	·12	·03		·01	·05	7
8	·02	·07	·27	·03	·17	·94	·28	·13			·01	·04	8
9	·14	·02	·30	·09	·06	1·11		·04	·09				9
10	·02	·37	·14	·11	·06	·02			·31				10
11		·10	·34	·03	·10	·48			·01		·23	·35	11
12		·06	·17			·02	·30		·34		·07	·30	12
13	·01	·42	·33						·19	·06	·04	·40	13
14	·01	·19	·20				·15		·02	·76	·22		14
15	·05	·01	·09				·02	·01	·16	·03	·10		15
16			·03						·17				16
17		·25	·10						·10			·46	17
18			·01			·09	·16					·38	18
19			·18				1·02				·08	·07	19
20		·29	·20			·08	·02					·19	20
21		·39	·05							·20		·15	21
22			·04		·05	·03				·15			22
23		·04	·10		·14		·02	·02		·12		·01	23
24		·01	·05		·12		·02	·03		·12	·05		24
25	·10		·17				·14	·29		·37	·03	·19	25
26			·06				·05	·03		·08	·22	·50	26
27	·06		·03							·03	·08	·19	27
28		~~·08~~	·08		·03					·02	·15	·60	28
29	·02		·13		—					·34	·68		29
30	·04		·16		—	·04				·12	·47	·84	30
31	·03						·24			·02			31
Total	·84	2·78 ~~2·86~~	3·61	·89	1·51	2·90	3·56	1·35	1·42	2·42	4·59	5·94	YEAR'S TOTAL 31·81
Rain Days.	16	15 ~~16~~	29	10	13	12	18	13	10	14	21	22	193

W.7,000, XI. 13

DL

only one stats 22.III.16

22 61

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Stow-on-the-Wold - Maugersbury
in the County of Gloucestershire
by D. W. Horner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·02	·10		·12			·02	·36	·19	·04	·08	1
2	·22	·16	·24	·11		·04		1·17	·01	·44		·09	2
3	1·15	·24	·07	·13	·02		·10	·18		·04		·17	3
4		·03			·03		1·08?	·02				·63	4
5		·64		·01	·02		·04	·06				·41	5
6	·24	·17		·21			·50	·01				·20	6
7	·06	·65			·07	·09	·25	·10				·13	7
8	·20	·38		·06			·05	·03			·03		8
9	·10			·15		·02		·02			·12	·60	9
10	·31		·03	·03				·09				·02	10
11	·04		·04	·11	·02			·01			·83		11
12	·04	·05		·18	·53			·14		·04	·75	·06	12
13		·52			·81								13
14	·03	·07						·33	·04			·55	14
15	·39				·09		·03	·01	·02		·03	·15	15
16	·05	·88			·17		·80	·04				·07	16
17		·66			·86							·02	17
18		·39	·11	·04									18
19		·01	·04		·06		·12						19
20	·28											·13	20
21	·10	·03					·11			·16		·07	21
22	·17	·08	·24	·06			·50					·24	22
23		·12	·11			·01	·09		·08	·62		·30	23
24		·03	·07	·07		·05	·10		·62	·28		·17	24
25						1·14	·09			·05		·26	25
26		·11				·03	·04					·51	26
27		·05				·11	·30			·51		·06	27
28		·07				·03	·08		·35	·03		·02	28
29							·02	·13			·13	·04	29
30		X				·50	·02			·20	·27	·16	30
31	·04	X		X		X	·01	·04	X	·87	X	·41	31
Total	3·64	5·36	1·05	1·16	2·80	2·02 ~~1·52~~	4·33?	2·40	1·48	3·43	2·20	5·55	YEAR'S TOTAL 35·42
Rain Days.	17	22	10	12	12	10 ~~9~~	19	17	7	12	8	26	172

W. 8,000. X. 14.

and by Horner Exd C F C

2261

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1916.

Kept at Stow-on-the-Wold (Maugersbury.)
in the County of Gloucester.
by Miss Sangster for Mrs Carter.

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Stow-on-the-Wold G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-25	— —	-03	— —	-10	-05	-42	— —	— —	-04	-31	— —	1
2	-34	-04	-23	— —	-38	— —	— —	— —	-03	-74	-03	— —	2
3	-03	-87	— —	— —	-03	— —	— —	— —	-08	-41	-11	— —	3
4	-44	-06	— —	— —	-23	-37	— —	— —	-04	-02	-40	— —	4
5	-05	-02	— —	— —	-15	-06	-07	— —	— —	-09	-26	— —	5
6	-03	-21	-11	-03	-21	-15	-62	— —	— —	-11	-66	— —	6
7	-04	— —	-35	— —	-04	-03	-14	— —	— —	-10	-49	-13	7
8	-03	— —	-09	— —	-12	— —	— —	— —	— —	— —	-03	-31	8
9	-02	— —	-04	— —	-14	-17	— —	— —	— —	— —	-02	-04	9
10	-01	-38	-22	-09	-01	-04	— —	— —	-03	-06	-02	— —	10
11	-04	-05	-07	-08	-04	-18	— —	— —	— —	— —	— —	-46	11
12	-03	-04	-07	-20	-33	-02	-29	-03	— —	-13	— —	— —	12
13	-02	-30	-18	-05	— —	— —	-18	-09	— —	-02	-02	— —	13
14	— —	-30	-02	— —	-03	— —	— —	-05	— —	-03	— —	— —	14
15	— —	-28	-56	-03	-13	— —	-02	-21	— —	-04	— —	— —	15
16	-04	-09	-21	-19	-08	— —	-09	-22	— —	— —	— —	— —	16
17	-15	-18	— —	-26	— —	— —	-03	-21	-38	-57	— —	— —	17
18	— —	-09	-43	-14	— —	— —	— —	-23	-16	-10	-64	-29	18
19	-14	— —	-07	-29	— —	— —	— —	— —	-13	— —	-38	— —	19
20	-17	— —	-35	-06	— —	— —	— —	— —	— —	— —	-02	-48	20
21	-07	— —	-78	-03	-05	— —	-05	— —	— —	— —	-02	1-10 ?	21
22	— —	— —	-03	— —	-11	-02	— —	-05	— —	— —	— —	-68	22
23	-03	-45	— —	— —	— —	— —	— —	-03	— —	-07	-26	-18	23
24	— —	-06	— —	-02	-11	-31	— —	-24	— —	-14	-02	-26	24
25	— —	-50	-17	— —	-01	— —	— —	-14	-80	-21	-20	— —	25
26	-02	-08	-05	— —	— —	-22	— —	-15	-06	-17	-04	— —	26
27	-07	-17	1.02	— —	— —	-04	Trace	-24	-05	-55	— —	— —	27
28	— —	-68	1.77	— —	— —	-10	— —	-04	-23	-10	— —	-25	28
29	— —	-14	— —	— —	— —	-39	— —	2.19	— —	-43	— —	-21	29
30	— —	X	— —	— —	-03	-04	— —	— —	— —	-20	— —	-02	30
31	— —	X	— —	X	— —	X	— —	— —	X	-21	X	-07	31
Total	2.02	4.99	6.45	1.47	2.33	2.19	1.91	4.12	9.99	4.48	3.93	~~3.48~~ 4.48	YEAR'S TOTAL. ~~39.30~~ 40.36?
Rain Days.	21	21	6.45 22	13	20	16	1.91 10	15	1.99 11	23	19	4.48? 14	205

6.45

? ?

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Dh

2153 ~~36~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Maugersbury, Stow-on-the-Wold

in the County of Gloucestershire

by D. W. Horner

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·05		·03		·72	·44		·09	·02	1
2		·02	·02			·08		·03		·02	·04	·02	2
3	·04	·02		·09				·29		·40	·03		3
4		·18	·24					·21		·38		·02	4
5	26		·08	·15				·01	·11	·15	09		5
6			·28			·20				·07	·08	·02	6
7	·37		·02				·32	·12		·50		·03	7
8	·63		·01	·16			·74	·27		·52	11	·18	8
9	·09		·14	·11	·28		·02	·08			·20	·02	9
10	·27		·26	·28	·14			·07			·02	·02	10
11	·12	·03	·19	·42				·32	·73	·16	·03		11
12	·11	·02	·07	·03	·03			·08		·21	·02	·01	12
13			·06	·07		·02		·16	·05	·01	·02	·01	13
14	·05			·10				·02		·03	·01	·01	14
15	·02			·02			·03	·22		·15		·07	15
16	·08	·09		·37	07		·08			·10		·96	16
17		·02		·14	·63	·20	·30	06	·19	·16	·02		17
18	02	·04		·02	·08	·02	·35		1·13	·04	·02		18
19	·03	·27	·11			·01			·02		·01		19
20	·03	·12	·07		·51	·03	·09		·03		·02		20
21		·02	·11		·04	·08					06		21
22	·03		·10			·03		·03		·14	·02		22
23		·21			·05			·31		·02			23
24		·08	·02			·15		·15		·39	·07	·05	24
25		·12	·16				·08		·02		·02		25
26			·03			·02		·52	·12		·27		26
27		·02			1·48	·02		·80			·02		27
28		·02	·06			·67		·17				·04	28
29			·03		·04	·18	·11	·05		·51		·29	29
30	·07	X	·05				·42	·25		·04		·02	30
31	·03	X	·16	X		X	·02	·08	X	·03	X	·04	31
Total	2·25	1·28	2·35	2·01	3·35	1·74	2·56	5·02	2·84	4·03	1·27	1·83	YEAR'S TOTAL 30·53
Rain Days.	17	16	23	14	11	15	12	24	10	21	22	18	203

W. 8,000, VIII. 16

Stow-on-the-Wold W D.L. 96

REGISTER OF RAINFALL IN 1918.

FORM A. BRITISH RAINFALL.

8 · 1 · 19

Kept at (Maugersbury.)
in the County of Gloucester
by D. W. Horner.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	—												
1	—	·02	·02	·07	·02	—	—	·05	—	·02	·34	·03	1
2	—	·13	—	·05	—	—	—	·15	·03	·02	·05	·09	2
3	—	·06	·04	·08	·13	—	—	·14	·27	·02	·09	·03	3
4	—	·10	·03	—	—	—	—	·05	·21	—	·96	·08	4
5	—	·03	·02	·02	·32	—	—	—	·21	·12	·04	·02	5
6	·05	·15	·01	·12	—	·03	—	·09	·02	·05	—	·04	6
7	·04	·10	—	·05	·24	·03	—	—	·03	·14	·26	·05	7
8	·02	·07	—	—	—	—	—	—	·11	·10	—	·05	8
9	·03	·18	—	·18	—	·31	·25	—	·46	·46	—	·10	9
10	·05	—	—	·06	—	·03	·23	—	·14	·17	·02	·20	10
11	·02	—	—	·03	·02	—	·03	—	·03	·11	·04	·09	11
12	—	·04	·09	·02	·21	—	·16	—	·04	·03	—	·02	12
13	·02	·02	—	·01	·04	—	·10	—	·26	·04	—	·15	13
14	·32	—	·05	·02	·02	·05	·45	—	·45	·11	·02	·10	14
15	·64	—	—	·76	—	—	·20	—	·03	—	—	·23	15
16	·24	—	—	·75	—	·22	—	—	·16	·05	—	·03	16
17	·22	—	—	·10	·02	—	·34	·01	·03	·04	—	·09	17
18	·65	—	—	—	—	·31	·04	—	·28	·03	—	·37	18
19	·04	·03	·10	·05	—	—	·03	—	·02	·08	—	·03	19
20	·03	·10	—	·35	—	·05	·07	—	·25	·17	·02	·08	20
21	·07	·02	—	·51	—	·03	·06	—	·47	·13	—	·10	21
22	·13	·02	—	—	·14	—	·11	—	·13	·16	·01	·38	22
23	·05	—	—	—	·55	·02	·28	—	·13	·02	·02	—	23
24	·02	·12	—	—	—	—	·05	·01	·05	—	·09	—	24
25	—	—	—	—	—	—	·14	·26	—	·05	—	—	25
26	—	·02	—	—	—	—	·47	·03	·02	·05	·11	·22	26
27	—	·03	·01	—	—	—	·03	·23	·12	—	·13	·05	27
28	—	·17	·35	·02	—	—	—	—	—	—	·18	·04	28
29	—		·03	—	—	—	—	—	1·50	—	·03	·02	29
30	—	✕	·31	—	—	—	—	—	·04	·02	·11	·10	30
31	—	✕	·16	✕	—	✕	—	·06	✕	·02	✕	·02	31
Total	2·64	1·41	1·22	3·25	1·71	1·08	3·04	1·08	5·49	2·21	2·52 ✓	2·81	YEAR'S TOTAL 28·46 ✓
Rain Days.	18	19	13	19	11	10	18	11	27	25	18	28	217 ✓

W. 6,500, VII. 18. W W C

81

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Maugersbury, Stow-on-the-Wold
in the County of Gloucestershire
by D. W. Horner

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·05											1
2	·11												2
3	1·19												3
4	·14												4
5		·68											5
6	·04												6
7	·09												7
8	·12												8
9	·08												9
10	04												10
11	·03												11
12													12
13	·05												13
14	·42	·03											14
15	·30	·02											15
16	·07	·86											16
17	·03	·50											17
18													18
19	·26	·33											19
20	·42	·07											20
21	·03	·50											21
22		·36											22
23													23
24													24
25	·12												25
26	·04												26
27	·28												27
28	·03												28
29	·05												29
30	·02	X											30
31		X		X		X			X		X		31
Total	4.26	3.40											YEAR'S TOTAL
Rain Days.	24	10											

W. 6,500. VII. 18. w w c

GLOUCESTER

STOW-ON-THE-WOLD.
"QUAR WOOD"
1911 -1919

REGI 911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Quar Wood

in the County of Glouces

by Mr. Bryant

nowdon

op 5 in.

above Ground 1 ft. 0 in.

„ Sea Level 690 ft.

9 am

ion { Name Stow-on-the-Wold
Distance 2/3 mls Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	·05	·05	—	—	·07	·01	—	—	·03	·06	1
2	·05	—	·04	·10	·33	—	—	·19	—	·35	·19	·17	2
3	—	—	—	—	·39	—	—	·05	—	·02	·08	·04	3
4	·04	—	·12	—	—	—	—	—	·03	·12	·32	·37	4
5	·03	—	—	·01	—	—	—	·25	—	—	·09	—	5
6	·41	—	·02	·01	—	—	—	—	—	—	·04	·82	6
7	·02	—	—	—	—	—	—	—	—	·13	·31	·03	7
8	·21	—	·09	—	—	—	—	—	—	—	·04	·27	8
9	·07	—	·09	·01	—	—	—	—	—	—	·06	·22	9
10	·02	·15	·30	—	—	—	—	·02	—	—	·03	·33	10
11	·31	—	—	—	—	—	—	—	—	—	·61	·01	11
12	—	—	·52	—	—	—	—	—	·06	—	·41	·01	12
13	—	—	—	—	·38	—	—	—	·37	·07	·02	·40	13
14	—	—	·04	—	—	—	—	—	—	—	—	·65	14
15	—	·03	·04	—	—	—	—	—	—	·02	·22	·06	15
16	—	—	—	—	—	·15	—	—	—	—	·40	·22	16
17	—	—	—	—	—	·03	—	—	—	—	·06	·47	17
18	—	·35	·02	·08	—	·04	—	—	—	·05	—	·25	18
19	·01	·04	—	—	—	·62	—	·02	·26	·28	·20	·09	19
20	·02	·04	·10	·03	—	—	—	·20	·11	·03	—	·57	20
21	·01	·19	·04	—	—	—	—	·15	—	·44	—	·12	21
22	—	·01	·01	—	—	·27	—	·03	—	·10	·01	·65	22
23	—	·15	·42	—	—	·20	·09	—	·22	·07	—	·30	23
24	—	·09	·04	—	—	·36	—	·10	—	·63	—	·12	24
25	—	·12	·02	·03	·15	·06	—	—	·05	·02	—	·07	25
26	—	·09	—	·20	—	·04	—	—	—	·39	·19	·22	26
27	—	·35	·17	·03	—	—	—	·34	·26	·01	·10	·25	27
28	—	·24	—	·16	—	—	·12	·09	—	—	·06	—	28
29	—	×	—	·02	—	·24	·02	—	·20	·40	—	—	29
30	—	×	·04	·09	·19	·02	—	·30	·04	·15	—	·02	30
31	—	×	—	×	·01	×	—	—	×	—	×	—	31
Total	1·25	1·85	2·17	·82	1·45	2·03	·30	1·75	1·60	3·28	3·47	6·79	TOTAL for year ✓ 26·76
No. of Rain Days.	13	13	19	13	6	11	4	13	10	18	21	27	168

W. 8,000, X. '11.

Slade

REGI 911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Quar Wood

in the County of Gloucester 7

by Mr Bryant

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 690 ft.

Time of Observation 9 am

Nearest Railway Station
Name Stow-on-the-Wold
Distance 2/3 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·05	·05	—	—	·07	·01	—	—	·03	·06	1
2	·05	—	·04	·10	·33	—	—	·19	—	·35	·19	·17	2
3	—	—	—	—	·39	—	—	·05	—	·02	·08	·04	3
4	·04	—	·12	—	—	—	—	—	·03	·12	·32	·37	4
5	·03	—	—	·01	—	—	—	·25	—	—	·09	—	5
6	·41	—	·02	·01	—	—	—	—	—	—	·04	·82	6
7	·02	—	—	—	—	—	—	—	—	·13	·31	·03	7
8	·21	—	·09	—	—	—	—	—	—	—	·04	·27	8
9	·07	—	·09	·01	—	—	—	—	—	—	·06	·22	9
10	·02	·15	·30	—	—	—	—	·02	—	—	·03	·33	10
11	·31	—	—	—	—	—	—	—	—	—	·61	·01	11
12	—	—	·52	—	—	—	—	—	·06	—	·41	·01	12
13	—	—	—	—	·38	—	—	—	·37	·07	·02	·40	13
14	—	—	·04	—	—	—	—	—	—	—	—	·65	14
15	—	·03	·04	—	—	—	—	—	—	·02	·22	·06	15
16	—	—	—	—	—	·15	—	—	—	—	·40	·22	16
17	—	—	—	—	—	·03	—	—	—	—	·06	·47	17
18	—	·35	·02	·08	—	·04	—	—	—	·05	—	·25	18
19	·01	·04	—	—	—	·62	—	·02	·26	·28	·20	·09	19
20	·02	·04	·10	·03	—	—	—	·20	·11	·03	—	·57	20
21	·01	·19	·04	—	—	—	—	·15	—	·44	—	·12	21
22	—	·01	·01	—	—	·27	—	·03	—	·10	·01	·65	22
23	—	·15	·42	—	—	·20	·09	—	·22	·07	—	·30	23
24	—	·09	·04	—	—	·36	—	·10	—	·63	—	·12	24
25	—	·12	·02	·03	·15	·06	—	—	·05	·02	—	·07	25
26	—	·09	—	·20	—	·04	—	—	—	·39	·19	·22	26
27	—	·35	·17	·03	—	—	—	·34	·26	·01	·10	·25	27
28	—	·24	—	·16	—	—	·12	·09	—	—	·06	—	28
29	—	×	—	·02	—	·24	·02	—	·20	·40	—	—	29
30	—	×	·04	·09	·19	·02	—	·30	·04	·15	—	·02	30
31	—	×	—	×	·01	×	—	—	×	—	×	—	31
Total	1·25	1·85	2·17	·82	1·45	2·03	·30	1·75	1·60	3·28	3·47	6·79	TOTAL for year 26·76
No. of Rain Days.	13	13	19	13	6	11	4	13	10	18	21	27	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at Quar Wood, Stow-on-the-Wold

in the County of Gloucester

by Mrs Bryant

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Stow on the Wold
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	—	—	·18	·28	—	·02	·24	—	·10	1
2	—	—	·17	·02	—	·19	·58	—	—	—	—	·03	2
3	·04	—	·06	—	·03	·13	·10	·66	·02	—	·01	·12	3
4	·12	—	·82	—	·18	1·03	—	·03	—	—	·26	—	4
5	·22	·08	·04	—	·14	·01	—	·63	·02	—	—	·13	5
6	·32	·12	—	—	·03	—	·06	·81	—	—	·01	·10	6
7	—	·13	·02	—	·04	·80	·03	·14	—	—	—	·07	7
8	·35	·18	·40	—	—	·28	·14	·14	·04	—	—	·08	8
9	·03	·07	·25	·04	—	·37	·01	·10	—	—	—	·28	9
10	—	·08	—	·01	—	·10	—	·07	—	—	·29	—	10
11	·15	·13	·01	—	—	·06	—	·10	—	—	·12	·43	11
12	·07	·35	·22	—	·01	—	·01	—	—	—	·02	·02	12
13	—	·10	—	—	—	—	·02	—	—	—	·01	·02	13
14	·19	—	·45	—	·11	—	—	·06	—	—	—	—	14
15	·24	·12	·07	·01	·30	·32	—	·02	—	—	—	·24	15
16	·39	—	·19	—	·28	·03	—	·06	—	·09	·02	—	16
17	·84	—	·15	—	—	·08	—	·40	—	—	—	·30	17
18	·24	—	·32	—	—	—	—	·04	—	·05	·01	·02	18
19	·14	·04	·01	—	—	—	·14	·27	—	—	·01	—	19
20	·03	·02	·49	—	·09	—	·25	·42	—	·28	·01	—	20
21	—	·05	·18	—	·48	—	·02	·25	—	·32	—	—	21
22	·64	·10	·11	—	·30	·35	·81	·16	—	·03	—	·03	22
23	·08	·36	·28	—	—	·08	·19	·21	—	·02	·05	·40	23
24	·06	·02	—	—	—	·24	·34	·10	—	—	—	·15	24
25	—	—	—	—	—	·48	—	·44	—	—	·33	·38	25
26	—	·05	·02	—	—	—	·11	·55	—	·56	·30	·21	26
27	—	—	—	—	—	·10	·40	—	—	·66	—	·35	27
28	—	·10	—	—	—	·07	·19	·78	·22	·38	·25	·50	28
29	—	·11	·02	—	—	·49	·23	·04	·47	·17	·05	·02	29
30	—	×	—	—	—	·18	·15	·05	·16	·23	—	—	30
31	—	×	·06		·13	×	·70	·09	×	·03	×	·10	31
Total	4·15	2·21	4·46	·08	2·12	5·57	4·76	6·62	·95	3·06	1·75	4·08	YEAR'S TOTAL 39·81
Rain Days.	18	19	23	4	13	21	21	26	7	13	16	23	204

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Quar Wood
in the County of Gloucester
by Mr Bryant

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Stow-on-the-Wold
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·15	·23	·14	·04	–	–	–	·98	–	·20	–	1
2	–	·14	·02	·15	·01	–	–	–	·21	1·19	·06	–	2
3	·15	–	·09	–	·68	–	–	–	–	–	–	·14	3
4	1·20	·01	·08	–	·24	–	·02	–	·01	·34	·03	·15	4
5	·01	·01	·02	–	–	·07	·08	–	·01	·15	·03	–	5
6	·04	·02	·14	–	·23	·13	1·04	–	–	·23	–	·26	6
7	–	·42	–	–	·22	·03	·02	–	–	·44	·21	–	7
8	–	·06	–	–	·22	·12	–	–	–	·21	–	–	8
9	–	·22	–	–	·05	·13	·04	·13	·16	–	·06	·02	9
10	·10	–	–	·10	·02	–	–	·05	–	–	·37	–	10
11	1·00	–	–	·41	·01	–	–	–	–	·07	·40	–	11
12	–	–	–	–	·24	–	–	–	–	·01	·56	–	12
13	·05	–	·03	–	–	–	–	–	·31	–	·25	–	13
14	·14	–	·29	–	–	–	·18	·17	–	·08	–	–	14
15	·06	·13	·46	·61	–	–	·33	–	·10	–	·04	–	15
16	·04	–	·57	·06	–	–	–	–	–	–	·01	–	16
17	·05	·03	·09	·10	–	·05	·12	–	–	–	·02	–	17
18	·09	–	·17	·13	·02	–	·06	–	·85	–	·03	–	18
19	·33	–	·09	–	·02	·13	·05	–	·21	–	–	·07	19
20	·13	–	·13	·08	–	–	–	–	–	·27	·19	–	20
21	–	–	·20	·11	·14	–	·06	–	–	–	·40	–	21
22	·49	–	·45	–	–	·01	–	·12	·38	–	–	–	22
23	–	–	–	–	–	·04	–	–	–	–	–	·08	23
24	·02	–	–	·04	–	–	–	·02	–	–	–	–	24
25	–	·06	–	·11	–	–	–	–	–	·03	–	–	25
26	–	·06	–	·38	·01	–	–	·11	–	·15	–	·28	26
27	–	·03	·09	·26	·02	–	–	–	–	·05	–	–	27
28	·36	–	·24	·51	–	–	–	–	–	·16	–	·05	28
29	·01		·54	·55	–	–	–	–	–	·02	–	·10	29
30	·30		–	–	–	–	–	–	–	·30	·05	–	30
31	·01		·07		·12		–	–		–		–	31
Total	4·60	1·34	4·00	3·74	2·29	·71	2·00	·60	3·22	3·70	2·91	1·15	YEAR'S TOTAL 30·26
Rain Days.	21	13	20	16	17	9	11	6	10	16	17	9	165

W.7,000, XI. 13

Ex. mg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 - JAN 1915

Kept at Quar Wood Stow-on-the-Wold

in the County of Gloucester

by Mr Bryant

7

Lat. ...... Long. ——

Time of Observation 9. am

Nearest Railway Station Stow-on-the-Wold

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	·10	–	–	·19	·29	–	–	·08	·09	1
2	–	–	·01	–	–	·01	·19	·09	–	–	1·10	·35	2
3	–	–	·09	·04	·38	–	·33	·08	–	–	–	·02	3
4	·28	–	·03	·20	·04	–	·05	·20	–	–	·51	·47	4
5	·02	–	·04	·20	·13	·02	·35	–	–	–	·38	–	5
6	·02	·06	–	·07	·13	·04	–	·03	–	–	·14	·29	6
7	–	·58	·22	·10	·23	·02	·15	·12	·03	–	–	·05	7
8	·02	·03	·27	·06	·18	·95	·21	·17	–	–	–	·04	8
9	·16	·01	·32	·10	·04	1·14	–	·05	·16	–	–	–	9
10	·03	·35	·15	·13	·10	·03	–	–	·34	–	–	·01	10
11	–	·10	·31	·08	·12	·49	–	–	·01	–	·26	·38	11
12	–	·07	·18	–	–	·01	·32	–	·34	–	·08	·33	12
13	–	·45	·32	–	–	–	–	–	·21	·06	·04	·39	13
14	–	·22	·20	–	–	–	·17	–	–	·74	·24	·02	14
15	·07	·01	·11	–	–	–	–	·01	·17	·02	·12	·01	15
16	·03	–	·02	–	–	–	·01	–	·12	–	–	–	16
17	–	·28	·08	–	–	–	–	–	·15	–	–	·41	17
18	–	–	–	–	–	–	·17	–	–	–	–	·41	18
19	–	–	·04	–	–	–	1·04	–	–	–	·08	·06	19
20	–	·32	·29	–	–	·08	–	–	–	–	–	·23	20
21	–	·42	·05	–	–	–	–	·03	–	·20	–	·15	21
22	–	–	–	–	·08	·05	·01	·04	–	·19	–	–	22
23	–	·05	·13		·14	–	·01	–	–	·11	–	·03	23
24	–	–	·06	–	·11	–	·01	–	–	·12	·07	–	24
25	·11	–	·18	–	·01	–	·11	·31	–	·38	·02	·13	25
26	–	–	·03	–	–	–	·04	·04	–	·08	·20	·51	26
27	·07	–	·04	–	–	–	–	–	–	·03	·07	·17	27
28	–	·12	·10	–	·01	–	–	–	–	·01	·18	1·08	28
29	·02		·14	–	·01	–	–	–	–	·31	·57	–	29
30	·04		·17		–	·05	–	–	–	·13	·48	·53	30
31	·04		–		–		·27	–		·02		·01	31
Total	·91	3·07	3·59	1·08	1·71	2·89	3·63	1·46	1·53	2·40	4·62	6·17	YEAR'S TOTAL 33·06
Rain Days.	13	15	27	10	15	12	18	13	9	14	18	25	189

W. 8,000. X. 14.

Ex MS

2326

FORM A.
BRITISH RAINFALL.
14. JAN 1916

REGISTER OF RAINFALL IN 19 15

Kept at Quar Wood. Stow on the Wold

in the County of Gloucester

by Mrs Bryant

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Stow-on the Wold

Diameter of Funnel of Rain Gauge 5 inches in.

Height of top of Gauge above Ground 1 foot ft. — in.

" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·18	·08	—	·11	—	—	·05	·34	·20	·04	·08	1
2	·23	·22	·21	·12	—	·04	—	1·14	—	·44	—	·09	2
3	·97	·02	·06	·13	·02	—	·08	·18	—	·02	—	·17	3
4	—	—	—	—	·02	—	·54	·02	—	—	—	·66	4
5	·01	·67	—	—	—	—	·03	·06	—	—	·02	·43	5
6	·23	·12	—	·18	—	—	·50	·01	—	—	—	·20	6
7	·06	·62	—	—	·04	·13	·25	·10	—	—	—	·14	7
8	·24	·27	—	·04	—	—	·05	—	—	—	—	—	8
9	·11	—	—	·14	—	·01	—	·05	—	—	·13	·59	9
10	·29	—	·03	·03	—	—	—	·18	—	·01	—	—	10
11	·04	—	·04	·11	·01	—	—	—	—	—	·80	·01	11
12	·05	·06	—	·13	·61	—	—	·11	—	·04	·72	·02	12
13	·02	·56	—	—	·80	—	—	—	—	—	—	·03	13
14	·02	·06	—	—	—	—	—	·29	·04	—	—	·55	14
15	·39	—	—	·02	·09	—	·02	·02	—	·07	·05	·15	15
16	·04	·78	—	—	·16	—	·70	·04	—	—	—	·08	16
17	—	·67	—	—	·90	—	—	—	—	—	—	·02	17
18	—	·34	·07	—	—	—	—	—	—	—	—	—	18
19	—	·01	·02	—	·07	—	·12	—	—	—	—	—	19
20	·28	—	—	·04	—	—	—	—	—	—	—	·14	20
21	·15	·02	—	—	—	—	·10	—	—	·09	—	·06	21
22	·08	·08	·25	·04	—	—	·51	—	—	—	—	·24	22
23	—	·11	·11	—	—	·05	·09	—	·08	·62	—	·31	23
24	·05	—	·06	·08	—	·02	·10	—	·51	·29	—	·16	24
25	—	—	—	—	—	1·15	·15	—	—	·06	—	·28	25
26	—	·11	—	—	—	·04	·04	—	—	—	—	·46	26
27	—	·05	—	—	—	—	·26	—	—	·55	—	·04	27
28	—	·06	—	—	—	·03	—	·07	·40	—	—	—	28
29	—	—	—	—	—	—	·05	·08	—	—	·11	·03	29
30	·04	X	—	—	—	·60	·01	—	—	·19	·26	·18	30
31	·01	X	—	X	—	X	·02	·03	X	·83	X	·35	31
Total	3·60	5·01	0·93	1·06	2·83	2·07	3·62	2·43	1·37	3·41	2·13	5·47	YEAR'S TOTAL 33·93
Rain Days.	21	20	10	12	11	9	19	16	5	13	8	26	170

W. 8,000. X. 15.

Exd C7E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
23. JAN 1917

Kept at *Quar Wood*

in the County of *Gloucester*

by *Mr Bryant*

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Stow-on-the-Wold

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	—	·02	—	·12	·06	·43	—	—	·05	·31	—	1
2	·34	·04	·25	—	·38	—	—	—	·03	·73	·03	—	2
3	—	·85	—	—	·02	—	—	—	·07	·41	·12	—	3
4	·42	·06	—	—	·20	·36	—	—	·05	·01	·46	—	4
5	·01	·02	—	—	·15	·05	·09	—	—	·08	·31	—	5
6	—	·22	·10	·02	·20	·13	·48	—	—	·13	·71	—	6
7	·04	—	·25	—	·04	·03	·13	—	—	·12	·48	·13	7
8	—	—	·05	—	·13	—	—	—	—	—	·02	·32	8
9	·01	—	·02	—	·14	·26	—	—	—	—	—	·03	9
10	—	·38	·09	·09	·02	·05	·03	—	·02	·07	·02	·01	10
11	·03	·04	·07	·08	·04	·15	—	—	—	—	—	·44	11
12	·02	·03	·05	·19	·37	·01	·30	·03	—	·14	—	—	12
13	—	·30	·07	·05	—	—	·13	·09	—	—	—	—	13
14	—	·38	·13	—	·04	—	—	·03	—	·02	—	—	14
15	—	·30	·67	·02	·11	—	·01	·25	·01	·01	—	—	15
16	·03	·07	·19	·19	·10	—	·09	·33	—	—	—	—	16
17	·15	·18	—	·28	—	—	—	·17	·42	·53	—	—	17
18	—	·07	·02	·13	—	—	—	·11	·15	·09	·64	·19	18
19	·15	—	·07	·25	—	—	—	—	·14	—	·31	—	19
20	·15	—	·32	·06	—	—	—	—	—	—	·02	·43	20
21	·07	—	·69	·07	·09	—	·05	—	—	—	—	·60	21
22	—	—	·03	—	·08	·02	—	—	—	·08	—	·68	22
23	·02	·49	—	—	—	·01	—	·05	—	·15	·19	·17	23
24	—	·44	—	·01	·11	·29	—	·04	—	·26	·01	·20	24
25	—	·41	·20	—	—	—	—	·39	·72	—	·20	·02	25
26	·01	·16	·05	—	—	·23	—	·14	·03	·19	·03	—	26
27	·06	·23	·55	—	—	·06	—	·29	·05	·55	—	—	27
28	—	·65	·26	—	—	·12	—	·02	·27	·10	—	·27	28
29	—	·15	—	—	—	·44	—	2·29	—	·43	·02	·22	29
30	—	X	·02	—	·02	·05	—	—	—	·19	—	—	30
31	—	X	—	X	—	X	—	·02	X	·26	X	·07	31
Total	1·72	5·47	4·17	1·44	2·36	2·32	1·74	4·25	1·96	4·60	3·88	3·78	YEAR'S TOTAL 37·69
Rain Days.	16	21	23	13	19	17	10	15	12	22	17	15	200

2152

FORM A.
BRITISH RAINFALL

10 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Quar Wood, Stow-on-the-Wold
in the County of Gloucester
by Mr Bryant

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Stow-on-the-Wold
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·09	·06	–	·03	–	·66	·46	–	·10	·01	1
2	–	–	·02	–	–	·11	–	·04	–	·03	·04	·02	2
3	·04	·01	–	·18	–	–	–	·29	–	·44	–	–	3
4	–	·16	·24	–	–	–	–	·14	–	·38	–	·02	4
5	·27	–	·09	·15	–	–	–	–	·11	·18	·10	–	5
6	·01	–	·26	–	–	·25	–	–	–	·07	·09	–	6
7	·37	–	–	–	–	–	·33	·11	–	·49	–	·03	7
8	·41	–	–	·18	–	–	·74	·30	–	·55	·11	·13	8
9	·04	–	·18	·08	·21	–	·01	·07	·02	–	·21	–	9
10	·26	–	·27	·26	·21	–	–	·09	–	·01	–	–	10
11	·16	·03	·20	·35	–	–	–	·39	·79	·15	·03	–	11
12	·10	–	·06	·03	·02	–	–	·07	–	·21	·02	–	12
13	·01	–	·07	·06	–	–	–	·16	·05	–	–	–	13
14	–	–	–	·08	–	–	–	·01	–	·02	–	–	14
15	·02	–	–	–	–	–	·06	·25	–	·14	–	·03	15
16	·06	·10	–	·39	·08	–	·09	–	–	·10	–	1·04	16
17	–	·01	–	·14	·63	·07	·32	·04	·19	·17	–	–	17
18	·02	·04	–	·01	–	·02	·36	–	1·16	·03	–	–	18
19	·02	·31	·17	–	·07	·02	–	–	·03	–	–	–	19
20	·02	·13	·02	–	·52	·02	·07	–	·03	–	–	–	20
21	·03	·01	·11	–	–	·15	–	–	–	·02	·06	–	21
22	–	–	·08	–	–	·01	–	·03	–	·14	–	–	22
23	–	·19	–	–	·05	–	–	·60	–	·02	–	·04	23
24	–	·07	·01	–	–	·15	–	·16	–	·30	·07	·01	24
25	–	·13	·11	–	–	–	·10	–	·02	–	·02	–	25
26	–	–	·02	–	–	·04	–	·55	·13	–	·30	–	26
27	–	–	·01	–	1·68	·01	–	·76	–	–	–	–	27
28	–	–	·06	–	–	·73	–	·19	–	–	–	·04	28
29	–		·02	–	·01	·17	·08	·04	–	·49	–	·29	29
30	·02	×	·05	–	–	–	·44	·27	–	·01	–	–	30
31	–	×	·21	×	–	×	·01	·09	×	·03	×	·06	31
Total	1·86	1·19	2·35	1·97	3·48	1·78	2·61	5·31	2·99	3·98	1·15	1·72	YEAR'S TOTAL 30·39
Rain Days.	17	12	22	13	10	14	12	23	11	22	12	12	180

W. 8,000, IX. 17.

152

Excd 9r

95

FORM A.
BRITISH RAINFALL
28 . 1 . 19

REGISTER OF RAINFALL IN 1918

Kept at Quar Wood. Stow-on-the-Wold

in the County of Gloucester

by Mrs Bazant

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Stow-on-the-Wold

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 690 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·02	—	·06	·02	—	—	·06	—	·02	·39	·03	1
2	—	·15	—	·05	—	—	—	·14	·03	·01	·06	·11	2
3	—	·05	·04	·07	·13	—	—	·21	·29	·02	·07	·03	3
4	—	·11	·02	—	—	—	—	·07	·21	—	·90	·10	4
5	—	·02	—	—	·31	—	—	·06	·21	·09	·05	·02	5
6	·05	·17	—	·13	—	·03	—	—	·06	·14	—	·05	6
7	·03	·12	—	·05	·20	—	—	—	·01	·07	·28	·06	7
8	·03	·08	—	—	—	—	—	—	·09	·14	—	·05	8
9	—	·22	—	·19	—	·31	·20	—	·47	·45	·01	·12	9
10	·04	—	—	·06	—	·01	·21	—	·17	·18	—	·22	10
11	·01	—	—	·02	—	—	·02	—	·02	·15	·03	·10	11
12	—	·04	·10	—	·20	—	·16	—	·06	·01	—	·01	12
13	—	·01	—	·02	·05	·01	·10	—	·28	·03	—	·16	13
14	·32	—	·05	—	—	·05	·48	—	·45	·14	—	·09	14
15	·54	—	—	·64	—	—	·21	—	—	—	—	·27	15
16	·25	—	—	·75	—	·35	·01	—	·17	·02	—	·03	16
17	·20	—	—	·10	—	—	·31	—	·04	·03	—	·11	17
18	·65	—	—	—	—	·36	·06	—	·33	·02	—	·39	18
19	·03	·03	·10	·06	—	—	·03	—	·02	·07	—	·02	19
20	·03	·11	—	·41	—	·05	·08	—	·26	·15	·01	·09	20
21	·07	—	—	·46	—	·02	·07	—	·49	·09	—	·09	21
22	·14	·02	—	—	·17	—	·13	—	·14	·15	—	·37	22
23	·07	—	—	—	·42	·01	·28	—	·15	·01	·02	·02	23
24	—	·12	—	—	—	—	·05	·02	·06	—	·09	—	24
25	—	—	—	—	—	·02	·14	·26	—	·04	·01	—	25
26	—	—	—	—	—	—	·46	—	·02	·05	·12	·25	26
27	—	·01	·03	—	—	·01	·01	·28	·13	—	·13	·06	27
28	—	·11	·33	—	—	—	—	—	—	—	·20	·04	28
29	—		·05	—	—	—	—	—	1·40	—	·01	·01	29
30	—	╳	·35	—	—	—	—	—	·05	·02	·12	·10	30
31	—	╳	·20	╳	—	╳	—	·07	╳	·02	╳	—	31
Total	2·47	1·39	1·27	3·07	1·50	1·23	3·01	1·17	5·61	2·12	2·50	3·00	YEAR'S TOTAL 28·34
P	16	17	10	15	8	12	19	9	26	25	17	28	202

VII. 18. w w c

8L

4791

2018

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Quar Wood, Stow-on-the Wold
in the County of Gloucestershire
by D. W. Horner

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·05	·09										1
2	·12		·02										2
3	1·08		·11										3
4	·02	·03	·45										4
5		·45	·43										5
6	·04		·11										6
7	·12		·28										7
8	·15		·03										8
9	·10												9
10	·04		·38										10
11	·02		·30										11
12			·29										12
13	·05												13
14	·46												14
15	·33	·01	·02										15
16	·08	·84											16
17	·01	·54											17
18			·40										18
19	·26	·31	1·16										19
20	·50	·08	·34										20
21	·02	·60	·04										21
22		·31	·01										22
23													23
24													24
25	·14												25
26	·05		·15										26
27	·22												27
28			·17										28
29	·06												29
30		X											30
31	·02	X		X		X			X		X		31
Total	4·21	3·22	4·78										YEAR'S TOTAL
Rain Days.	23	10	19										

W. 6,500. VII. 18. w w c

81

REGIS

Kept at Field Place

in the County of Gloucest

by A. N. Stanton

IMPORTANT NOTE.–
previous day. If an Observ
requested to add the reading
for it at the end of this pa
the selection and placing of
Organization are given in "R
Dr. H. R. Mill, 62, Camden

STROUD

FIELD PLACE

GLOUCESTER

1916 – 1920

FORM A.
BRITISH RAINFALL.
30. JAN 1917

uge in.
round ft. in.
ea Level ft.

e result entered to the
al rule, he is earnestly
n the space provided
t of rain,
n Rainfall
lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10				·22	·06	·34			·14	·18		1
2	·40	·05	·08		·17	·06				·85	·04		2
3		·65	·13		·10	·03			·08	·50	·08		3
4	·34	·05			·28	·24			·16	·08	·37		4
5	·14		·05		·12	·07	·33			·06	·13		5
6	·01	·25	·18		·26	·16	·32			·23	·54	·20	6
7	·01		·10		·05	·09	·02			·22	·61	·18	7
8	·06		·04		·22						·02		8
9			·03		·06	·12				·01	·03	·02	9
10		·46	·02	·05	·02	·08				·03		·10	10
11	·06	·06	·08	·05	·09	·45			·02	·01			11
12	·01	·02	·04	·04	·47		·08	·02					12
13		·29	·09	·01	·12		·01	·12		·12	·01	·05	13
14		·32	·03					·12		·03			14
15		·23	·11	·03	·05			·45		·03			15
16		·04		·16	·02		·54	·66		·02			16
17	·12	·11		·09			·01	·05	·20	·37			17
18		·04	·04					·05	·04	·22	·17		18
19	·13		·35	·32					·03		·44	·48	19
20	·19	·02	·40	·02							·03	·23	20
21	·10		·50		·09		·04					·62	21
22				·04	·07	·07				13	·02	·62	22
23	·03	·08				·01		·07		·07	·06	·13	23
24		·12		·03	·48	·10		·06		·34	·01	·24	24
25		·40	·18					·45	·02	03	·12		25
26		·37			·08	·10		·10	·05	·22			26
27	·03	·22	·85		·13		·17	·90	·22	·46			27
28		·19	·17			·01		·02	·24	·10		·20	28
29		·35				·13		1·52		·37		·55	29
30		X				·03		·04		·39		·01	30
31		X		X		X			X	·44	X		31
Total	1·73	4·32	3·47	·84	3·10	1·81	1·86	4·63	1·06	5·47	2·86	3·63	YEAR'S TOTAL 34·78
Rain Days.	15	21	20	11	20	17	10	15	10	26	17	14	196

W. 8,000. X. 15.

81

FORM A.
BRITISH RAINFALL.
30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Field Place, Stroud

in the County of Gloucestershire

by A. N. Stanton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·22	·06	·34			·14	·18		1
2	·40	·05	·08		·17	·06				·85	·04		2
3		·65	·13		·10	·03			·08	·50	·08		3
4	·34	·05			·28	·24			·16	·08	·37		4
5	·14		·05		·12	·07	·33			·06	·13		5
6	·01	·25	·18		·26	·16	·32			·23	·54	·20	6
7	·01		·10		·05	·09	·02			·22	·61	·18	7
8	·06		·04		·22						·02		8
9			·03		·06	·12				·01	·03	·02	9
10		·46	·02	·05	·02	·08				·03		·10	10
11	·06	·06	·08	·05	·09	·45			·02	·01			11
12	·01	·02	·04	·04	·47		·08	·02					12
13		·29	·09	·01	·12		·01	·12		·12	·01	·05	13
14		·32	·03					·12		·03			14
15		·23	·11	·03	·05			·45		·03			15
16		·04		·16	·02		·54	·66		·02			16
17	·12	·11		·09			·01	·05	·20	·37			17
18		·04	·04					·05	·04	·22	·17		18
19	·13		·35	·32					·03		·44	·48	19
20	·19	·02	·40	·02							·03	·23	20
21	·10		·50		·09		·04					·62	21
22				·04	·07	·07				·13	·02	·62	22
23	·03	·08				·01		·07		·07	·06	·13	23
24		·12		·03	·48	·10		·06		·34	·01	·24	24
25		·40	·18					·45	·02	·03	·12		25
26		·37			·08	·10		·10	·05	·22			26
27	·03	·22	·85		·13		·17	·90	·22	·46			27
28		·19	·17			·01		·02	·24	·10		·20	28
29		·35				·13		1·52		·37		·55	29
30		X				·03		·04		·39		·01	30
31		X		X		X			X	·44	X		31
Total	1·73	4·32	3·47	·84	3·10	1·81	1·86	4·63	1·06	5·47	2·86	3·63	YEAR'S TOTAL 34·78
Rain Days.	15	21	20	11	20	17	10	15	10	26	17	14	196

W. 8,000. X. 15.

dL 2085

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Field Place, Stroud

in the County of Gloucestershire

by A. W. Stanton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·28	·39		·08	·01	·82	·17		·08		1
2				·08		·15		·15		·04	·02		2
3	·04			·07			·04	·12		·67			3
4			·11				·11	·35		·39			4
5	·14	·21	·28	·20		·05		·36	·20	·25	·03		5
6			·70			·47				·07	·17		6
7	·21			·13			·39	·09		·28	·03	·03	7
8	·45		·20	·02		·05	·86	·41	·04	·30	·04	·18	8
9			·21	·15	·16			·33	·11	·04	·02		9
10	·24		·22					·15	·03	·03		·03	10
11	·09		·20	·25				·50	·70	·09	·02		11
12			·01	·07	·26			·08		·27	·03	·02	12
13			·06	·06		·05		·15	·09	·06	·01		13
14			·08	·04				·11		·02		·01	14
15			·01	·04				·12		·03		·13	15
16		·08		·07	·39		·01	·01		·10		·22	16
17				·05		·12	·18	·07	·16	·08			17
18	·05	·05					·37		1·25	·08			18
19		·30	·10			·03			·04	·01			19
20		·11	·15		·60	·12	·03		·01				20
21		·01	·11		·02	·05					·08		21
22		·14	·10			·06		·03		·10			22
23			·03		·09	·03		·36		·05		·05	23
24		·04				·12		·25		·06			24
25		·10	·06							·02			25
26			·01		·07			·27	·10		·06		26
27					·97	·03	·01	·65				·02	27
28		·02	·09		·04	·66		·21				·04	28
29			·13		·01	·52	·08	·01		·39		·19	29
30		×	·01				·27	·32		·02	·01	·01	30
31		×	·28	×		×	·01	·07	×		×		31
Total	1·22	1·06	3·43	1·62	2·61	2·59	2·37	5·99	2·90	3·45	·60	·93	YEAR'S TOTAL 28·77
Rain Days.	7	10	23	14	10	16	13	25	12	24	13	12	179

1·45

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
22 1 19

Kept at Field Place, Stroud
in the County of Gloucestershire
by A. W. Stanton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·06		·04	·11			·06			·01		1
2		·17						·41			·35		2
3		·09		·16	·15			·48	·27	·11	·03		3
4		·07	·06	·06				·08	·10	·12	·05		4
5					·15			·06	·27	·12	·74	·04	5
6		·14		·09		·04			·04		·10	·22	6
7		·10		·03	·41	·02			·12				7
8	·09	·12		–			·02		·08	·09	·31		8
9		·10		·08		·14	·06		·50	·13		·10	9
10	·02	·01		·23			·20		·26	·09		·15	10
11	·01			·03			·05		·12	·07			11
12	·01	·04	·26		·10		·17		·04			·08	12
13			·02	·01	·05		·04		·19			·04	13
14			·06			·12	·25		·39	·02		·24	14
15	·35			·56	·03	·02	·20			·03		·05	15
16	·73			·60		·04	·03		·15		·04		16
17	·68		·03	·13	·50		·22			·02			17
18	·13					·45	·37		·69	·04		·04	18
19	·75	·06	·08	·09			·10		·05	·02		·05	19
20	·05	·07		·16		·06	·04		·41	·05		·78	20
21	·02	·01		·03		·02			·37	·01		·15	21
22	·04			–	·07		·06		·79	·03			22
23	·08				·15		·20		·07	·07			23
24	·03	·24				·01	·31		·01				24
25							·15	·35	·02				25
26							·44	·04		·03	·04		26
27		·04				·04	·04	·16		·02	·26		27
28		·16	·24						·15				28
29			·06						·05			·26	29
30		×	·19						1·26		·26	·71	30
31		×	·30	×		×		·06	×	·01	×	·03	31
Total	3·03	1·48	1·30	2·30	1·72	·96	2·95	1·70	6·40	·01 ~~1·08~~ 1·09	~~2·19~~ 2·18	2·94	YEAR'S TOTAL 28·05
Rain Days.	15	16	10	15	10	11	19	9	24	~~19~~ 20	~~11~~ 10	15	174

W. 8,000, VIII. 16

DH

~~250~~ 1954

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Field Place, Stroud

in the County of Glos.

by A. W. Stanton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.14			.20						1
2	.12			.06			.17						2
3	.61												3
4	.09					.21		.06					4
5				.09									5
6		.31		.21	.15								6
7													7
8				.10									8
9				.06		.05							9
10	.65			.07									10
11	.03				.06		.35						11
12				.13		.69							12
13		.05		.29									13
14		.91		.02			.12						14
15	.79	.60			.05								15
16	.28												16
17				.24									17
18							1.29						18
19	.13					.19							19
20	.12					.03							20
21							.18						21
22						.03	.10						22
23						.06							23
24				.05									24
25	.10				.04								25
26			4.05	.03		.02	.08	.08					26
27		1.01						.89					27
28				.51									28
29	.09		.09	.25									29
30	.06	X	.21	.09		.22		.31					30
31		X		X		X			X		X		31
Total	3.07	2.88	4.37	2.34	.30	1.50	2.19	1.34?					YEAR'S TOTAL
Rain Days.	12			16	4	9	8	4					

W. 8,000, IX. 17.

1869

28 MAR 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Field Place Stroud

in the County of Gloucestershire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·30	1
2												·20	2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20												·45	20
21													21
22												·10	22
23												·30	23
24												·15	24
25												·04	25
26												·08	26
27												·03	27
28													28
29												·35	29
30		X										·40	30
31		X		X		X			X		X	·13	31
Total												2·53	YEAR'S TOTAL
Days with ·01 in. or more												12	
Days with ·04 in. or more												11	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

STROUD

STANLEY PARK

GLOUCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at

in the County of Glo

by Sir Wm H.

8 in.

ve Ground 1 ft. " in.

Sea Level 365 ft.

Name Dudbridge Mill

Distance 800 20 Direction N.N.E.

IMPORTANT NO[illegible] the result entered to the previous day. If an O[illegible] versal rule, he is earnestly requested to add the rea[illegible] year in the space provided for it at the end of th[illegible] ment of rain, the selection and placi[illegible] British Rainfall Organization are given i[illegible] sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06			·14							·05	·04	1
2	·03			·07	·39			·23		·11	·47	·31	2
3					·33			·07			·08	·06	3
4	·02		·17			·34				·22	·38	·46	4
5	·12		·04					·20		·04	·03		5
6	·40		·10								·08	·78	6
7	·02										·40		7
8	·20		·13								·03	·30	8
9	·18		·07								·12	·25	9
10	·03	·15	·48		·02			·08			·03	·31	10
11	·16				·16						·76	·03	11
12	·03		·58								·39	·12	12
13					·10				·52	·12	·01	·68	13
14												·80	14
15			·05								·30	·16	15
16						·27					·41	·30	16
17						·05					·06	·36	17
18		·42		·11		·24						·37	18
19			·02	·05		·18			·21	·13		·21	19
20	·02	·07	·11	·03					·14	·08		·70	20
21		·16	·09					·42		·43		·13	21
22		·03	·07	·02		·61				·10		·46	22
23		·21	·18			·02	·04		·11	·16		·24	23
24		·09				1·21		·16		·46		·18	24
25		·07	·02	·02	·02	·07			·02	·06			25
26		·16		·22	·02	·03		·02		·38	·15	·15	26
27		·24	·23					·30	·47		·13	·12	27
28		·24		·28				·16			·03		28
29				·04		·27	·02		·08	·28			29
30				·05	·02	·09				·12	·03		30
31										·05			31
Total	1·27	1·84	2·34	1·03	1·06	3·38	·06	1·64	1·55	2·74	3·94	7·52	TOTAL for year 28·37
No. of Rain Days.	12	11	15	11	8	12	2	9	7	15	20	24	146

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at STANLEY PARK, STROUD, GLOS.
in the County of Gloucester 3
by Sir Wm H. Marling Bt.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level 365 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Dudbridge Mid.
Distance 800 20 Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·	·14							·05	·04	1
2	·03	—	·	·07	·39			·23		·11	·47	·31	2
3	·	·	·		·33			·07			·08	·06	3
4	·02	·	·17			·34				·22	·38	·46	4
5	·12	·	·04					·20		·04	·03		5
6	·40	·	·10								·08	·78	6
7	·02	·									·40		7
8	·20	·	·13								·03	·30	8
9	·18	·	·07								·12	·25	9
10	·03	·15	·48		·02			·08			·03	·31	10
11	·16	·			·16						·76	·03	11
12	·03	·	·58								·39	·12	12
13	·	·			·10				·52	·12	·01	·68	13
14	·	·										·80	14
15	·	·	·05								·30	·16	15
16	·	·				·27					·41	·30	16
17	·	·				·05					·06	·36	17
18	·	·42		·11		·24						·37	18
19	·	·	·02	·05		·18			·21	·13		·21	19
20	·02	·07	·11	·03					·14	·08		·70	20
21	·	·16	·09					·42		·43		·13	21
22	·	·03	·07	·02		·61				·10		·46	22
23	·	·21	·18			·02	·04		·11	·16		·24	23
24	·	·09				1·21		·16		·46		·18	24
25	·	·07	·02	·02	·02	·07			·02	·06			25
26	·	·16		·22	·02	·03		·02		·38	·15	·15	26
27	·	·24	·23					·30	·47		·13	·12	27
28	·	·24		·28				·16			·03		28
29	·			·04		·27	·02		·08	·28			29
30	·			·05	·02	·09				·12	·03		30
31	·									·05			31
Total	1·27	1·84	2·34	1·03	1·06	3·38	·06	1·64	1·55	2·74	3·94	7·52	TOTAL for year ✓ 29·37
No. of Rain Days.	12	11	15	11	8	12	2	9	7	15	20	24	146 ✓

W. 8,000, X. '11.

only obs. 2.1.13

Exp. D.L

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Stanley Park, Stroud,
in the County of Gloucester 3
by Sir William H. Marling Bart.

Lat. 51°45' N Long. 2° 15' W.
Time of Observation 9 am
Nearest Railway Station Dudbridge
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·00	·	·12	·	·	·63	·26	·	·04	(·48) ~~·56~~	·	·15	1
2	·00	·	·15	·07	·	·22	·48	·	·	·	·	·	2
3	·08	·	·16	·	·	·21	·18	·39	·	·	·03	·04	3
4	·10	·	1·13	·	·10	·89	·	·07	·	·	·20	·	4
5	·32	·09	·10	·	·12	·02	·	·71	·01	·	·02	·14	5
6	·49	·10	·07	·	·06	·	·52	·82	·	·	·	·04	6
7	·02	·20	·06	·	·03	·	·	·	·	·	·	·04	7
8	·32	·13	·32	·	·	·58	·05	·21	·05	·	·	·12	8
9	·11	·08	·36	·04	·	·20	·	·14	·	·	·	·17	9
10	·05	·12	·03	·	·	·19	·02	·47	·	·	·05	·	10
11	·11	·06	·	·	·	·02	·	·06	·	·	·	·47	11
12	·02	·72	·10	·03	·04	·	·01	·	·	·	·04	·10	12
13	·02	·13	·	·	·	·	·	·13	·	·02	·	·08	13
14	·15	·	·56	·	·16	·	·	·10	·	·	·	·02	14
15	·15	·17	·	·	·43	·33	·	·12	·	·	·	·29	15
16	·91	·	·38	·	·	·04	·	·12	·	·08	·02	·01	16
17	·96	·	·21	·	·	·05	·	1·13	·	·	·02	·47	17
18	·14	·04	·12	·	·	·	·	·11	·	·03	·02	·08	18
19	·18	·07	·	·	·01	·01	·29	·15	·	·02	·	·02	19
20	·03	·	·50	·	·15	·	·21	·21	·	·45	·03	·	20
21	·02	·04	·35	·	·78	·	·01	·18	·	·45	·03	·	21
22	·47	·20	·05	·	·20	·07	·71	·15	·	·03	·	·03	22
23	·13	·41	·34	·	·	·39	·02	·32	·	·09	·	·46	23
24	·04	·02	·04	·	·	·25	·	·05	·	·	·03	·11	24
25	·00	·	·	·	·	·80	·	·65	·	·06	·40	·40	25
26	·	·06	·	·	·	·	·37	·55	·	·63	·46	·18	26
27	·	·	·	·	·	·20	1·01	·	·	·89	·	·45	27
28	·	·08	·	·	·	·38	·43	1·16	·26	·37	·19	·56	28
29	·	·18	·	·	·	·22	·46	·	·65	·39	·	·15	29
30	·		·	·	·	·04	·14	·03	(·07)	·16	·	·02	30
31	·		·12		·28		·59	·12	#	·05		·25	31
Total	5·02	2·90	5·21	·14	2·36	5·74	5·76	8·15	1·08 1·08	4·20 4·20	1·54	4·85	YEAR'S TOTAL 46·95
Rain Days.	22	19	21	3	12	21	18	25	6 ~~5~~	16	14	26	203

W. 7,500, XI. ·12

(# measured with Oct. 1.)

Ex

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Stanley Park near Stroud

in the County of Gloucester 3

by [illegible]

Lat. 51° 45' N Long. 2° 15' W

Time of Observation 9 a.m.

Nearest Railway Station Dudbridge M.R.

Diameter of Rain Gauge 8 inch in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·21	·27	·19	·	·	·	·	·91	·	·09	·02	1
2	·04	·17	·09	·11	·	·	·06	·	·11	·22	·06	·	2
3	·23	·02	·08	·	·37	·	·	·	·	·	·	·17	3
4	1·45	·05	·05	·	·47	·	··	·	·47	1·53	·02	·10	4
5	·02	·05	·05	·	·06	·11	·08	·	·05	·04	·10	·05	5
6	·06	·02	·12	·	·25	·04	·24	·	·	·23	·18	·43	6
7	·	·36	·	·	·31	·06	·04	·	·	·26	·20	·01	7
8	·02	·20	·	·	·26	·01	·	·04	·	·30	·	·02	8
9	·	·17	·	·	·10	·06	·05	·06	·18	·	·08	·	9
10	·21	·	·	·11	·01	·	·	·13	·	·	·19	·	10
11	1·20	·	·	·24	·08	·	·	·13	·	·10	·61	·04	11
12		·	·	·	·27	·	·	·	·	·02	·36	·	12
13	·05	·	·12	·	·04	·	·	·01	·15	·	·17	·	13
14	·12	·03	·30	·02	·	·	·	·01	·	·18	·	·	14
15	·27	·15	·50	·79	·	·	·	·02	·03	·	·	·	15
16	·22	·	·65	·06	·	·05	·	·12	·	·	·02	·	16
17	·02	·03	·10	·07	·	·02	·05	·	·05	·	·05	·	17
18	·	·	·17	·16	·	·	·07	·	·35	·	·02	·	18
19	·32	·	·14	·	·01	·09	·05	·	·18	·	·	·01	19
20	·20	·	·20	·10	·	·	·	·	·	·08	·19	·	20
21	·	·	·16	·09	·16	·	·04	·01	·	·07	·32	·	21
22	·42	·	·77	·15	·	·04	·	·10	·32	·	·	·	22
23	·02	·	·01	·	·	·06	·	·	·	·	·04	·07	23
24	·05	·	·	·08	·	·	·	·	·	·	·	·	24
25		·02	·	·24	·	·	·	·	·02	·03	·	·06	25
26		·05	·	·42	·	·	·	·36	·	·02	·	·22	26
27	·	·	·11	·55	·	·	·	·	·	·08	·01	·	27
28	·42	·	·16	·31	·	·	·	·	·	·46	·	·02	28
29	·02		·40	·37	·	·	·	·08	·	·13	·	·02	29
30	·32		·	·	·	·	·	·27	·	·43	·05	·	30
31	·		·10		·33		·	·03		·		·	31
Total	5·70	1·53	4·55	4·06	2·72	·54	·68	1·37	2·82	4·18	2·76	1·24	YEAR'S TOTAL 32·15
Rain Days.	22	14	21	18	14	10	9	14	12	17	19	14	184

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

MARLING
9 JAN 1915

FORM A.
BRITISH RAINFALL.

Kept at Stanley Park, near Stroud,
in the County of Gloucester 3
by Sir Wm. H. Marling Bart.

Lat. 51° 45′ N. Long. 2° 15′ West.
Time of Observation 9 am.
Nearest Railway Station Dudbridge Hill.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·01	·10	·	·01	·26	·31	·	·	·20	·10	1
2	·	·	·	·	·	·	·22	·28	·	·	·78	·42	2
3	·	·	·02	·15	·56	·	·30	·	·	·	·09	·09	3
4	·19	·	·	·30	·03	·	·16	·04	·	·	·31	·75	4
5	·	·	·07	·17	·07	·	·36	·03	·	·	·12	·	5
6	·	·17	·05	·05	·08	·	·16	·04	·	·	·11	·26	6
7	·	·32	·20	·23	·12	·11	·30	·09	·	·	·01	·12	7
8	·02	·02	·40	·03	·03	·58	·15	·11	·	·	·	·	8
9	·06	·02	·28	·23	·09	1·30	·	·08	·13	·	·	·	9
10	·04	·21	·	·17	·03	·	·	·	·32	·	·	·	10
11	~~·02~~	·12	·34	·03	·16	·40	·02	·	·	·	·09	·65	11
12	·02	·18	·15	·	·	·01	·08	·	·32	·	·05	·17	12
13	·	·55	·44	·	·	·	·	·	·20	·13	·11	·58	13
14	·	·43	·43	·	·	·	·	·07	·	·31	·22	·	14
15	·	·07	·15	·	·	·	·02	·18	·31	·03	·31	·	15
16	·	·	·	·	·	·	·07	·	·25	·	·	·	16
17	·	·19	·22	·	·	·	·02	·	·01	·01	·	·66	17
18	·	·	·02	·	·	·	·11	·	·	·	·	·39	18
19	·	·10	·18	·	·	·	·61	·	·	·	·09	·18	19
20	·	·55	·11	·	·	·	·	·	·01	·	·	·17	20
21	·	·63	·01		·	·	·	·	·	·16	·02	·	21
22	·	·03	·05	·	·15	·09	·02	·05	·	·12	·	·	22
23	·	·06	·20	·	·14	·	·	·02	·	·09	·	·	23
24	·	·	·04	·	·	·	·03	·	·	·08	·09	·	24
25	·17	·	·25	·	·	·	·	·52	·	·34	·02	·31	25
26	·	·	·11	·	·	·	·12	·	·	·11	·16	·43	26
27	·	·	·	·	·	·	·	·	·	·	·23	·41	27
28	·	·18	·19	·	·10	·	·	·	·	·	·25	1·22	28
29	·09		·21	·	·06	·	·	·	·	·26	·50	·	29
30	·13		·19	·	·	·05	·	·	·	·15	·61	·80	30
31	·07		·		·05		·44			·15		·09	31
Total	·79	3·83	4·32	1·46	1·67	2·55	3·45	1·77	1·55	1·94	4·37	7·80	YEAR'S TOTAL 35·50
Rain Days.	9	17	25	10	14	8	19	13	8	13	21	19	176

W. 8,000. X. 14.

C X ML

2248

FORM A.
BRITISH RAINFALL.

8. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Stanley Park, Stroud

in the County of Gloucester

by Sir W. H. Marling Bart.

Lat. 51°45' N. Long. 2°15' W.
Time of Observation 9 a.m.
Nearest Railway Station Dudbridge Mid.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.57	.13	.05	.	.16	.	.02	.17	.61	.20	.	.07	1
2	.20	.25	.16	.11	.	.	.	1.47	.03	.13	.	.09	2
3	1.12	.08	.05	.06	.03	.	.28	.20	.	.	.	.07	3
4	.06	.	.	.	.02	.	.25	.30	.	.	.	.84	4
5	.	.73	.	.02	.	.	.	.07	.	.	.	.50	5
6	.19	.09	.	.19	.	.	.46	.06	.	.	.	.23	6
7	.12	.72	.	.02		.02	.20	.04	.	.	.	.23	7
8	.35	.23	.	.02		.	.14	.05	.	.	.04	.	8
9	.	.06	.	.11	.	.	.	.10	.	.	.15	.53	9
10	.18	.	.08	.04	.	.	.	.	.	.04	.	.	10
11	.	.	.08	.10	.	.	.	.	.	.	.96	.	11
12	.11	.14	.	.24	.43	.	.	.	.07	.06	.51	.08	12
13	.02	.82	.	.	.86	.	.	.	.05	.	.	.	13
14	.10	.05	.	.	.	.	.02	.15	.07	.	.	.67	14
15	.32	.	.	.02	.03	.	.04	.11	.	.07	.09	.12	15
16	.	1.14	.	.	.24	.	.57	.20	.	.	.	.11	16
17	.	.35	.	.	.70	.	.	1.09	.	.	.	.	17
18	.	.19	.02	.		.	.	.	.	.	.	.	18
19	.	.01	.	.	.10	.	.31	.	.	.	.	.	19
20	.14	.	.	.	.	.	.	.	.	.	.	.11	20
21	.14	.04	.	.	.03	.	.05		.	.11	.	.15	21
22	.05	.05	.32	.02	.	.03	.30	.	.	.	.	.33	22
23	.	.20	.56	.	.	.02	.13		.11	1.30	.	.35	23
24	.	.	.02	.05	.	.	.62	.	.42	.56	.	.16	24
25	.	.	.	.	.	.82	.	.	.	.15	.	.18	25
26	.	.20	.	.	.	.	.13	.	.	.	.	.47	26
27	.	.06	.	.	.	.02	.10	.	.	.46	.	.02	27
28	.	.	.	.	.	.03	.	.	.45	.06	.	.	28
29	.	X	.	.	.	.	.	.10	.	.	.06	.04	29
30	.08	X	.	.	.	.27	.	.	.	.29	.30	.15	30
31	.01	X	.	X	.	X	.07	.03	X	1.15	X	.34	31
Total	3.76	5.54	1.34	1.00	2.60	1.21	3.69	4.14	1.75	4.58	2.11	5.84	YEAR'S TOTAL 37.56
Rain Days.	17	20	9	13	10	7	17	15	8	13	7	23	159
average [illegible] 26 years	2.49	2.13	2.44	2.05	2.02	2.41	2.49	3.20	1.91	3.50	2.64	3.52	30.76

W. 8,000. X. 14.

2183

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Stanley Park, near Stroud,

in the County of Gloucester

by Sir Wm H. Marling Bart.

Lat. 51°45' N. Long. 2°15 W.

Nearest Railway Station Dudbridge

Time of Observation 9 a.m.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 365 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·	·	·	·18	·12	·44	·	·	·11	·20	·	1
2	·57	·02	·12	·	·20	·03	·	·	·	1·02	·04	·	2
3	·	·90	·02	·	·07	·	·	·	·07	·50	·15	·	3
4	·58	·07	·	·	·30	·37	·	·	·16	·17	·49	·	4
5	·	·02	·06	·	·12	·02	·20	·	·	·11	·20	·	5
6	·02	·33	·06	·	·33	·08	·41	·	·	·22	·66	·	6
7	·	·	·20	·	·07	·08	·	·	·	·14	·54	·26	7
8	·06	·02	·06	·	·25	·	·	·	·	·	·	·23	8
9	·	·	·04	·	·07	·10	·	·	·	·	·03	·	9
10	·	·50	·02	·06	·02	·11	·	·	·03	·04	·	·	10
11	·07	·06	·05	·05	·08	·40	·	·	·	·	·	·09	11
12	·	·08	·	·02	·50	·	·10	·	·	·10	·	·	12
13	·	·34	·12	·02	·	·	·	·15	·	·02	·02	·	13
14	·	·54	·03	·	·12	·	·	·10	·	·06	·	·	14
15	·	·24	·15	·07	·04	·	·	·31	·	·	·	·	15
16	·03	·07	·	·19	·	·	·57	·83	·	·	·	·	16
17	·24	·12	·	·10	·	·	·	·06	·32	·47	·	·	17
18	·	·03	·04	·	·	·	·	·04	·04	·	·50	·04	18
19	·22	·	·30	·45	·	·	·	·	·03	·	·17	·	19
20	·21	·	·51	·	·	·	·	·	·	·	·	·49	20
21	·21	·	·49	·	·12	·	·02	·	·	·	·	·20	21
22	·	·	·	·	·03	·10	·	·	·	·33	·	·80	22
23	·	snow	·	·02	·	·	·	·07	·	·10	·16	·	23
24	·	·96	·01	·07	·31	·11	·	·06	·	·40	·	·55	24
25	·	·26	·27	·	·	·12	·	·63	·	·	·21	·	25
26	·	·12	·	·	·08	·	·	·13	·	·31	·	·	26
27	·06	·10	snow	·	·18	·	·49	·58	·33	·61	·	·	27
28	·	·38	1·30	·	·	·04	·	·	·13	·17	·	·31	28
29	·	·19	·	·	·	·27	·	1·59	·	·47	·	·40	29
30	·		·	·	·	·03	·	·06	·	·35	·	·	30
31	·		·		·		·	·		·32		·	31
Total	2·43	5·35	3·85	1·05	3·07	1·98	2·23	4·61	1·11	6·02	3·37	3·37	TOTAL for year 38·44
No. of Rain Days	12	22	20	10	19	15	7	13	8	21	13	10	170

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Erd C Sh

2084

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Stanley Park,

in the County of Gloucester

by Sir Wm. H. Marling Bart.

Lat. 51°45' N. Long. 2°15' W.
Time of Observation 9 a.m.
Nearest Railway Station Dudbridge M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·27	·33	·	·11	·	·82	·21	·	·06	·	1
2	·	·	·	·08	·	·16	·	·17	·	·03	·02	·	2
3	·03	·06	·	·06	·	·	·05	·12	·	·70	·	·	3
4	·	·25	·10	·	·	·	·10	·40	·	·36	·	·	4
5	·		·37	·18	·	·05	·	·54	·18	·26	·	·	5
6	·	·	·54	·	·	·66	·	·	·	·11	·04	·	6
7	·15	·	·	·	·	·	·10	·11	·	·22	·02	·	7
8	·45	·	·15	·12	·	·05	1·05	·48	·	·40	·35	·31	8
9	·	·	·12	·02	·18	·	·	·36	·20	·04	·	·	9
10	·23	·	·	·23	·	·	·	·16	·04	·	·	·02	10
11	·08	·	·57	·36	·	·	·	·71	·66	·16	·07	·	11
12	·	·	·	·10	·34	·	·	·12	·	·28	·	·	12
13	·	·	·09	·09	·	·02	·	·16	·10	·06	·	·	13
14	·	·	·	·	·	·	·	·07	·	·08	·	·	14
15	·	·	·	·	·	·	·	·33	·	·07	·	·24	15
16	·	·07	·	·	·	·	·04	·	·	·15	·	·20	16
17	·		·	·22	·47	·25	·20	·05	·15	·	·	·	17
18	·	·04	·	·	·02	·	·46	·	1·56	·14	·	·	18
19	·	·46	·15	·	·	·04	·	·	·04	·	·	·	19
20	·	·12	·05	·	·57	·17	·	·	·	·	·02	·	20
21	·	·	·25	·	·	·03	·	·	·	·04	·06	·	21
22	·	·	·05	·	·	·11	·	·05	·	·10	·	·	22
23	·	·19		·	·10	·	·	·48	·	·02	·01	·09	23
24	·	·04	·05	·	·	·22	·	·35	·	·11	·	·	24
25	·	·11	·07	·	·	·	·	·	·	·	·	·	25
26	·	·	·	·	·08	·	·	·35	·12	·	·14	·	26
27	·	·	·	·	·98	·02	·	·83	·	·	·	·	27
28	·	·	·11	·	·05	·66	·	·22	·	·	·	·06	28
29	·	X	·12	·	·	·65	·07	·	·	·53	·	·16	29
30	·	X	·01	·	·	·	·25	·41	·	·02	·01	·	30
31	·	X	·22	X	·	X	·	·14	X	·	X	·04	31
Total	·94	1·34	3·29	1·79	2·79	3·20	2·32	7·43	3·26	3·88	·80	1·12	YEAR'S TOTAL 32·16
Rain Days.	5	9	18	11	9	15	9	23	10	21	11	8	149

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL

Kept at STANLEY PARK

in the County of GLOUCESTER

by Sir W.H.Marling, Bt.

Lat. 51° 45" Long. 2° 15" W.
Time of Observation 9 a.m.
Nearest Railway Station Dudbridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. . in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.08	–	.04	–	–	–	.07	–	.04	.48	–	1
2	–	.18	.02	.02	–	–	–	.43	–	.02	.05	.19	2
3	–	.16	.06	.21	.25	–	–	.32	.29	.08	.09	.08	3
4	–	.06	.02	.05	–	–	–	.09	.09	.02	1.08	.08	4
5	–	–	–	–	.29	–	–	.05	.29	.37	.06	.04	5
6	.11	.06	–	.12	–	.01	–	–	.06	.12	–	.08	6
7	.02	.32	–	.06	.50	–	–	–	.18	.11	.36	.12	7
8	–	.13	–	–	–	–	–	–	.12	.17	–	.10	8
9	–	.17	–	.11	–	.16	.08	–	.69	.13	–	.15	9
10	.06	–	–	.32	–	–	.24	–	.18	.04	–	.24	10
11	–	–	–	.03	–	–	.06	–	.24	–	.04	.16	11
12	–	–	.26	–	.11	–	.34	–	.04	–	–	.02	12
13	.02	–	–	–	–	–	.06	–	.34	.06	–	.22	13
14	.55	–	–	–	–	.31	.41	–	.54	.20	–	.15	14
15	.65	–	–	.51	–	–	.21	–	–	.02	–	.32	15
16	.31	–	–	.47	–	–	–	.01	.21	.02	–	.04	16
17	.64	–	–	.16	.88	–	.20	.04	.04	.02	–	.06	17
18	.70	–	–	–	–	.68	.35	–	.77	–	–	.53	18
19	.05	.08	.18	.09	–	–	–	–	–	.10	–	.07	19
20	.03	.10	–	.19	–	.08	–	–	.47	.04	–	–	20
21	.04	.02	–	.02	–	–	–	–	.65	.06	–	.06	21
22	.08	–	–	–	.05	–	.19	–	.10	.04	–	.35	22
23	.06	–	–	–	.17	–	.31	–	–	–	–	–	23
24	–	.16	–	–	–	.02	.46	.02	.06	–	.20	–	24
25	–	.06	–	–	–	–	.36	.41	–	.04	.02	–	25
26	–	–	–	–	–	–	.56	–	.10	.04	.09	.12	26
27	–	–	.06	–	–	–	.09	.18	.16	.06	.12	.02	27
28	–	.20	.31	–	–	–	–	–	–	–	.16	.04	28
29	–		.10	–	–	–	–	–	1.40	–	–	.04	29
30	–		.37	–	–	–	–	–	–	.06	.11	.10	30
31	–		.37		–		–	–		.04		–	31
Total	3.32	1.78	1.75	2.40	2.25	1.26	3.92	1.62	7.02	1.90	2.86	3.38	YEAR'S TOTAL 33.46
Rain Days.	14	14	10	15	7	6	15	10	22	24	13	25	175

W. 6,500, VII. 18. W W & S

Esed JP

1053

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Stanley Park, nr Stroud,

in the County of Gloucester

by Sir William H. Marling, Bart. until his death on 19 Oct. 1919

Lat. 51°45' Long. 2°15'

Time of Observation 9 a.m.

Nearest Railway Station Dudbridge M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·	·04	·	·02	·	·20	·	·02	·11	·	·69	1
2	·18	·	·02	·	·06	·	·21	·	·20	·	·13	·13	2
3	·55	·	·24	·	·04	·	·12	·	·21	·	·04	·30	3
4	·20	·06	·51	·	·	·19	·	·10	·26	·	·	·17	4
5	·06	·09	·52	·	·06	·	·	·	·50	·	·02	·20	5
6	·43	·02	·10	·	·14	·	·	·	·	·	·	·14	6
7	·25	·	·25	·11	·	·	·	·	·	·	·	·	7
8	·22	·	·07	·40	·	·04	·	·	·	·	·	·	8
9	·30	·	·04	·17	·	·	·	·	·	·	·	·	9
10	·	·	·42	·	·	·	·	·	·	·02	·	·22	10
11	·04	·	·45	·25	·28	·	·45	·	·	·02	·	·03	11
12	·	·	·21	·10	·	·54	·	·	·	·12	·02	·07	12
13	·18	·	·	·50	·	·	·	·	·	·	·	·14	13
14	·63	·10	·	·32	·	·	·28	·	·	·	·	·04	14
15	·22	·	·	·04	·	·	·	·	·	·06	·	·26	15
16	·16	1·03	·	·	·	·	·	·	·	·	·09	·	16
17	·02	·37	·	·	·	·	·	·	·	·	·28	·	17
18	·06	·	·52	·	·	·	·06	·39	·02	·	·06	·08	18
19	·54	·65	·90	·	·	·51	1·51	·36	·10	·	·	·04	19
20	·21	·	·48	·	·	·06	·	·29	·04	·	·	·02	20
21	·	·87	·04	·	·	·	·20	·06	·02	·	·06	·16	21
22	·	·18	·	·	·	·	·20	·04	·30	·	·	·08	22
23	·	·	·	·	·	·	·	·	·	·97	·13	·	23
24	·	·	·	·06	·	·07	·11	·06	·02	·81	·13	·06	24
25	·11	·	·	·04	·06	·	·	·32	·	·02	·	·	25
26	·10	·	·12	·	·	·	·	·09	·16	·	·	·58	26
27	·	·	·	·67	·	·	·	·35	·	·	·	·	27
28	·04	·	·34	·	·	·	·	·45	·	·	·16	·27	28
29	·		·	·06	·	·	·	·	·	·22	·14	·50	29
30	·		·	·24	·	·25	·	·36	·	·04	·51	·51	30
31	·		·		·		·	·		·		·03	31
TOTAL	4·89	3·37	5·27	2·96	·66	1·66	3·34	2·87	1·85	2·39	1·77	4·72	YEAR'S TOTAL 35·75
Days with ·01 in. or more	21	9	18	13	7	7	10	12	12	10	13	23	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

E4 M

1868

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Stanley Park, Stroud

in the County of Gloucester

by Sir Percival S. Marling Bart, V.C., C.B.

Lat. 51° 45′ Long. 2° 15′

Time of Observation 9 a.m.

Nearest Railway Station Dudbridge M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·30	·61	.	·37	·02	.	·33	.	·56	1
2	·07	.	·06	·21	.	.	·08	·15	·06	·10	.	·25	2
3	·09	·06	.	·15	·02	.	·65	.	·02	·56	.	.	3
4	·02	.	·04	·16	.	.	·02	·65	.	·27	.	.	4
5	.	.	·20	·11	·05	.	·25	.	.	·20	.	.	5
6	.	.	·26	.	·17	.	·22	.	.	·14	.	.	6
7	·03	.	·15	·16	·06	.	·20	.	.	.	.	.	7
8	.	·22	.	·49	·16	.	·62	·02	.	.	.	.	8
9	·17	·04	.	·85	.	.	·02	·02	.	.	.	.	9
10	1.00	·08	·09	·20	.	·22	·22	.	.	.	·06	.	10
11	·33	.	·19	·36	·47	·09	·12	.	.	.	.	.	11
12	·20	·07	.	·18	·05	·77	·02	.	.	.	·06	.	12
13	·07	·02	·37	·22	.	.	.	.	.	.	.	·08	13
14	·02	·04	·60	·51	.	·42	·02	.	·07	·15	·83	.	14
15	·01	·08	·22	·47	.	·05	.	.	.	·11	·09	.	15
16	.	.	·02	·04	·06	·20	.33	.	·70	·18	.	.	16
17	·03	.	·02	.	·24	·44	·02	.	·55	·24	.	.	17
18	·37	.	.	·18	·13	.	·04	·37	·67	.	.	.	18
19	·09	·25	.	·39	.	·11	·02	.	·04	.	.	.	19
20	·02	·17	.	·18	.	·20	.	.	.	.	.	·39	20
21	.	.	.	·02	.	.	·04	.	.	.	.	·14	21
22	·05	.	.	·14	.	.	·04	·12	.	.	.	·27	22
23	.	.	.	.	.	.	·53	·09	.	.	.	·32	23
24	.	.	·25	·02	.	.	.	.	.	.	.	·24	24
25	·05	·12	·19	·02	.	.	·81	·02	.	.	.	·03	25
26	·31	.	·52	.	.	·02	·10	.	.	.	·02	·08	26
27	·44	·02	·09	·14	.	·53	·06	.	.	.	·02	·27	27
28	·73	.	·09	·06	·28	.	·04	.	.	.	·03	.	28
29	·20	.	·14	·08	·04	.	.	.	.	.	·34	·46	29
30	·08	✕	·06	·09		·14	·29	.	·30	} ·71 {	·26	·71	30
31	·27	✕	·22	✕		✕	.	.	✕		✕	·14	31
TOTAL	4·65	1·17	3·78	5·46	2·34	3.19	5.13	1·46	2·41	2·99	1·71	3·94	YEAR'S TOTAL 38·53
Days with ·01 in. or more	23	12	20	26	13	12	25	9	8	12	9	14 ~~13~~	183
Days with ·04 in. or more	17	10	18	23	12	11	19	5	7	12	6	13	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dh ✓

GLOUCESTER.

STROUD.

UPFIELD.

1911- 1915

REGI 911

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

1/12

Kept at Stroud

in the County of Glouces

by Miss E. R. S

op 5 in.
above Ground 1 ft. in.
„ Sea Level 226 ft.

n { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·01	·13				·04			·03	·03	1
2	·04			·10	·28			·17 ·19		·10	·22	·21	2
3	·01			·01	·28			·07			·05	·06	3
4	·02		·20	·02		·08			·04	·24	·31	·41	4
5	·10		·03	·01				·18		·04	·01	·04	5
6	·34		·13	·01				·01			·07	·67	6
7	·02		·01								·37	·01	7
8	·24		·09								·07	·27	8
9	·18		·11	·01							·13	·21	9
10	·02	·10	·30		·10			·10			·05	·24	10
11	·24	·03	·01		·35						·63	·03	11
12	·01		·61						·04		·28	·13	12
13			·02		·08				·47	·11	·01	·57	13
14			·02									·73	14
15		·01	·05								·20	·13	15
16						·24					·33	·20	16
17					·01	·05					·07	·25	17
18		·29	·06	·08		·26				·14	·01	·28	18
19				·04		·24			·16	·06	·02	·16	19
20	·01	·05	·11	·01					·11	·38		·67	20
21	·01	·10	·08					·66		·17		·15	21
22		·03	·10			·66				·17	·01	·47	22
23		·15	·11			·05	·04		·09	·37		·19	23
24		·08	·01			·88		·14		·04		·14	24
25		·06	·02		·04	·09		·02	·02	·30		·01	25
26		·16		·19	·03	·04	·09	·01			·19	·12	26
27		·12	·19	·01				·34	·39		·09	·12	27
28		·24		·21				·09	·02		·04	·01	28
29						·22	·04		·08	·16	·01		29
30				·11	·02	·06		·04	·03	·10	·01		30
31										·03			31
Total	1·32	1·42	2·27	·94	1·19	2·87	·17	1·87 1·87	1·45	2·41	3·21	6·51	TOTAL for year 25·63
No. of Rain Days	14	13	21	14	9	12	3	13	11	15	24	28	177

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

11/12

REGI 911

Kept at Stroud Upfield

in the County of Gloucestershire 3

by Miss E. R. Stanton

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " " Sea Level	226 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·01	·13				·04			·03	·03	1
2	·04			·10	·28			·17 ·19		·10	·22	·21	2
3	·01			·01	·28			·07			·05	·06	3
4	·02		·20	·02		·08			·04	·24	·31	·41	4
5	·10		·03	·01				·18		·04	·01	·04	5
6	·34		·13	·01				·01			·07	·67	6
7	·02		·01								·37	·01	7
8	·24		·09								·07	·27	8
9	·18		·11	·01							·13	·21	9
10	·02	·10	·30		·10			·10			·05	·24	10
11	·24	·03	·01		·35						·63	·03	11
12	·01		·61						·04		·28	·13	12
13			·02		·08				·47	·11	·01	·57	13
14			·02									·73	14
15		·01	·05								·20	·13	15
16						·24					·33	·20	16
17					·01	·05					·07	·25	17
18		·29	·06	·08		·26				·14	·01	·28	18
19				·04		·24			·16	·06	·02	·16	19
20	·01	·05	·11	·01		—			·11	·38		·67	20
21	·01	·10	·08					·66		·17		·15	21
22		·03	·10			·66				·17	·01	·47	22
23		·15	·11			·05	·04		·09	·37		·19	23
24		·08	·01			·88		·14		·04		·14	24
25		·06	·02		·04	·09		·02	·02	·30		·01	25
26		·16		·19	·03	·04	·09	·01			·19	·12	26
27		·12	·19	·01				·34	·39		·09	·12	27
28		·24		·21				·09	·02		·04	·01	28
29						·22	·04		·08	·16	·01		29
30				·11	·02	·06		·04	·03	·10	·01		30
31										·03			31
Total	1·32	1·42	2·27	·94	1·19	2·87	·17	1·87 1·87	1·45	2·41	3·21	6·51	TOTAL for year 25·63
No. of Rain Days	14	13	21	14	9	12	3	13	11	15	24	28	177

9,000, IX. '10.

JL

contd yrs by Stanley Pk. 28.11.13

~~Inf~~

1/12

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stroud, Upfield

in the County of Gloucestershire 3

by E. R. Stanton

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level 226 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·09			·64	·31	·01	·05	·49		·11	1
2		·01	·17	·08		·63	·56			·01			2
3	·08		·14		·01	·25	·29	·33	·01		·03	·02	3
4	·13		1·14		·09	1·01		·09			·18		4
5	·30	·09	·06		·12	·04		·75	·01		·01	·11	5
6	·54	·10	·05		·06	·01	·50	·69				·03	6
7	·04	·08	·05		·03	·37	·01	·04				·03	7
8	·38	·12	·34	·08		·25	·07	·11	·04			·11	8
9	·04	·07	·34	·01		·25	·01	·19				·15	9
10	·05	·05	·04			·09	·01	·25			·04		10
11	·09	·06		·03		·04		·06			·36	·47	11
12	·03	·78	·08		·06	·02	·02				·12	·10	12
13	·02	·16				·01		·10				·04	13
14	·12		·48		·18			·13					14
15	·14	·09	·01		·25	·36		·08			·04	·37	15
16	·71	·01	·28			·02		·07		·07	·01	·01	16
17	·92		·19			·06		·66				·47	17
18	·13	·04	·10					·10		·03		·08	18
19	·09	·07	·01		·01	·01	·32	·13		·01			19
20	·02		·51		·16		·21	·28		·41	·06		20
21	·01	·03	·17		·~~2~~73		·01	·19		·45	·03		21
22	·34	·13	·05		·19	·09	·47	·16		·04		·01	22
23	·13	·43	·21			·54	·03	·35		·08	·04	·43	23
24	·04	·02	·03			·20	·01	·07				·08	24
25			·01			·76		·71		·04	·26	·38	25
26		·02	·01			·01	·43	·64		·50	·33	·15	26
27		·01				·15	·96	·01		·70	·01	·40	27
28		·08				·36	·67	·85	·21	·31	·18	·57	28
29		·16	·01			·16	·46	·03	·52	·37		·13	29
30						·06	·14	·01	·09	·21		01 ·01	30
31			·14		·27		·41	·15		·05		·14	31
Total	4·36	2·61	4·71	·20	2·16 2·16	6·39	5·90	7·24	·93	3·77	1·70	4·34	TOTAL for year 44·31
No. of Rain Days	23	22	26	4	13	26	21	29	7	16	15	24	226

9,000, IX. '10.

87/ ✓

1/12

FORM A. BRITISH RAINFALL.

22 JAN 1914

Co. for arith. 17. III. 14

REGISTER OF RAINFALL IN 1913

Kept at Stroud, Upfield ~~W. 1886~~

in the County of Gloucestershire 3

by E. R. Stanton

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ………

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·16	·24	·15					·89		·06	·01	1
2	·03	·15	·03	·10			·08		·17	·41	·04		2
3	·19	·01	·05		·32					·01		·19	3
4	1·10	·01	·01		·43				·30	1·09	·01	·12	4
5		·04	·04		·05	·16	·18		·09	·06	·09	·03	5
6	·04	·01	·15		·26	·08	·21			·20	·23	·41	6
7	·01	·25			·25	·06	·16			·24	·18	·01	7
8		·10			·20	·03		·04		·27			8
9		·16			·10	·06	·07	·07	·18	·01	·08	·09	9
10	·20		·01	·10	·01			·12			·12		10
11	·96			·29	·09			·13		·11	·57		11
12	·01				·20						·38		12
13	·04	·03	·05		·10				·14		·18		13
14	·11		·22					·04		·22	·05		14
15	·20	·14	·42	·64				·04	·02				15
16	·33		·57	·08		·10		·13		·01		·01	16
17	·01	·03	·14	·15		·04	·06		·10		·02		17
18	·06		·11	·09			·10		·22		·03		18
19	·23		·09			·09	·07		·14				19
20	·15		·15	·08						·09	·11		20
21			·16	·08	·15		·05	·01		·07	·29		21
22	·66		·57	·27		·02		·05	·30	·01			22
23	·01		·01			·06					·03	·10	23
24	·01			·09				·03					24
25				·21					·01	·02		·04	25
26		·06		·29				·33		·01		·21	26
27			·16	·45						·07			27
28	·36		·09	·30						·41		·02	28
29	·01		·36	·41				·10		·11		·01	29
30	·22		·01					·19		·38	·05		30
31	·03		·11		·35			·01					31
Total	4·98	1·15	3·75	3·78	2·51	·70	·98	1·29	2·56	3·80	2·52	1·20	YEAR'S TOTAL 29·77
Rain Days.	24	13	23	17	13	10	9	14	12	20	18	13	186

W. 7,500, XI. ·12

82 Exd D J 1/12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Upfield
in the County of Gloucestershire 3
by Miss E. R. Stanton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·01	·12			·21	·27			·09	·02	1
2				·01		·01	·52	·23			·75	·56	2
3	·01		·02	·15	·40		·28				·08	·06	3
4	·20			·25			·17	·06			·28	·57	4
5			·06	·26	·05		·26	·04			·09	·03	5
6		·15	·08	·08	·28		·28	·05			·09	·19	6
7		·22	·16	·18	·05	·14	·23	·07				·09	7
8	·03		·38	·03	·09	·60	·15	·08				·08	8
9	·05	·03	·29	·24	·04	1·08		·08	·09				9
10	·05	·18	·01	·11	·23	·02		·01	·26				10
11		·10	·25	·03		·48	·01				·10	·57	11
12	·01	·14	·15			·05	·08		·28		·06	·18	12
13		·36	·37						·19	·16	·05	·57	13
14		·30	·36					·01		·37	·18	·01	14
15	·03	·07	·11			·01	·07	·16	·28	·03	·25		15
16	·01						·09		·18				16
17		·15	·18				·01					·51	17
18							·10					·29	18
19		·09	·18				·51	·01	·01		·08	·14	19
20		·44	·15			·01						·16	20
21		·51			·15		·01			·15	·06	·08	21
22		·04	·03		·12	·10	·02	·05		·09			22
23		·05	·15				·05			·09			23
24			·04				·04	·01		·09	·06		24
25	·13		·20		·05		·04	·31		·27	·02	·18	25
26			·15				·10			·09	·12	·34	26
27	·07						·05			·03	·20	·35	27
28	·02	·08	·18		·06						·20	·79	28
29	·06		·18		·08					·31	·31		29
30			·12			·05				·15	·45	·76	30
31	·09				·07		·36			·12		·06	31
Total	·76	2·92	3·81	1·46	1·67	2·55	3·64	1·44	1·29	1·95	3·52	6·50	YEAR'S TOTAL 31·60
Rain Days.	13	17	24	11	13	11	23	15	7	13	20	23	190

W.7,000, XI. 13

88/ Cord by Supt. stat. 18.2.16 2949 1/12

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Stroud, Upfield
in the County of Gloucestershire
by Miss E. R. Stanton

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.42	.10			.15			.11	.73		.01	.06	1
2	.20	.18	14	12				1.23	.03	.25		.10	2
3	.66	.05	.03	.25	.04		.25	.17		.01		.07	3
4	.05	.03					.19	.18			.01	.63	4
5	.01	.63						.06				.33	5
6	.17	.06		.15			.45	07				.24	6
7	.11	.45					.19	.05				.23	7
8	.26	.21		.01			.09	.05			.01		8
9	.06	.06		.06				13			.11	.48	9
10	.10		10	.04				.01		.02			10
11			.09	.15				.01			.80	.04	11
12	.10	.11		.30	.45					.08	.50	.05	12
13	.03	.76			.75			.01	.06		.02	.02	13
14	.08	.04					.04	.14	.06	.01		.49	14
15	.24			.03	.04		.02	.22		.04	.05	.10	15
16		.89		.01	.22		.46	.35				.09	16
17		.26			.65			.64				.01	17
18		.13	.03								.01		18
19					.09		.30						19
20	.18			.11								.11	20
21	.15	.07			.03		.06			.11		.15	21
22	.06	.21	.31	.02		02	.23					.25	22
23		.12	.55			.05	.08		.07	1.18		.25	23
24			.01	.07			.54		.41	.32		}	24
25						.78				.08			25
26		.11					.13					.66	26
27		.04				.01	.08			.43			27
28		.06	.03			.01	.04	.01		.02			28
29						.01	.04	09			.08	.03	29
30	.10	×				.08			.25	.25	.31	.15	30
31		×		×		×	.07		×	1.08	×	.19	31
Total	2.98	4.57	1.29	1.32	2.42	.96	3.26	3.53	1.61	3.88	1.91	4.73	YEAR'S TOTAL 32.46
Rain Days.	18	21	9	13	9	7	18	18	7	14	11	25	170

W. 8,000. X. 14.

—

TEWKESBURY
W.W.

GLOUCESTER

1913 — 1920

✓

cnd for W

REG

FORM A.
BRITISH RAINFALL.
23 JAN 191

Kept at Tewkesbury ... 2°.10′

in the County of Gloucest ... a.m.

by The Corporation of ... ewkesbury - Midland Railway

... 5 in.

... e Ground – ft. 9 in.

... Sea Level 47 ft.

IMPORTANT NOT ... the result entered to the previous day. If an Ob ... ersal rule, he is earnestly requested to add the read ... r in the space provided for it at the end of this ... nent of rain, the selection and placing ... itish Rainfall Organization are given in ... application to Dr. H. R. Mill, 62, Cam ...

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01		·13					·01		·07	·07	1
2		·24	·12	·04					·80		·04	·02	2
3	·02	·01	·01	·16			·08		·20	·53	·10		3
4	·11		·06		·60				·04	·04		·02	4
5	·84				·15				·34	·52	·02		5
6	·02	·01			·01	·10	·06		·01	·30	·07	·04	6
7	·03	·06	·10		·27	·08	·28			·13	·13	·40	7
8		·24			·16	·05	·07			·24	·07	·01	8
9		·03			·06					·25	·10		9
10		·20			·04	·11		·53	·30		·04	·05	10
11	·08		·01	·09	·05			·08			·11		11
12		·02		·29	·31				·01	·04	·65		12
13	·24	·01			·17			·01			·55		13
14	·02	·01	·06					·03	·06	·14	·20		14
15	·05		·27	·01				·04	·01		·05		15
16	·18	·16	·51	·33					·06		·02		16
17	·09	·01	·69	·03				·59			·01		17
18	·05		·05	·10		·05	·15	·01					18
19			·17	·06			·06		·35				19
20	·08		·18			·28			·15				20
21	·30		·15	·06						·07	·01		21
22			·15	·14	·13		·09			·01	·35		22
23	·40		·35		·01	·08		·05	·32				23
24			·01			·01		·10	·08		·02	·07	24
25	·01			·01				·02			·02		25
26				·14					·02		·01		26
27		·04		·56				·35		·04		·17	27
28	·01		·03	·13	·27					·01			28
29	·36		·06	·22	·01					·07	·01		29
30	·01		·26	·41				·03		·12	·01		30
31	·19		·01					·04		·25			31
	·01	–	·13	–		–	–	·01	–	·01	·07	(–)	YEAR'S TOTAL
Total	~~3·12~~ 3·10	~~1·05~~ 1·04	~~3·25~~ 3·38	~~2·91~~ 2·78	2·24	·76	·79	~~1·88~~ 1·89	~~2·46~~ 2·75	~~2·46~~ 2·83	2·66	~~·85~~ ·78	~~25·03~~ 25·00
Rain Days.	21	~~14~~ 13	~~20~~ 21	~~18~~ 17	14	8	7	~~13~~ 14	~~16~~ 15	~~16~~ 17	23	~~9~~ 8	~~179~~ 178

W.7,000, XI. 13

cnd for W

REG

°.10'

FORM A.
BRITISH RAINFALL.
23 JAN 1914

Kept at Tewkesbury

in the County of Gloucestershire 3

by The Corporation of Cheltenham

Time of Observation 8·30 a.m.

Nearest Railway Station Tewkesbury - Midland Railway

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·01		·13					·01		·07	·07	1
2		·24	·12	·04					·80		·04	·02	2
3	·02	·01	·01	·16			·08		·20	·53	·10		3
4	·11		·06		·60				·04	·04		·02	4
5	·84				·15				·34	·52	·02		5
6	·02	·01			·01	·10	·06		·01	·30	·07	·04	6
7	·03	·06	·10		·27	·08	·28			·13	·13	·40	7
8		·24			·16	·05	·07			·24	·07	·01	8
9		·03			·06					·25	·10		9
10		·20			·04	·11		·53	·30		·04	·05	10
11	·08		·01	·09	·05			·08			·11		11
12		·02		·29	·31				·01	·04	·65		12
13	·24	·01			·17			·01			·55		13
14	·02	·01	·06					·03	·06	·14	·20		14
15	·05		·27	·01				·04	·01		·05		15
16	·18	·16	·51	·33					·06		·02		16
17	·09	·01	·69	·03				·59			·01		17
18	·05		·05	·10		·05	·15	·01					18
19			·17	·06			·06		·35				19
20	·08		·18			·28			·15				20
21	·30		·15	·06						·07	·01		21
22			·15	·14	·13		·09			·01	·35		22
23	·40		·35		·01	·08		·05	·32				23
24			·01			·01		·10	·08		·02	·07	24
25	·01			·01				·02			·02		25
26				·14					·02		·01		26
27		·04		·56				·35		·04		·17	27
28	·01		·03	·13	·27					·01			28
29	·36		·06	·22	·01					·07	·01		29
30	·01		·26	·41				·03		·12	·01		30
31	·19		·01					·04		·25			31
Total	·01 ~~3·12~~ 3·10	– ~~1·05~~ 1·04	·13 ~~3·25~~ 3·38	– ~~2·91~~ 2·78	– 2·24	– ·76	– ·79	·01 ~~1·88~~ 1·89	– ~~2·46~~ 2·75	·01 ~~2·46~~ 2·83	·07 2·66	(–) ~~·85~~ ·78	YEAR'S TOTAL ~~25·03~~ 25·00
Rain Days.	21	~~14~~ 13	~~20~~ 21	~~16~~ 17	14	8	7	~~13~~ 14	~~16~~ 15	~~16~~ 17	23	~~9~~ 8	~~179~~ 178

W.7,000, XI. 13

WD ~~[illegible]~~ 6.IV.15

Crd for WD 9.IV.15

~~H~~ LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Tewkesbury.

in the County of Gloucestershire

3

by The Corporation of Cheltenham

Lat. 52°·1' Long. 2°·10'

Time of Observation 8·30am

Nearest Railway Station Tewkesbury - Midland Railway

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 47 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05	·06					·18			·02	[illegible]	(50) 1
2		·01	·02	·09		·04	·89	·28			·03	·06	2
3				·01	·02		·31	·16			·38	·26	3
4			·08	·07	·15		·10	·01			·05		4
5	·14			·13	·04		·14	·05			·29	·29	5
6	·02		·05	·08	·11		·20	·02			·11		6
7		·08	·01	·03	·03						·12	·07	7
8		·15	·10	·02	·21	·13	·22	·10	·06		·01	·06	8
9	·01	·01	·16	·03	·01	·76	·04	·04			·04	·03	9
10	·19		·26	·22	·09	1·38		·06	·09			·01	10
11	·02	·27		·40	·04	·03			·25				11
12		·06	·15	·05	·14	·24					·10	·22	12
13		·07	·16		·01		·25		·26		·06	·08	13
14	·01	·14	·21				·01		·13	·16	·03	·57	14
15		·06	·16	·02			·01			·32	·09	·02	15
16	·02		·10				·02	·11	·04	·01	·06	·01	16
17							·01						17
18		·12	·14									·14	18
19			·03				·21					·29	19
20			·06				·60	(·11)			·09	·05	20
21		·43	·04			·05						·20	21
22		·22	·01			·09				·17		·09	22
23		·08		·01	·23	·01		·04		·07			23
24		·05	·14		·03					·15		·01	24
25		·01	·12				·01	·04		·07	·06	·04	25
26	·09		·16	·01			·03	·11		·14	·03		26
27			·07				·02			·06	·11	·23	27
28	·08		·01							·03	·12	·08	28
29	·02		·16		·03						·03	·75	29
30	·01	X	·12		·12					·24	·09	·35	30
31		X	·02	X	·01	X			X	·07	X	·53	31
	·05	·06	–	–	–	–	·18	–	–	·82	·50	·02	YEAR'S TOTAL
Total	~~·61~~	~~1·81~~	2·53	1·14.	1·27.	2·73	~~3·07.~~	1·32	·83	~~1·53~~	1·89	4·93	~~23·68~~
	·66	1·82	2·1[illegible]				3·25	1·14		1·54	2·37	4·45	23·70
Rain Days.	~~11~~ 12	16	~~26~~ 25	14	16	9	~~17~~ 18	~~14~~ 13	6	~~12~~ 13	21	~~[illegible]~~ 25	~~178~~ 188

9. APR. 1915

TELEPHONE Nº 1001.

J. S. PICKERING, M. INST. C.E.
BOROUGH SURVEYOR & WATER ENGINEER.

Municipal Offices,
Cheltenham.

J. S. P.
F. A. J.

8th April, 1915.

Dr. H. R. Mill,
62, Camden Square.
LONDON, N. W.

Dear Sir,

Rainfall.

In reply to your letter of the 6th instant, the rainfall at Tewkesbury measured on the morning of the 1st January, 1915, was .02. None was registered at Dowdeswell. We will see that the entries are correctly made in future.

Yours faithfully,

J. S. Pickering

Borough Engineer.

2276

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
8 - JAN 1916

Kept at Tewkesbury.
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 52°. 1' Long. 2°. 10'
Time of Observation 8 . 30 a.m.
Nearest Railway Station Tewkesbury. Midland Railway
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground • ft. 9 in.
" " " " Sea Level 47. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·08	·07		·25		·01	·33	·08	·20	·01	·05	1
2	·21	·10	·14	·17		·10		1.55		·09		·06	2
3	·70	·11	·02	·06	·12		1·34	·69		·01	·01	·20	3
4	·02	·01	·01		·07		·53	·10				·41	4
5		·22					·04	·06				·38	5
6	·20	·02		·16			·55	·08				·19	6
7	·05	·32		·03	·03	·03	·10	·02				·16	7
8	·24	·13					·02	·05			·02	·01	8
9	·15	·01		·16				·12			·16	·31	9
10	·12		·07	·05				·01					10
11	·01			·06	·02						·63		11
12	·06	·03		·15	·37			·41		·08	·61	·02	12
13	·01	·34			·76			·26	·01			·02	13
14	·01	·01						·32				·21	14
15	·26				·09			·25			·02	·08	15
16	·02	·30			·33		·61	·12		·03		·02	16
17		·13	·01		1·00			·01				·02	17
18		·28	·03		·01		·01				·01		18
19		·02	·01		·17		·20						19
20	·14			·08								·16	20
21	·16	·14					·04			·11		·09	21
22	·20	·03	·24	·11			·34					·19	22
23	·03	·02	·17				·07		·03	·92		·31	23
24			·05	·10			·47		·35	·46		·07	24
25						·46	·04			·02	·01	·21	25
26		·03					·10		·01			·36	26
27						·07	·40			·34			27
28		·05				·10		·10	·21	·13		·01	28
29						·05	·23	·03		·01	·04	·03	29
30	·11					1·26	·10			·03	·06	·04	30
31	·01						·09	·03		·47		·15	31
Total	2·81	2·38.	·82	1·13	3·22	2·07.	5·29	4·54	·69	2·90	1·58	3·76	YEAR'S TOTAL 31·19
Rain Days.	21	21	11	11	12	7	20	19	6	14	11	26	179

W. 8,000. X. 15.

Exd C.S.E

2214

FORM A.
BRITISH RAINFALL.
13. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Tewkesbury

in the County of Gloucestershire

by The Corporation of Cheltenham

Lat. 52·1 Long. 2·10

Time of Observation 8·30 a.m.

Nearest Railway Station Tewkesbury. Midland Railway

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground · ft. 9 in.

" " " " Sea Level 47. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10		·02		·05	·03	·08			·13	·22		1
2	·14	·02	·11		·27				·01	·52	·06		2
3		·48							·08	·23	·03.		3
4	·24	·08			·61	·19			·08	·06	·16		4
5	·01		·04		·20	·01	·25			·04	·15		5
6		·17	·04		·16	·19	·30			·16	·50		6
7	·03		·08		·06		·22			·30	·20	·21	7
8	·05		·06		·33						·02	·16	8
9			·01		·01	·32				·05		·01	9
10		·35	·03	·05		·35	·02			·11	·01	·01	10
11	·01	·13	·07	·10	·07	·36						·42	11
12				·01	·35		·20			·06	·01		12
13		·28	·10					·14		·01	·01		13
14		·32	·03		·02			·05					14
15		·15	·28	·20	·25		·03	·10		·01			15
16	·01	·06		·05			·07	·17		·02			16
17	·10	·12						·10	·30	·43		·11	17
18								·02	·11	·08	·41		18
19	·11		·22	·08							·24		19
20	·03		·45								·05	·24	20
21			·50		·09		·13					·46	21
22				·06		·04				·11	·01	·48	22
23		·24		·02				·11		·09	·01	·17	23
24		·14	·07		·09					·24		·12	24
25		·22	·07					·26		·09		·04	25
26	·02	·10	·06			·08		(·03) ·03	·02	·09	·10		26
27		·07	1·18			·03		·02	·18	·24		·03	27
28	·05	·44	·06			·05		·01	·05	·06		·07	28
29		·10				·21		1·63		·30		·14	29
30		X				·05				·19			30
31		X		X		X			X	·08	X	·04	31
Total	·90	3·47	3·48	·57	2·56	1·91	1·30	2·64	·83	3·70	2·19	2·71	YEAR'S TOTAL 26·26
Rain Days.	13	18	20	8	14	13	9	12	8	25	17	16	173.

W. 8,000, VIII. 16

2114

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

26. JAN 1918

Kept at Tewkesbury

in the County of Gloucestershire

by The Corporation of Cheltenham

Lat. 52°·1 Long. 2°·10′

Time of Observation 8·30am

Nearest Railway Station Tewkesbury. Midland Railway

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 9 in.

" " " " Sea Level 47· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·11	·04		·10		1·06	·11	~~·04~~	·21	·01	1
2				·20		·11		·03		·01	·03		2
3	·01			·17				·09		·36			3
4		·18	·04	·20				·23		·45			4
5	·18		·05	·19				·05	·04	·15	·09		5
6			·06	·02		·34				·04	·19	·01	6
7	·20						·23	·16		·20	·01	·04	7
8	·40			·11			·55	·43		·36	·13	·14	8
9			·03	·03	·49			·52	·04	·04	·02		9
10	·33		·30	·15	·13			·34	·25	·07		·01	10
11	·08		·11	·22				·15			·03		11
12	·03		·02	·02	·15			·25		·07	·01		12
13			·05	·01				·10	·05	·10			13
14			·16	·07				·05		·06			14
15			·01					·44		·02		·15	15
16	·04	·06		·21	·52		·38			·01		·10	16
17		·02		·05	·02	·15	·30	·02	·06	·07			17
18	·02	·02					·15		1·36		·01		18
19		·33	·20			·02		·06	·02				19
20		·16	·22		·61	·07	·10		·18				20
21		·02	·24		·01	·12		·02			·07		21
22		·01	·01		·12	·11		·19		·09			22
23	·03	·27				·01		·36		·02		·03	23
24		·02	·01			·03				·11			24
25		·12	·05								·08		25
26		·01			·06	·06		·20	·09		·08		26
27					1·39	·03	·03	·57			·01		27
28			·12			·44		·10				·02	28
29			·01		·03	·69	·06			·51		·25	29
30		✗	·01				·27	·29		·05			30
31		✗	·11	✗		✗	·01	·09	✗		✗	·04	31
Total	1·32.	1·23	1·92	1·69	3·53.	2·28	2.08	5·74	2·20	2·79	·97	·80	YEAR'S TOTAL 26·55
Rain Days.	10	13	21	15	11	14	10	24	10	20	14	11	173.

W. 8,000, IX. 17.

58

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Tewkesbury
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 52° 1' Long. 2° 10'
Time of Observation 8. 30 am
Nearest Railway Station Tewkesbury. Midland Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 9 in.
" " " " Sea Level 47. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·12			·20		·02	·16	·03	1
2		·07						·04			·01	·02	2
3		·05	·01	·04	·15				·43		·03	·03	3
4	·01	·04	·02					·05	·08		·63	·17	4
5					·21			·01		·05	·07		5
6		·13		·02		·07		·05		·05		·03	6
7		·13			·23			·25		·03	·19		7
8	·02	·02							·02	·14		·03	8
9		·03		·16		·14	·03		·24	·15		·05	9
10	·07			·06			·30		·11	·09		·09	10
11				·03			·50		·04		·02	·07	11
12		·01	·22		·13		·18						12
13							·50		·09	·07		·11	13
14	·14		·07			·02	·01		·41	·05		·05	14
15	1·70			·43			·15					·18	15
16	·20			·94		·01			·19	·03		·04	16
17	·14		·01	·07	·16		·18		·08	·05		·02	17
18	·34					·24	·19		·68	·03		·55	18
19	·06	·04	·34	·06			·08			·02			19
20	·05	·07		·34		·05			·10	·06		·03	20
21	·02			·22			·05		·24	·04	·01		21
22	·05			·01	·03		·12		·15			·23	22
23	·01				·36	·01	·14				·03		23
24		·16					·04		·01		·04		24
25							·24	·30		·02			25
26							1·06		·02	·02	·07	·15	26
27						·08		·18			·10	·05	27
28		·12	·21								·08		28
29			·03						1·17			·05	29
30		×	·24								·08	·07	30
31		×	·18	×		×	·03	·05	×		×		31
Total	2·81	·87	1·33	2·40	1·39	·62	3·80	1·13	4·06	·92	1·52	2·05	YEAR'S TOTAL 22·90
Rain Days.	13	12	10	13	8	8	17	9	17	17	14	21	159

W. 8,000. X. 15.

Gx Rl

29 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Tewkesbury.
in the County of Gloucestershire.
by The Corporation of Cheltenham.

Lat. 52°.1' Long. 2°.10'
Time of Observation 8.30am
Nearest Railway Station Tewkesbury. Midland Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 9 in.
" " " " Sea Level 47. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03	·02	·09	·04	·05	·12		·04	·13		·37	1
2	·20		·06		·09		·25		·45		·17	·11	2
3	·80				·06						·13	·17	3
4		·04	·44			·14	·02	·08	·47			·12	4
5	·10	·32	·31		·18				·28			·19	5
6	·14		·09		·32						·06	·02	6
7	·02		·35	·16	·17						·12	·03	7
8	·05		·03	·17							·01		8
9	·20		·04	·14									9
10			·53	·03							·02	·23	10
11			·39	·02	·03		·45					·02	11
12	·02		·14	·08		·26				·11	·05		12
13	·05			·19					·09	·07		·05	13
14	·17	·02		·13			·09		·03	·02		·03	14
15	·57		·02	·14	·23							·19	15
16	·15	·90						·01			·08	·02	16
17		·84			·07	·03					·12		17
18	·05	·06	·41					·16			·03	·04	18
19	·08	·34	·85			·13	1·39	·28	·04		·11	·06	19
20	·25	·03	·25			·02	·01	·27	·01		·15		20
21	·09	·39	·05			·02	·22					·08	21
22	·01	·05					·09		·22			·15	22
23			·04					·03		·85	·04		23
24				·01		·03				·78	·13	·12	24
25	·10			·08	·07	·14		·25				·10	25
26	·03		·12	·22		·02		·60	·10			·18	26
27	·16		·01	·66				·45				·10	27
28	·07		·16	·01				·48			·25	·27	28
29				·08				·01		·23	·11	·28	29
30				·21		·21		·15		·07	·07	·26	30
31													31
Total	3·58	3·02	4·31	2·42	1·26	1·05	2·64	2·77	1·73	2·26	1·65	3·19	Year's Total 29·88
Days with ·01 in. or more	22	11	20	17	10	11	9	12	10	8	17	24	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.162. A.&E.W.

W wrs 1895

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tewkesbury
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 52° 1′ Long. 2° 10′
Time of Observation 8·30 a.m.
Nearest Railway Station Tewkesbury Midland Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
„ „ „ „ Sea Level 44 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16	·26		·13			·14		·15	1
2	·02		·04	·20			·18	·01	·06	·05		·09	2
3		·04		·08	·03		·55		·06	·04			3
4				·10			·01	·16		·16			4
5			·14	·03	·14		·24	·01		·26			5
6			·25		·15		·14			·25			6
7			·09	·14	·01		·11						7
8	·14	·08		·40	·03		·32						8
9				·28			·02	·03					9
10	·49	·05	·04	·13		·06	·10				·03		10
11	·15		·08	·09	·34	·05	·06					·02	11
12	·14	·01		·04		·00		·04			·02		12
13	·04		·22	·10				·03				·02	13
14			·64	·24		·06			·22		·10		14
15		·08	·04	·39		·18			·12	·06	·04		15
16				·04	·05	·23	[illegible]		·10	·02			16
17					·12				·84	·21		·02	17
18	·16			·08	·04			·32	·64	·18		·01	18
19	·05	·24		·34		[illegible]							19
20				·16		·14							20
21	·04								·01				21
22				·04		·02	·01	·05				·05	22
23		·01					·24	·04				·45	23
24			·16	·01							·01	·10	24
25		·04	·10			·06	·58						25
26	·16		·21			·03	·01					·04	26
27	·39	·05	·12	·04	·05	·10					·01	·12	27
28	·68				·10		·01					·01	28
29	·22		·16		·06	·01	·06				·05	·34	29
30		×	·40	·08		·04	·16		·21		·14	·09	30
31	·08	×	·03	×	·02	×	·08		×	·24	×	·05	31
TOTAL	2·49	·60	2·81	3·23	1·49	2·45	3·29	·69	2·29	1·64	·48	1·62	YEAR'S TOTAL 23·33 ?
Days with ·01 in. or more	14	9	16	22	14	14	20	9	9	11	8	15	161
Days with ·04 in. or more	13	4	15	20	10	11	15	5	8	10	4	10	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

TEWKEBURY

FORTHAMPTON COURT

GDNS

GLOUCESTER

1911- 1918

FORM A 3. BRITISH RAINFALL. 2138

2 - JAN 1912

Kept at Forthampton Co

in the County of Gloucs.

by H. French.

n

n.

nd 1 ft. — in.

Level 48 ft. about.

Tewkesbury

nce 2½ Direction E

IMPORTANT NOTE.— previous day. If an Observe requested to add the reading for it at the end of this pa the selection and placing of Organization are given in "R Dr. H. R. Mill, 62, Camden Square, London, N.W.

result entered to the rule, he is earnestly n the space provided of rain, Rainfall cation to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·09	·05	—	—	—	—	—	—	—	—	1
2	·01	—	—	14	15	—	—	·22	·01	20	13	·08	2
3	—	—	—	—	45	—	—	·01	·03	—	·02	—	3
4	·01	—	11	—	—	—	—	—	03	05	22	33	4
5	05	—	·04	—	—	—	—	08	—	—	04	—	5
6	27	—	·05	—	—	—	—	—	—	—	05	76	6
7	01	—	—	—	—	—	—	—	—	—	23	—	7
8	15	—	12	—	—	—	—	—	—	—	04	13	8
9	10	—	·01	—	—	—	—	—	—	—	15	·08	9
10	—	19	33	—	—	—	—	·04	—	—	03	19	10
11	23	—	—	—	—	—	—	—	—	—	68	—	11
12	—	—	54	—	—	—	—	—	·08	—	14	—	12
13	—	—	—	—	—	—	—	—	33	—	·01	54	13
14	—	·01	·02	—	—	—	—	—	—	—	—	55	14
15	—	·01	08	—	—	—	—	—	—	—	09	·07	15
16	—	—	—	—	—	17	—	—	—	—	27	·09	16
17	—	—	—	—	—	·08	—	—	—	—	19	52	17
18	—	20	—	—	—	·03	—	—	—	—	—	40	18
19	—	·02	—	—	—	25	—	·01	10	20	01	·07	19
20	—	·07	·04	·08	—	—	—	·39	·03	—	—	44	20
21	—	·08	·03	—	—	—	—	·14	·06	43	—	·04	21
22	—	—	·03	—	—	·03	—	—	—	·08	—	45	22
23	—	14	·19	—	—	16	—	—	15	·02	—	·06	23
24	—	·07	—	·02	—	45	—	·08	—	43	—	15	24
25	—	·09	—	·05	—	05	—	·09	—	—	—	·05	25
26	—	15	—	23	·02	·05	—	·03	—	23	19	14	26
27	—	19	16	·06	—	—	—	·56	22	—	—	·09	27
28	—	15	—	18	—	—	—	03	—	—	21	—	28
29	—	X	—	12	—	18	·17	—	23	24	—	—	29
30	—	X	01	02	·06		—	·20	—	—	—	—	30
31	—	X		X		X			X	03	X		31
Total	·83	1·37	1·85	·95	68	1·45	·17	1·88	1·27	1·91	2.70	5·23	TOTAL for year 20·29
No. of Rain Days.	8	13	16	10	4	10	1	13	11	10	18	21	135

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A. BRITISH RAINFALL 2138
2 - JAN 1912

Kept at Forthampton Court Gardens

in the County of Gloucestershire 2

by H. French.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 48 ft. about

Time of Observation 9 AM.

Nearest Railway Station East from Forthampton Ct
Name Tewkesbury
Distance 2½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	·05	—	—	—	—	—	—	—	—	1
2	·01	—	—	14	15	—	—	·22	·01	20	13	·08	2
3	—	—	—	—	45	—	—	·01	·03	—	·02	—	3
4	·01	—	11	—	—	—	—	—	03	05	22	33	4
5	05	—	·04	—	—	—	—	08	—	—	04	—	5
6	27	—	·05	—	—	—	—	—	—	—	05	76	6
7	01	—	—	—	—	—	—	—	—	—	23	—	7
8	15	—	12	—	—	—	—	—	—	—	04	13	8
9	10	—	·01	—	—	—	—	—	—	—	15	·08	9
10	—	19	33	—	—	—	—	·04	—	—	03	19	10
11	23	—	—	—	—	—	—	—	—	—	68	—	11
12	—	—	54	—	—	—	—	—	·08	—	14	—	12
13	—	—	—	—	—	—	—	—	33	—	·01	54	13
14	—	·01	·02	—	—	—	—	—	—	—	—	55	14
15	—	·01	08	—	—	—	—	—	—	—	09	·07	15
16	—	—	—	—	—	17	—	—	—	—	27	·09	16
17	—	—	—	—	—	·08	—	—	—	—	19	52	17
18	—	20	—	—	—	·03	—	—	—	—	—	40	18
19	—	·02	—	—	—	25	—	·01	10	20	01	·07	19
20	—	·07	·04	·08	—	—	—	·39	·03	—	—	44	20
21	—	·08	·03	—	—	—	—	·14	·06	43	—	·04	21
22	—	—	·03	—	—	·03	—	—	—	·08	—	45	22
23	—	14	·19	—	—	16	—	—	15	·02	—	·06	23
24	—	·07	—	·02	—	45	—	·08	—	43	—	15	24
25	—	·09	—	·05		05	—	·09	—	—	—	·05	25
26	—	15	—	23	·02	·05	—	·03	—	23	19	14	26
27	—	19	16	·06	—	—	—	·56	22	—	—	·09	27
28	—	15	—	18	—	—	—	03	—	—	21	—	28
29	—	×	—	12	—	18	·17	—	23	24	—	—	29
30	—	×	01	02	·06		—	·20	—	—	—	—	30
31	—	×		×		×			×	03	×		31
Total	·83	1·37	1·85	·95	68	1·45	·17	1·88	1·27	1·91	2·70	5·23	TOTAL for year 20·29
No. of Rain Days.	8	13	16	10	4	10	1	13	11	10	18	21	135

W. 8,000, X. '11.

Ex Ans

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3- JAN 19[illegible]

Kept at Forthampton Court Gardens
in the County of Gloucestershire 2
by H. French

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. -- in.
" " " Sea Level 48 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Tewkesbury
Distance 2½ Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	·09	...	...	70	·16	·03	03	25	...	...	1
2	...	·07	14	...	...	30	28	05	...	...	...	·01	2
3	·01	...	08	...	·06	22	05	45	·15	...	·02	·06	3
4	·06	...	75	...	·13	1·30	...	08	...	...	20	...	4
5	·23	·06	16	...	10	·09	...	35	02	...	...	...	5
6	·18	·07	...	...	02	12	20	77	—	...	...	·04	6
7	·01	·27	02	...	...	57	02	05	...	...	...	·01	7
8	·23	·07	20	...	...	13	·02	11	...	...	...	05	8
9	02	...	23	·03	...	20	...	17	...	...	...	12	9
10	·04	04	02	...	...	05	...	·06	·01	...	19	...	10
11	·06	·03	...	...	...	08	...	12	...	...	·02	36	11
12	04	58	08	...	11	02	03	...	...	...	·01	·02	12
13	...	07	...	...	...	...	...	20	...	...	...	·01	13
14	·08	...	45	...	·08	...	...	·05	...	...	...	...	14
15	14	08	·05	...	30	18	...	·06	...	...	...	13	15
16	83	...	08	...	...	·03	...	09	...	08	...	...	16
17	93	...	17	...	...	·03	...	38	...	...	...	43	17
18	25	02	·09	...	...	...	...	59	...	...	...	...	18
19	·02	·01	...	...	·03	...	34	40	...	...	...	...	19
20	·03	...	34	...	·02	...	27	10	...	28	11	...	20
21	·03	·01	34	...	·75	...	·01	21	...	37	...	...	21
22	31	·09	05	...	·34	28	34	20	...	...	...	03	22
23	13	53	30	...	...	24	14	28	...	04	·02	39	23
24	06	03	...	...	...	30	02	·09	...	...	...	13	24
25	...	...	...	...	...	64	04	·71	...	...	31	28	25
26	...	05	...	...	...	...	35	·65	...	49	32	17	26
27	...	·01	...	—	—	22	66	...	...	87	...	16	27
28	...	06	...	...	—	13	1·13	53	08	32	14	46	28
29	...	20	01	...	...	47	38	03	35	37	...	11.	29
30	...	X	...	...	...	28	14	...	...	20	...	[illegible]	30
31	...	X	·05	X	20	X	56	07	X		X	·02	31
Total	3·69	2·35	3·70	·03	2·14	6·58	5·14	6·88	64	3·27	1·34	2·88	TOTAL for year 38·64
No. of Rain Days	21	20	21	1	12	23	20	28	6	10	10	19	191

6,000. V. '09.

FOR A. BRITISH RAINFALL.
2138
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Forthampton Court Gardens

in the County of Gloucestershire

by H. French

Lat. 51° 59′ 7″ Long. 2° 11′ 5/16″

Time of Observation 9 A.M.

Nearest Railway Station Tewkesbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	·04	·10	·03	---	---	---	...	90	---	·06	---	1
2	·01	21	·03	·11	---	---	05	...	12	48	10	---	2
3	·18	---	·06	—	54	---	...	---	---	---	...	·02	3
4	·88	---	...	...	29	---	...	...	45	·40	---	23	4
5	~	---	---	---	·07	·08	·06	---	---	21	·07	02	5
6	·04	·09	·12	...	21	·10	·29	...	---	·08	18	43	6
7	...	·32	--	...	20	·04	08	---	---	25	17	·01	7
8	...	·04	--	...	13	--	---	...	---	45	--	...	8
9	...	·19	—	--	·08	06	...	21	·35	—	·05	·02	9
10	07	---	...	---	--	--	...	10	---	...	·08	·02	10
11	·32	---	---	35	32	--	...	---	---	·07	·73	---	11
12	...	...	...	--	29	...	...	·01	---	---	59	---	12
13	·03	---	·09	---	...	...	...	---	·07	---	30	---	13
14	·05	...	---	---	...	...	...	·03	---	14	---	---	14
15	·20	18	65	40	...	---	...	---	·08	...	---	---	15
16	14	---	66	—	...	·04	...	·04	·01	...	·01	---	16
17	·03	---	21	04	---	·08	14	---	---	...	·01	---	17
18	·04	...	19	08	---	---	---	...	32	...	...	---	18
19	·05	...	20	---	---	15	·10	...	16	---	·01	---	19
20	36	...	24	·08	---	·03	·05	---	·02	·08	·03	---	20
21	...	...	16	---	14	...		---	---	---	34	---	21
22	45	...	42	---	---	·02		---	40	...	...	---	22
23	---	...	...	—	...	·07		·09	04	---	---	·07	23
24	·02	---	---	—	---	...		·02	...	---	---	---	24
25	...	...	---	14	---	...		---	·01	·01	...	·02	25
26	...	·06	---	72	---	...		36	...	---	...	23	26
27	·02	...	·03	14	·01	...		---	---	·07	---	...	27
28	·36	...	·06	24	...	...		----	...	---	---	...	28
29	---	×	30	45	---	...		·03	---	---	---	...	29
30	23	×	---	...	---	...		---	---	---	10	...	30
31		×	·15	×	02	×		---	×	---	×	...	31
Total	3·48	1·13	3·67	2·78	2·30	67	77	89	2·93	2·24	2·83	1·07	YEAR'S TOTAL 24·76
Rain Days.	19	8	17	12	12	10	7	9	13	11	16	10	144

W. 7,500, XI. ·12

Ex LMcC

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
4 JAN 1915
2138

Kept at Forthampton Court Gardens
in the County of Gloucestershire 2
by H. French

Lat. 51° 59' 5" Long. 2° 11' 20"
Time of Observation 9. A.M.
Nearest Railway Station Tewkesbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	...	·09	...	...	1·52	34	...	...	·03	07	1
2	...	...	—	...	...	...	·27	12	...	...	43	40	2
3	...	...	...	·07	20	...	·17	...	...	...	·03	...	3
4	14	...	...	14	07	...	16	10	...	...	26	33	4
5	03	...	08	10	15	...	17	...	...	...	23	...	5
6	...	07	...	·02	05	...	...	02	...	...	15	...	6
7	...	19	·08	·01	20	·09	32	02	·07	...	·01	10	7
8	·01	...	13	·01	05	·79	...	13	...	...	...	...	8
9	13	...	30	26	10	1·54	...	07	·09	...	...	06	9
10	·03	40	...	26	...	·03	...	—	30	...	...	...	10
11	...	05	19	·20	20	21	...	...	...	...	10	30	11
12	...	06	16	...	...	...	22	...	27	...	·04	07	12
13	...	15	34	...	...	...	04	...	12	19	·08	57	13
14	...	08	19	...	...	...	...	...	...	30	10	...	14
15	01	...	10	...	...	...	·07	·08	12	...	·06	...	15
16	...	...	...	...	...	...	·02	...	·04	...	...	...	16
17	...	11	20	...	...	...	...	...	·07	...	...	23	17
18	...	...	·04	...	...	...	19	...		...	...	30	18
19	...	...	·05	...	...	...	64	·05		...	...	·06	19
20	...	49	·04	...	...	·05	...	...		...	...	18	20
21	...	27	...	...	...	16	·01	...		18	...	10	21
22	...	05	02	...	23	...	...	·04		·05	...	...	22
23	...	...	15	...	·03	...	...	...		10	...	...	23
24	...	—	15	...	...	...	·02	·02		·09	...	...	24
25	·07	...	18	...	...	...	·03	14		22	...	05	25
26	...	...	08	...	...	...	·02	...		09	25	34	26
27	·05	...	...	...	...	...	...	...		...	15	13	27
28	...	10	21	...	·06	...	...	...		...	·02	1·30	28
29	...	X	13	...	·09	...	...	...		25	24	...	29
30	...	X	03		·01	...	...	...		07	52	77	30
31	07	X	...	X	·02	X	20	...	X	04	X	02	31
Total	·54	2·02	2·85	1·16	1·46	2·87	4·07	1·13	1·08	1·58	2·70	5·38	YEAR'S TOTAL 26·84
Rain Days.	9	12	21	10	14	7	17	12	8	11	17	19	157

W. 8,000. X. 14.

2233

FORM A.
BRITISH RAINFALL.
2138
25 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Forthampton Court Gardens

in the County of Gloucestershire

by H. French

Lat. 51° 59' 5" Long. 2° 11' 20"

Time of Observation 9. A.M.

Nearest Railway Station Tewkesbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	10	·10	—	—	26	—	03	·08	21	20	—	11	1
2	25	12	·23	17	—	12	·01	2·01	—	10	—	·06	2
3	95	14	—	10	13	—	1·21	28	—	—	—	18	3
4	·02	·01	—	—	—	—	38	05	—	—	—	47	4
5	—	28	—	01	—	—	—	03	—	—	—	44	5
6	·18	01	—	17	—	—	57	—	—	—	—	·08	6
7	·20	43	—	03	17	12	·06	16	—	—	—	35	7
8	·30	18	—	02	—	—	—	05	—	—	·07	—	8
9	·23	—	—	11	—	—	—	11	—	—	17	40	9
10	·15	—	05	04	—	—	—	—	—	—	—	—	10
11	·04	—	—	06	02	—	—	—	—	—	63	·03	11
12	·09	04	—	19	55	—	—	40	—	10	70	·03	12
13	·03	37	—	—	65	—	—	46	—	—	—	—	13
14	—	—	—	—	—	—	—	34	—	—	—	30	14
15	28	—	—	—	·09	—	—	09	05	13	—	—	15
16	·02	37	—	—	35	—	78	34	—	—	—	11	16
17	—	13	—	—	1·53	—	—	—	—	—	—	—	17
18	—	40	—	—	24	—	—	—	—	—	—	—	18
19	—	10	—	—	—	—	27	—	—	—	—	—	19
20	15	—	—	10	—	—	—	—	—	—	—	12.	20
21	14	15	—	—	—	—	·05	—	—	11	—	05	21
22	14	—	26	·05	—	—	35	—	—	—	—	21	22
23	·02	·06	27	—	—	—	·07	—	·01	1·17	—	40	23
24	—	—	·03	10	—	—	1·60	—	42	50		·08	24
25	—	—	—	—	—	55	·05	—	·01	—	·05	22.	25
26	—	·04	—	—	—	—	·10	—	—	—	—	45	26
27	—	·03	—	—	—	—	·24	—	—	52	—	·01	27
28	—	—	—	—	—	10	—	·05	22.	—	—	—	28
29	—	X	—	—	—	02	·63	·05	—	—	·05	03	29
30	10	X	—	—	—	65	·30	—	—	05	·06	08	30
31		X	—	X		X	·09	04	X	50	X	20	31
Total	3·39	2·96	·84	1·15	3·99	1·56	6·79	4·54	·92	3.38	1·73	4·41	YEAR'S TOTAL 35·66
Rain Days.	19	18	5	13	10	6	18	16	6	10	7	23	151

W. 8,000. X. 15.

~~W~~ DL [illegible]

2168

BRITISH RAINFALL. FORM A. 18 JAN 1917

2138

REGISTER OF RAINFALL IN 1916

Kept at Forthampton Court Gardens Tewkesbury
in the County of Gloucestershire
by H French

Lat. 51° 59' 5" Long. 2° 11' 20"
Time of Observation 9 . A.M.
Nearest Railway Station Tewkesbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	—	—	—	·10	·08	—	—	14	10	—	1
2	·23	·03	15	—	40	—	—	—	·01	60	·04	—	2
3	—	·65	—	—	05	11	—	—	·08	20	·03	—	3
4	30	·07	—	—	56	29	—	—	·07	12	20	—	4
5	—	·01	—	—	24	·7	14	—	—	·06	·08	—	5
6	·06	·25	·07	—	21	—	43	—	—	16	65	—	6
7	—	—	{03}	—	08	—	16	—	—	38	22	·18	7
8	06	—	·05	—	32	35	—	—	—	—	·02	23	8
9	—	—	—	—	08	03	—	—	—	·09	·02	·01	9
10	—	46	05	·06	—	—	03	—	—	12	·01	—	10
11	—	—	·04	12	07	30	—	—	—	—	—	·29	11
12	—	—	—	·01	35	—	23	—	—	·06	—	—	12
13	—	35	10	—	—	—	—	10	—	—	—	—	13
14	—	34	·05	—	—	—	—	—	—	·02	—	—	14
15	—	16	30	·03	29	—	·01	·17	—	·08	—	—	15
16	—	·06	—	20	·01	—	·13	24	—	—	—	—	16
17	10	·09	—	—	—	—	—	08	33	46	—	—	17
18	—	·10	·04	—	—	—	—	·02	·13	·06	·57	—	18
19	—	—	·18	·20	—	—	—	—	·01	—	·10	—	19
20	·18	—	·65	—	—	—	—	—	—	—	—	44	20
21	—	—	46	—	70	—	·12	—	—	—	—	·40	21
22	—	—	—	·04	—	·03	—	—	—	·09	—	·72	22
23	—	·29	—	·02	—	—	—	·12	—	·08	—	·25	23
24	—	·08	·07	·01	15	—	—	·02	—	·22	—	—	24
25	—	·23	10	—	—	—	—	·30	—	·08	·14	·08	25
26	·03	·04	·08	—	—	12	—	·02	—	16	—	—	26
27	—	·09	1·20	—	—	—	—	—	25	35	—	—	27
28	·02	40	·06	—	—	21	—	—	·05	—	—	10	28
29	—	10	—	—	—	20	—	2·03	—	45	—	17	29
30	—	X	—	·03	—	03	—	—	—	20	—	—	30
31	—	X	—	X	—	X	—	—	X	24	X	—	31
Total	1·08	3·80	3·68	·72	2·91	1·84	1·33	3·10	·93	4·42	2·18	2·87	YEAR'S TOTAL 28·86
Rain Days.	9	19	18	10	14	12	9	10	8	23	13	11	156

W. 8,000, VIII. 16

2070

FORM 2A.
BRITISH RAINFALL.

2138

9 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Forthampton Court Gardens
Tewkesbury
in the County of Gloucestershire
by H. French

Lat. 51° 59' 5" Long. 2° 11' 20"
Time of Observation 9 AM.
Nearest Railway Station Tewkesbury.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	08	·09	...	13	...	25	14	...	19	...	1
2	...	...	...	08	...	12	...	·01	...	02	06	...	2
3	...	...	...	12	...	02	...	08	—	49	...	...	3
4	...	25	...	...	...	...	...	23	...	39	...	...	4
5	...	...	48	20	...	46	...	71	·03	19	16	...	5
6	...	...	...	—	...	...	...	...	...	08	18	...	6
7	19	...	...	—	...	...	...	18	...	19	06	05	7
8	50	...	...	12	...	...	1·00	54	...	42	14	15	8
9	—	...	04	05	38	...	...	74	06	05	02	...	9
10	37	...	45	20	05	...	...	42	21	02	...	...	10
11	07	...	13	22	...	...	...	15	04	08	04	...	11
12	06	...	...	...	18	...	...	23	...	16	04	...	12
13	...	...	08	02	·01	...	...	07	06	21	...	...	13
14	...	...	17	·08	...	...	...	11	...	...	...	...	14
15	...	...	...	03	...	...	...	45	·01	05	...	·13	15
16	03	05	...	25	...	...	28	...	...	04	...	...	16
17	...	...	...	...	53	·09	36	05	07	...	...	...	17
18	...	03	...	...	...	·02	16	—	1·55	...	...	...	18
19	...	40	20	...	...	·04	...	·01	·01	...	...	...	19
20	...	20	23	...	60	·05	...	...	18	...	...	...	20
21	...	...	28	...	01	·05	...	·03	...	...	10	...	21
22	...	...	03	...	...	·08	...	16	...	17	...	...	22
23	...	30	—	...	10	...	...	49	...	·07	...	...	23
24	...	13	—	...	...	05	...	·07	...	...	04	...	24
25	...	...	05	...	...	...	...	...	...	17	·06	...	25
26	...	...	...	...	25	09	...	25	10	...	10	...	26
27	...	...	...	...	1·35	...	...	59	...	...	...	...	27
28	...	...	14	...	...	53	05	12	...	...	...	15	28
29	...	X	...	...	...	55	...	...	...	59	...	...	29
30	...	X	·01	...	...	...	27	30	...	...	03	...	30
31	...	X	10	X		X	·01	10	X		X	·04	31
Total	1·22	1·36	2·47	1·46	3·46	2·28	2·13	6·34	2·46	3·39	1·22	·52	YEAR'S TOTAL 28·31
Rain Days.	6	7	15	12	10	14	7	25	12	18	14	5	145

62

W. 8,000, IX. 17.

15

FORM A. BRITISH RAINFALL

2138

2. 1. 19

REGISTER OF RAINFALL IN 19~~18~~18

Kept at Forthampton Court Gardens

in the County of Gloucestershire

by H. French

Lat. 51° 59' 5" Long. 2° 11' 20"

Time of Observation 9. A.M.

Nearest Railway Station Tewkesbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 48 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	—					—	—						
1	—	·08	—	·03	·10	—	—	·08	—	—	17	—	1
2	—	·07	—	—	—	—	—	·21	—	—	·01	·03	2
3	—	·07	—	·04	14	—	—	—	40	—	—	—	3
4	—	—	·02	—	—	—	—	·06	·09	—	75	—	4
5	—	—		—	23	—	—	·03	·23	·03	·05	·17	5
6	—	·07		—	—	·07	—	—	·01	10	—	—	6
7	·05	·17	—	—	29	—	—	—	11	04	·26	·05	7
8	—	·05	—	—	—	—	—	—	05	15	—	·04	8
9	—	·05	—	·16	—	—	05	—	33	16	—	·05	9
10	·07	—	—	05	—	·15	36	—	15	11	—	—	10
11	—	—	—	—	—	—	06	—	04		—	·16	11
12	—	·01	28	—	13	—	·21	—	—		—	—	12
13	—	—	—	—	—	·01	·07	—	10	·06	—	10	13
14	19	—	·06	—	—	—	·01	—	48	·06	—	·05	14
15	1·04	—	—	58	—	—	·14	—	02	—	—	24	15
16	·20	—	—	82	—	—	~~—~~	—	22	—	—	03	16
17	15	—	—	·06	·11	—	20	—	06	·07	—	—	17
18	·37	·03	—	—	—	32	16	—	67	·01	—	·62	18
19	·07	·06	·36	·06	—	—	10	—	·01	08	—	·01	19
20	·05	—	—	35	—	·05		—	11	·04	—	·02	20
21	—	—	—	27	—	—	05	—	32	—	—	·02	21
22	·07	—	—	—	—	—	12	—	14	—	—	23	22
23	·03	—	—	—	48	·02	21	·01	—	—	·01	—	23
24	—	·14	—	—	—	—	04	30	06	·04	·11	—	24
25	—	—	—	—	—	—	33	—	—	·04	—	—	25
26	—	—	—	—	—	—	40	·23	03	—	—	·13	26
27	—	—	—	—	—	·12	—	—	07	—	20	05	27
28	—	·14	25	—	—	—	—	—		—	05	05	28
29	—	~~·14~~	·04	—	—	—	—	—	1·29	—	—	03	29
30	—	X	·23	—	—	—	—	—	—	—	10	07	30
31	—	X	·26	X	—	X	—	·04	X	—	X	—	31
Total	2·29	·94	1·50	2·42	1·48	·74	2·51	·96	4·99	·99	1·71	2·15	YEAR'S TOTAL 22·68
Rain Days.	11	12	8	10	7	7	16	8	23	14	10	20	146

W, 6,500, VII. 18. W W C

DL

356

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

TEWKESBURY

UPPER LODE

GLOUCESTER

1911 - 1920

RI

Kept at Upper L

in the County of W. G

by B. Dadge

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE … the result entered to the
previous day. If an Obs … ersal rule, he is earnestly
requested to add the readi … r in the space provided
for it at the end of this … nt of rain,
the selection and placing … sh Rainfall
Organization are given in " … plication to
Dr. H. R. Mill, 62, Camd … N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·07				·05			·02	·02	1
2	·03			·10	·17			·18	·02	·19	·11	·06	2
3					·37			·02	·02		·01		3
4			·11						·03	·04	·24	·32	4
5	·05		·04	·02				·08			·04		5
6	·15		·05								·08	·86	6
7	·03										·20		7
8	·14		·12								·04	·12	8
9	·09		·05								·15	·08	9
10	·01	·18	·34					·07			·04	·20	10
11	·18										·62	·01	11
12			·31						·08		·13	·05	12
13			·02						·30	·04	·01	·42	13
14			·01									·60	14
15		·02	·04								·09	·05	15
16						·15					·28	·10	16
17						·09					·20	·48	17
18		·20		·08						·02	·01	·40	18
19						·28			·10	·12	·01	·10	19
20		·08	·03	·03				·23		·01		·45	20
21	·03	·08	·03					·14	·05	·36		·03	21
22		·03	·04			·03				·05		·44	22
23		·13	·15			·14			·15	·05		·08	23
24		·08		·07		·45		·08		·42		·11	24
25	·01	·10		·04		·06		·06				·06	25
26		·14		·25	·02	·04		·04		·24	·20	·16	26
27		·22	·15	·05				·53	·25		·07	·10	27
28		·21		·16				·01			·11		28
29				·16		·15	·21		·22	·26	·02		29
30			·03		·05	·01		·11	·01	·22	·01		30
31					·14							·02	31
Total	·72	1·47	1·61	1·03	·75	1·40	·21	1·60	1·23	2·02	2·69	5·32	TOTAL for year 20·05
No. of Rain Days	10	12	17	11	5	10	1	13	11	13	23	25	151

9,000, IX. '10.

DL

356

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RI

Kept at Upper Lode, Tewkesbury

in the County of W. Gloucestershire 2

by B. Dadge

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station
Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·07				·05			·02	·02	1
2	·03			·10	17			·18	·02	19	·11	·06	2
3					37			·02	·02		·01		3
4			·11						·03	·04	·24	·32	4
5	·05		·04	·02				·08			·04		5
6	·15		·05								·08	·86	6
7	·03										·20		7
8	·14		·12								·04	·12	8
9	·09		·05								·15	·08	9
10	·01	·18	·34					07			·04	·20	10
11	·18										·62	·01	11
12			·31						·08		·13	·05	12
13			·02						·30	·04	·01	·42	13
14			·01									·60	14
15		·02	·04								·09	·05	15
16						·15					·28	·10	16
17						·09					·20	·48	17
18		·20		·08						·02	·01	·40	18
19						·28			·10	·12	·01	·10	19
20		·08	·03	·03				·23		·01		·45	20
21	·03	·08	·03					·14	·05	·36		·03	21
22		·03	·04			·03				·05		·44	22
23		·13	·15			·14			·15	·05		·08	23
24		·08		07		·45		·08		·42		·11	24
25	·01	·10		·04		·06		·06				·06	25
26		·14		·25	·02	·04		·04		·24	·20	·16	26
27		·22	·15	·05				·53	·25		·07	·10	27
28		·21		·16				·01			·11		28
29				·16		·15	·21		·22	·26	·02		29
30			·03		·05	·01		·11	·01	·22	·01		30
31					·14							·02	31
Total	·72	1·47	1·61	1·03	·75	1·40	·21	1·60	1·23	2·02	2·69	5·32	TOTAL for year 20·05
No. of Rain Days	10	12	17	11	5	10	1	13	11	13	23	25	151

9,000, IX. '10.

8L Cordly mm stats 28.11.13 wDD 347

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Upper Lode
in the County of Gloucestershire 2
by B. Dadge

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.
Time of Observation
Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08			·50	·14		·01	·23		·05	1
2		·03	·13	·02		·24	·25	·02					2
3			·07		·04	·10	·05	·27	·07		·02	·05	3
4			·65		·10	·86		·09			·13		4
5	·25	·10	·15		·15	·10		·28	·01		·01	·03	5
6	·17	·15			·01	·20	·26	·62					6
7	·02	·16	·03		·04	·46	·02	·02			·02		7
8	·24	·06	·17			·08		·00	·03			·07	8
9	·02		·22	·02		·23		·03				·13	9
10	·03	·03				·01		·24			·21		10
11	·05	·02				·10		·21			·02	·35	11
12	·04	·56	·09	·01	·10		·05				·01	·05	12
13		·03						·22	·01			·02	13
14	·09		·46		·03			·03					14
15	·11	·08	·02		·30	·16		·04				·13	15
16	·76		·06		·04	·07		·09					16
17	·86		·16			·02		·42			·01	·41	17
18	·19	·02	·07					·62					18
19	·07	·01	·01		·02	·01	·35	·30					19
20	·02		·37		·02		·20	·11		·36	(·13) ·03		20
21	·01	·02	·31		·61			·27		·35			21
22	·30	·08	·07		·36	·16	·32	·15				·02	22
23	·15	·50	·20			·18	·10	·32			·02	·38	23
24	·04	·02	·01			·24		·06			·01	·13	24
25						·65	·04	·72			·27	·31	25
26		·05	·01				·30	·72		·40	·30	·15	26
27		·01				·20	·67			·84		·17	27
28		·06				·08	1·05	·58	·03	·24	·13	·40	28
29		·22	·01			·35	·38	·02	·30	·31		·01	29
30						·35	·10	·01		·10			30
31			·10		·17		·41	·02				·02	31
Total	3·42	2·21	3·45	·05	1·99	5·35	4·69	6·34	·46	2·83	1·29	2·88	TOTAL for year 3496
No. of Rain Days.	19	20	23	3	14	23	17	28	7	8	14	19	195

W. 8,000, X. '11.

82 ✓ 358

FORM A.
BRITISH RAINFALL.

28 JAN

REGISTER OF RAINFALL IN 1913

Kept at Upper Lode [illegible]

in the County of Gloucestershire 2

by B. Daidge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.13	.06					1.59		.05		1
2		.22	.02	.18			.07		.17	.65	.10		2
3	.14	.01	.06		.48							.03	3
4	.88				.27				.54	.70	.02	.19	4
5	.01	.01			.01	.07	.07			.20	.06		5
6	.03	.07	.13		.30	.09	.24			.15	.17	.40	6
7	.01	.30			.20	.04	.08			.20	.17		7
8		.04			.06	.01				.41			8
9		.20			.06	.10		.48	.40		.05	.02	9
10	.07			.11	.02			.08			.10		10
11	.25			.29	.17					.06	.76		11
12					.30			.01			.47		12
13		.02	.08						.09		.26		13
14	.06		.27					.08		.22			14
15	.19	.15	.58	.38					.16		.02		15
16	.09		.65	.03			.15	.22					16
17	.04		.07	.08		.06	.07						17
18	.04		.15	.05			.08		.37				18
19	.05		.20			.17	.05		.20		.02		19
20	.32		.15	.07						.08	.06		20
21			.14	.15	.11		.10				.30		21
22	.49		.41					.06	.52				22
23						.10		.11	.02		.02	.07	23
24	.02			.02				.04			.02		24
25				.17					.01			.03	25
26		.03		.74				.45		.04		.21	26
27	.01		.03	.15	.11					.04			27
28	.01		.07	.22						.16		.01	28
29			.26	.45				.12		.12			29
30	.21							.08		.29	.08		30
31	.01		.13					.01		.06			31
													YEAR'S TOTAL
Total	2.93	1.08	3.53	3.15	2.09	.64	.91	1.74	4.07	3.38	2.73	.96	27.21
Rain Days.	20	11	15	16	12	8	9	12	11	15	18	8	158

W. 7,500, XI. 12

82

343

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Upper Lode

in the County of Gloucestershire 2

by B. Dadge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·09		·02	1·28	·32			·03	·07	1
2					·02	·01	·33	·12			·43	·35	2
3			·03	·07	·18		·06	·01			·05	·01	3
4	·15		·01	·18	·04		·15	·08			·25	·32	4
5	·02		·04	·09	·16		·17	·02			·13		5
6		·09		·02	·03		·03	·01			·14	·07	6
7		·18	·09		·21	·12	·25	·12	·07			·08	7
8	·01		·15		·02	·70		·04				·04	8
9	·20		·25	·26	·08	1·44		·06	·11				9
10	·03	·37		·40	·04	·01			·24				10
11		·05	·18	·07	·13	·20			·02		·13	·23	11
12		·08	·17			·02	·29		·24		·06	·07	12
13		·14	·29				·02		·13	·17	·07	·57	13
14		·08	·19	·02			·03			·30	·10	·02	14
15	·02		·09				·05	·07	·08		·05		15
16							·02		·07				16
17		·12	·16						·04			·18	17
18			·03				·23					·30	18
19			·05				·68	·14	·01		·07	·04	19
20		·46	·03			·04						·21	20
21		·28				·11				·17		·10	21
22		·05			·23	·01	·01			·09			22
23		·05	·12		·03		·02			·12			23
24			·15				·02	·04		·07	·06		24
25	·08		·15				·02	·13		·20	·03	·05	25
26			·09							·06	·13	·27	26
27	·05										·14	·10	27
28		·07	·17		·05		·03			·03	·07	1·06	28
29	·01		·15		·11					·20	·14		29
30			·03							·06	·56	·70	30
31	·07						·21			·02		·02	31
Total	·64	2·02	2·66	1·20	1·33	2·68	3·90	1·16	1·01	1·49	2·64	4·86	YEAR'S TOTAL 25·59
Rain Days.	10	13	23	9	14	11	20	13	10	12	19	22	176

W.7,000, XI. 13

81

Cnd for auth 22.III.16 Obr. agrees 8.IV.16

2234
~~336~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1 APR. 1916

Kept at *Upper Lode*
in the County of *Gloucestershire*
by *B. Dadge*

W.81

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	09	·06		·20		·02	26	·20	·19	·02	·06	1
2	·21	·11	·14	·15		·10		1·98		·11		·05	2
3	·86	·14	·03	·13	05		1·43	·74				·18	3
4	·02	·01			·04		·42	·10				·48	4
5		·26					·01	·08				·46	5
6	·22	·02		17			60	·02				·20	6
7	·05	·40		·04	·06	·07	12	·08				18	7
8	·25	·16					03	·05			·05		8
9	·19	·01		·13				·12			·17	·35	9
10	·15		·05	·04									10
11	·02			·04	02						·59		11
12	·09	03		·18	27			·42		·09	·63	·03	12
13	·01	·34			·45			·40	·02			·02	13
14		·01						·39				·25	14
15	·30				·08		·04	·31	·03	·06		·09	15
16	·02	·39			·34		60	·19					16
17		·15			1·00			·01					17
18		·32	·03								·03		18
19		·02			·20		·21						19
20	·14			·08	·01		·01					·17	20
21	·16	·15					·04			·11		·06	21
22	·14	·03	·24	·10			·34					·26	22
23	·02	·03	·18			·02	·08			1·04		·32	23
24			·02	·08			·92		·42	·48		·08	24
25						·50	·05			·02		·22	25
26		·04					·11					·43	26
27		·03				·10	·42			·54		·02	27
28		·06				·18		·04	·19	·03			28
29						·02	·41	·04			·09	·04	29
30	·10	X				1·12	·11			·04	·07	·05	30
31	·01	X		X		X	·09		X	·40	X	·20	31
Total	3·06	2·80	·75	1·14	2·72 2·72	2·11	6·06	5·23	·86	3·11	1·65	4·20 4·20	YEAR'S TOTAL 33·69 33·39
Rain Days.	20	22	8	11	12	8	21	17	5	12	8	23	167

W. 8,000. X. 14.

8L E30 8L 2169 ~~299~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Upper Lode

in the County of Gloucestershire

by B. Dadge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	.02	.02		03	.04	.08			.09	.23		1
2	.18	.56	.08		.28				.01	.56	.05		2
3	.01	.07			.06				.07	.23	.01		3
4	.29	.02			.53	.10			.07	.04	.20		4
5	.03	21	.04		.15	.20	.18			.03	.11		5
6	.05		.04		.18	.08	.35			.13	.60		6
7	.01		.03		.06		.28			.33	.21	.20	7
8	.05		.04		.26						.02	.20	8
9	.01		.02		.07	.34					.02		9
10		.46	.02	.05	.06	.18				.13			10
11		.03	.03	.10		.21						37	11
12		.07	.03		.35		.20			.06			12
13		.27	.09		.02		.06	.10		.02			13
14		.40	.06		03			.05			.02		14
15		.15	.18	04	.25		.07	11		.04			15
16	.05	.06	.02	.23	02		.07	.17					16
17	.10	.15		.09				.09	.20	.47			17
18		.06	03	.02				.04	.15	.08	.40	10	18
19	.14		.18	.11						.01	.17		19
20	.04		.40								.03	.35	20
21			.33		.10		.11	11		12		.39	21
22						.03		.02		.07	.03	.52	22
23	.02	.18		.05				.04		.20	.02	.10	23
24		.05	.06		13	.03		.03				.09	24
25		.16	.09					.25		.10	.09		25
26	.02	.07	.05			03		.03	.06	.13			26
27	.08	.08	1.04			.06		.02	.18	.23			27
28		.32	.08			.07			.04	.07		12	28
29		.13	.02			.21		1.28		.35		17	29
30		X				.02				.13			30
31		X		X		X		.01	X	.07	X	03	31
Total	1.14	3.52	2.98	.69	2.58	1.60	1.40	2.35	.78	3.69	2.21	2.64	YEAR'S TOTAL 25.58
Rain Days.	16	21	24	8	17	14	9	15	8	24	16	12	184

W. 8,000. X. 15.

8f
shade

Exe 8f

2071
~~282~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Upper Lode
in the County of Gloucestershire
by B. Dadge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·10	·07		·10		1·10	·05		·16		1
2			·02	·09		·07		·02			·04		2
3	·02			·15				·06		·42			3
4		·09	·04					·22		·32			4
5	·17		·06	·20				·47		·12	·08		5
6			·06			·35				·06	·17	·01	6
7	·20						·20	·22		·07	·03		7
8	·49			·14			·50	·47		·28	·11	·17	8
9			·08	·04				·49	·02	·03	·02		9
10	·35		·37	·15	·47			·32	·25	·01			10
11	·07		·11	·20	·15			·10	·02	·05	·02		11
12	·02			·03				·14		·11		·02	12
13			·06	·02	·14			·06	·08	·09			13
14			·13	·06	·01			·03		·05			14
15				·02				·56				·03	15
16	·03	·04		·20	·02					·02		·21	16
17		·05		·05	·33	·18	·20	·01	·07	·04			17
18		·06					·14		1·33	·02			18
19		·37	·20			·03		·02					19
20	·02	·20	·16		·46	·06	·05		·18		·04		20
21	·01	·03	·15			·09					·05		21
22			·03			·15		·10		·08			22
23		·23			·11			·17		·02			23
24						·05		·03		·12	·04	·02	24
25		·14	·04								·04		25
26		·02			·10	·07		·20	·06				26
27					1·34	·15	·02	·52				·01	27
28			·15			·30		·09				·21	28
29			·02		·02	·23		·01		·56			29
30		X					·23	·27		·04	·10		30
31		X	·11	X		X	·02	·07	X	·01	X	·04	31
Total	1·38	1·25	1·89	1·42	3·15	1·83	1·36	5·75	2·06	2·52	·90	·72	YEAR'S TOTAL 24·23
Rain Days.	10	11	18	14	11	13	8	25 ~~26~~	9	21	13	9	162

W. 8,000, VIII. 16

81

16 ~~265~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

30.1.19

Kept at Upper Lode
in the County of Gloucestershire
by B. Dadge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.12			.09			.17		1
2		.08						.16		.01	.02	.02	2
3		.05		.03					.32		.04	.01	3
4		.05	.01					.07	.09		.64	.15	4
5					.32			.02	.20	.01	.04		5
6	.02	.10		.02		.06				.02		.03	6
7	.02	.11			.25				.14	.02	.17		7
8									.02	.12		.03	8
9	.02	.04		.09		.07	.02		.23	.10		.04	9
10	.04			.04			.30		.09	.08		.08	10
11							.05		.03		.01	.06	11
12		.01	.22		.19		.14						12
13				.02		.02	.05		.10	.05		.10	13
14	.17		.04						.43	.06		.08	14
15	.99			.50			.13		.01			.22	15
16	.19			.66		.04			.17	.02		.03	16
17	.14			.06	.10		.10		.05	.05		.01	17
18	.35					.26	.07		.70			.55	18
19	.08	.04	.35	.06		.01	.08			.06			19
20	.03	.09		.34		.02	.03		.05	.03			20
21	.06			.23			.02		.10	.01		.03	21
22	.02				.02		.05		.09			.25	22
23					.23		.19						23
24		.15					.04				.07		24
25							.08	.27		.04			25
26							.84		.02	.02	.07	.11	26
27						.09		.11	.04		.10	.05	27
28		.07									.05	.04	28
29			.18						1.15			.03	29
30		X	.25								.09	.06	30
31		X	.17	X		X		.05	X		X		31
Total	2.13	.79	1.22	2.05	1.23	.57	2.19	.77	4.03	.70	1.47	1.98	YEAR'S TOTAL 19.13
Rain Days.	13	11	7	11	7	8	16	7	20	16	12	21	149

W. 8,000, IX. 17.

Dl

1942

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Upper Lode

in the County of Gloucestershire

by B. Dadge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		·02	·08	·11	·03	·11		·06	·25		·45	1
2	·20	·02	·01		·02		·19		·49	·01	·15	·13	2
3	·79		·05		·05	·09			·04		·16	·21	3
4	·08	·02	·50			·01	·04	·10	·56			·16	4
5		·33	·25		·12				·28			·23	5
6	·02		·06		·30						·05	·02	6
7	·13		·31	·20	·15						·17	·04	7
8	·05		·03	·13									8
9	·19		·03	·12									9
10	·02		·51								·03	·02	10
11	·01		·46	·01	·02		·45			·03		·01	11
12			·15	·08		·10				·08	·04	·03	12
13	·04			·22					·07	·03		·02	13
14	·16			·10			·10		·02		·01	·03	14
15	·54	·07		·12	·11							·21	15
16	·15	·87									·08	·01	16
17		·63			·03	·02					·14		17
18			·50					·17			·04	·05	18
19	·12	·38	·85			·12	1·38	·42	·04		·04	·06	19
20	·26	·03	·15					·12	·05		·20	·02	20
21	·04	·45	·03			·04	·23				·01	·04	21
22		·04					·01		·25			·20	22
23						·01		·02		1·09	·05		23
24						·03				·74	·13	·11	24
25	·10			·10	·08	·12		·27			·01	·10	25
26	·04		·10	·05		·02		·10				·25	26
27	·15			·71				·74				·10	27
28	·03		·15					·22			·03	·29	28
29	·03			·06						·22	·29	·31	29
30		X		·18		·12		·15		·06	·11	·35	30
31	·01	X		X		X			X		X		31
Total	3·40	2·84	4·16	2·16	·99	·71	2·51	2·31	1·86	2·51	1·74	3·45	YEAR'S TOTAL 28·64
Rain Days.	23	10	18	14	10	12	8	10	10	9	19	26	169

317 1857

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tewkesbury, Upper Lode
in the County of Gloucestershire
by E. J. Bradley B. Dodge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·31		·12			·11		·16	1
2			·06	·15			·23	·03	·06	·06		·11	2
3	·02	·04		·09	·04		·56		·08	·08			3
4				·09				·20	·01	·17			4
5			·20	·10	·19		·30	·07	·01	·30			5
6			·30		·10		·09			·23			6
7	·01		·06	·15			·12						7
8	·21	·08		·40	·03		·42					·01	8
9	·20			·30			·07	·06					9
10	·65	·07	·04	·03		·03	·10				·03		10
11	·17		·10	·23	·38	·02	·06					·01	11
12	·15	·02		·10		1·07	·07				·01		12
13	·02	·01	·26	·12				·03				·02	13
14			·76	·35		·05			·28	·07	·15		14
15		·07	·05	·52		·12			·03	·03	·01		15
16			·02	·05	·06	·12	·20		·12	·19			16
17	·01		·01		·13				1·10	·15		·03	17
18	·17			·11	·08		·01	·33	·57				18
19	·02	·25		·37		·18			·01				19
20	·04	·02		·21		·21						·10	20
21				·02			·01					·03	21
22				·11		·02	·02	·04				·14	22
23							·26	·03				·36	23
24			·22	·02							·01	·11	24
25		·05	·12	·01		·12	·60						25
26	·17		·27			·01	·01				·02	·05	26
27	·58	·04	·14	·08	·05	·37	·03					·15	27
28	·84	·01	·02		·10	·01	·02						28
29	·34		·12		·10		·12				·06	·40	29
30	·03		·25	·08		·12	·04		·23		·24	·14	30
31	·01		·02		·04		·07			·18		·02	31
TOTAL	3·64	·66	3·02	3·82	1·61	2·45	3·53	·79	2·50	1·57	·53	1·84	YEAR'S TOTAL 25·96
Days with ·01 in. or more	18	11	19	24	13	14	23	8	11	11	8	16	176
·04	11	7	15	20	12	9	17	5	7	10	3	10	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5 made

Conf for auth – by mistake

R12141

THORNBURY, THORNBURY HOUSE

1913 – 20

FORM A. BRITISH RAINFALL.

3 - JAN 1914

Kept at Thornbur… 9.0 a.m. Thornbury

in the County of Gl… 5 in.

by Rev H. W… above Ground 2 ft. 1 in.

„ M. Sea Level 125 ft.

IMPORTANT … nd the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of this paragraph. … urement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·12	·24	·09	·06				·58		·07		1
2	·10	·48	·17	·20			·08		·06	·20	·11	·06	2
3	·37		·18	·04	·57					·07		·37	3
4	1·35	·12	·16		·48				1·66	·20	·	·15	4
5	·05	·05	·05		·32	·11	·10		·54		·21	·13	5
6	·13	·06	·17		·44	·10	·06			·35	·23	·53	6
7	–	·26			·36	·09				·16	·22	·05	7
8	–	·22			·37	·65				·20		·08	8
9	–	·26			·07	·19	·10	·06	·07		·11		9
10	·46		·07			·06		·11		·12	·16		10
11	1·06		·09	·18	·15		·08			·09	·77	·05	11
12	·25				·30						·48		12
13	–		·33					·06	·33		·33		13
14	–	·09	·50	·07					·15	·17			14
15	·43	·04	·60	1·05				·08	·10		·08		15
16			·40	·19				·06					16
17			·06	·18			·10		·09		·19		17
18	·19		·14	·40		·03					~~·24~~		18
19	·20					·19	·10		·18		·11 ~~·29~~		19
20	·51		·17	·11				·04		·04	·29		20
21			·18	·10	·14		·07	·25		·09	(35) (·35)	·05	21
22	·95		·66	·02	·04	·13	·04		·25				22
23	·14		–			·11		·07	·05		·25		23
24	·20		–	·13									24
25		·07	–	·41				·04				·15	25
26			–	·40					·08			·13	26
27		·10	·08	·65		·05							27
28	·85		·09	·43				·28		·08		snow ·69	28
29	·07		·43	·71				·12		·20			29
30	·51							·05		·32	·05		30
31	·13				·18			·17					31
Total	8·33	1·86	4·77	5·36 ~~·18~~	3·48	1·11	·73	1·39	4·14	2·29	4·01 ✓	1·84	YEAR'S TOTAL 39·31
Rain Days.	20	12	20	18	3·48 13	11	9	13	13	14	17	12	172

W.7,000, XI. 13

S. made ✓

Corr for auth – by omission

RI

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Thornbury House - Thornbury

in the County of Gloucestershire No 3

by Rev H. W. Gillett

Time of Observation 9 a.m.
Nearest Railway Station Thornbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " M. Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·12	·24	·09	·06				·53		·07		1
2	·10	·48	·17	·20			·08		·06	·20	·11	·06	2
3	·31		·18	·04	·57					·07		·37	3
4	1·35	·12	·16		·48				1·66	·20		·15	4
5	·05	·05	·05		·32	·11	·10		·54		·21	·13	5
6	·15	·06	·17		·44	·10	·06			·35	·23	·53	6
7	—	·26			·36	·09				·16	·22	·05	7
8	—	·22			·37	·65				·20		·08	8
9	—	·25			·07	·19	·10	·06	·07		·11		9
10	·46		·07			·06		·11		·12	·16		10
11	1·06	[illegible]	·09	·18	·15		·08			·09	·77	·05	11
12	·28				·50						·48		12
13	—		·33					·06	·33		·33		13
14	—	·09	·50	·07					·15	·17			14
15	·48	·04	·60	1·05				·08	·10		·08		15
16			·40	·19				·06					16
17			·06	·18			·10		·09		·19		17
18	·19		·14	·40		·03					~~·29~~		18
19	·20					·19	·10		·18		·11 ~~·29~~		19
20	·51		·17	·11				·04		·04	·29		20
21			·18	·10	·14		·07	·25		·09	(35) (·35)	·05	21
22	·95		·66	·02	·04	·13	·04		·25				22
23	·14		—			·11		·07	·05		·25		23
24	·20		—	·13									24
25		·07	—	·41				·04				·15	25
26			—	·40					·08			·13	26
27		·10	·08	·65		·05							27
28	·85		·09	·43				·28		·08		snow ·69	28
29	·07		·43	·71				·12		·20			29
30	·51							·05		·32	·05		30
31	·13				·18			·17					31
Total	8·33	1·86	4·77	5·35 ~~·18~~	3·48	1·11	·73	1·39	4·14	2·29	4·01 ✓	1·84	YEAR'S TOTAL 39 37
Rain Days.	20	12	20	18	3·48 13	11	9	13	13	14	17	12	172

W.7,000, XI. 13

Exd JJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Thornbury House Thornbury

in the County of Gloucestershire 3

by Rev H. A. Gillett ~~per H V Gillett~~

Lat. 51°·38'·N. Long. 2°·32'·W

Time of Observation 9 a.m.

Nearest Railway Station Thornbury

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 1 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.07	.21			1.19	.77			.24	.05	1
2							.65	.14			.50	.40	2
3				.21								.08	3
4	.20		.05	.27	.50		.28	.06			.45	.50	4
5	.05		.12	.47	.10		.13				.12	.25	5
6		.22	.10	.05	.05		.20	.06				.27	6
7		.30	.40	.60			.22	.17				.12	7
8	.10		.69	.04	.30		.09	.11	.02				8
9	.25	.06	.46	.26		.75		.10					9
10	.10	.20	.05	.39	.10	.95			.40				10
11		.13	.21		.05	.50	.60					.45	11
12		.14	.12						.25		.10	.17	12
13		.51	.59				.07		.20	.17	.05	.50	13
14		.69	.58				.05	.09	.03	.20	.25		14
15		.08	.12				.05	.35	.30		.36		15
16	.09								.30				16
17		.48	.14				.09		.08			.75	17
18			.11				.20		.06			.40	18
19		.11	.23				.45					.25	19
20		.35	.12									.15	20
21		.32								.15			21
22		.10				.10	.10	.09		.13			22
23		.14	.46		.22	.09		.02		.20			23
24			.09		.10		.04	.04		.10			24
25	.14		.25					.45		.30		.38	25
26							.05			.10	.10	.35	26
27	.09						.03				.20	.38	27
28	.05	.27	.23								.13	.80	28
29	.33		.46		.04					.15	.20		29
30	.14	×	.26		.10					.16	.81	.56	30
31	.07	×		×		×	.57		×	.25	×	.06	31
													YEAR'S TOTAL
Total	1.61	4.10	5.91	2.50	1.56	2.39	5.06	2.45	1.64	1.91	3.51	6.87	39·51
Rain Days.	12	16	23	9	10	5	19	13	9	11	13	20	160

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A2.
BRITISH RAINFALL.
3 JAN 1916

Kept at Thornbury House Thornbury

in the County of Gloucestershire

by H. V. Gillett.

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. 1 in.
" " " Sea Level 125 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Thornbury.
Distance ¾ m. Direction S b E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.42	.10			.18			.05	.16	.30		.16	1
2	.24	.24	.17	.22				.61	.26	.04		.14	2
3	.50	.08		.03	.15		.50	.45				.15	3
4	.05				.10		.32	.02				.80	4
5	.09	.44		.10				.10				.40	5
6	.21			.25			.40	.04				.25	6
7	.26	.40		.03			.21	.03				.26	7
8	.42	.26		.05				.09			.10		8
9	.02	.04		.03							.20	.70	9
10	.15		.10	.04				.05					10
11			.13								1.00		11
12	.15	.14		.13	.25					.14	.25		12
13	.03	.53			1.00				.10			.07	13
14	.19						.10	.30	.03			.62	14
15	.43			.03	.04		.12	.04		.05	.06	.05	15
16		.84			.40		.61			.04			16
17		.40			.62								17
18		.26			.10								18
19							.47						19
20	.08			.12								.21	20
21										.10			21
22		.20	.44				.32					.25	22
23	.05		.40				.11		.07	1.10		.60	23
24			.06	.05			.25		.25	.55		.20	24
25						.37				.19		.23	25
26		.10					.62					.42	26
27		.05					.21					.02	27
28		.13					.10		.50	.40			28
29						.32	.44	.06	.04	.04			29
30	.13					.12				.21	.15	.15	30
31							.11	.04		.60		.33	31
Total	3.42	4.21	1.30	1.08	2.84	.81	4.89	1.88	1.41	3.76	1.76	6.01	TOTAL for year 33.37
No. of Rain Days.	17	16	6	12	9	3	16	13	8	13	6	20	139

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Thornbury House. Thornbury.

in the County of Gloucestershire.

by H. V. Gillett Esq.

Lat. 51° 38′ N. Long. 2° 32′ W.

Time of Observation 9 a.m.

Nearest Railway Station Thornbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 1 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05					.20	.46			.40	.15		1
2	1.03		.07		.15					1.20			2
3		.50							.05	.35	.12		3
4		.49			.44	.75				.14	.30		4
5					.11		.11			.08	.09		5
6	.07	.41			.43	.13	.56			.60	.54		6
7			.16							.15	.50	.30	7
8	.02		.10		.35							.25	8
9		.11			.05	.21							9
10				.05	.07	.06				.07		.11	10
11		.50		.10	.40		.16						11
12	.03	.10	.11					.05		.16			12
13		.10	.09					.32					13
14		.64	.12					.31		.11			14
15		.26					.17	.21					15
16	.04	.10		.38				.10		.04			16
17	.07	.10		.20				.30	.31	.35			17
18				.01							.35		18
19	.26		.50	.27							.16	.20	19
20	.10		.53	.06							.05	.40	20
21	.44	.16	.62	.07								.22	21
22					.11					.24		.70	22
23				.08		.20		.24		.18	.14	.10	23
24				.10	.77			.17		.25			24
25		.30	.25					.87		.18	.12		25
26		.29				.21		.03	.20	.55			26
27		.50	.30			.03	.30	.09	.35	.20			27
28		.20	.90						.05			.83	28
29	.11	.30				.34		1.80		.40		.53	29
30		×								.42			30
31		×		×		×		.34	×	.25	×	.05	31
Total	2.22	5.06	3.75	1.32	2.88	2.13	1.76	4.53	0.96	6.32	2.52	3.69	YEAR'S TOTAL 37.14
Rain Days.	11	17	12	10	10	9	6	13	5	21	11	11	136

✓

W. 8,000. X. 15.

2074

FORM A. BRITISH RAINFALL.
4 JAN 1918

REGISTER OF RAINFALL IN 1917

Ext

Kept at Thornbury House, Thornbury
in the County of Gloucestershire
by H. V. Gillett

Lat. 51° 38′ N. Long. 2° 32′ W.
Time of Observation 9 a.m.
Nearest Railway Station Thornbury.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level ~~[illegible]~~ 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.25	.35		.06		.87	.22				1
2						.24		[illegible]					2
3								.06		.95			3
4			.10				.30			.20			4
5	.24		.16			.10		.27	.30	.33	.10		5
6			.30	.27							.30		6
7	.20							.40					7
8	.27			.04	.10		.65	.62		.64	.10		8
9			.26					.96	.07		.20		9
10	.20	.10	.40	.21				.23					10
11	.05		.20	.20				1.15	.31				11
12					.75			.10		.70			12
13			.21	.09				.12	.10			25	13
14								.36		.10			14
15													15
16		.28		.20						.12			16
17					.34		.20		.29	.12			17
18							.45	.08	1.13				18
19		.50	.10			.10			.04				19
20		.10			.27	.20							20
21						.07							21
22			.45										22
23		.10						.68		.14			23
24						.14		.50					24
25										.22			25
26								.61	.18		.07		26
27					.91		.04	.82					27
28					.05	.60		.10					28
29			.15			.42	.10			.40			29
30		╳					.14	.38				.20	30
31		╳	.16	╳		╳		.20	╳	.05	╳		31
Total	0.96 ✓	1.08 ✓	2.74 ✓	1.36 ✓	2.42 ✓	1.93 ✓	1.88 ✓	8.51 ✓	2.64 ✓	3.97 ✓	0.77 ✓	0.45 ✓	YEAR'S TOTAL 28.71
Rain Days.	5 ✓	5 ✓	12 ✓	7 ✓	6 ✓	9 ✓	7 ✓	19 ✓	9 ✓	12 ✓	5 ✓	2 ✓	98 ✓

W. 8,000, VIII. 16

147

REGISTER OF RAINFALL IN 1918

Kept at Thornbury House Thornbury
in the County of Gloucestershire
by H. V. Gillett

Lat. 51° 38′ N Long. 2° 32′ W
Time of Observation 9 a.m.
Nearest Railway Station Thornbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 110 ft.

FORM A. BRITISH RAINFALL.
19 3. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.10						.20		.10	.43		1
2		.05						.30				.16	2
3		.15		.12	.40			.11	.20				3
4		.05								.10	.30		4
5				.20	.30			.25	.75	.30			5
6		.44							1.25	.15		.25	6
7		.13			.66				.20		.40		7
8									.10	.40			8
9		.20					.30		.62	.10		.32	9
10				.37			.78		.20			.30	10
11									.58			.12	11
12		.07	.42		.20		.20		.09				12
13	.20								.50			.40	13
14	.42					.15	.65		.40			.10	14
15				.28			.30			.16		.35	15
16	.50			.40		.20			.30				16
17	1.00		.12			.68	.35	.11		.05			17
18	.88						.20		.90				18
19			.08				.10		.10			.30	19
20		.12		.40			.45		.36				20
21							.05		.77				21
22	.10						.45		.05			.25	22
23					.24		.14			.15			23
24		.16					.55				.12		24
25							.90	.60					25
26							1.60		.25				26
27								.30	.30		.15	.10	27
28			.20										28
29									1.15			.15	29
30		X	.60							.12	.10		30
31		X	.35	X		X			X		X	.05	31
Total	3.10	1.47	1.77	1.77	1.80	1.03	7.02	1.87	9.07	1.63	1.50	2.85	YEAR'S TOTAL 34.88
Rain Days.	6	10	6	6	5	3	15	7	20	10	6	13	~~107~~

W. 8,000, IX. 17.

[illegible] 1944

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

3 JAN 20

Kept at Thornbury House, Thornbury

in the County of Gloucestershire

by H Gillett (Esq.)

Lat. 51°38' N Long. 2°32' W

Time of Observation 9 a.m.

Nearest Railway Station Thornbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 1 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27				.04		.20			.20		.64	1
2	.20						.09		.45		.12	.20	2
3	.40		.35						.13		.10	.25	3
4	.35	.58	.45				.19	.05	.24			.31	4
5			.80						.35			.18	5
6	.20												6
7			.30										7
8	.32			.12									8
9	.15	.05	.15	.30							.15		9
10			.50									.20	10
11			.33	.12			.34						11
12	.09												12
13	.20			.40								.19	13
14	.62			.25					.05			.10	14
15	.20									.10		.26	15
16	.12	.90									.17		16
17		.56									.09		17
18		.30	.75					.65					18
19	.32	.10	.85			.60	1.85	.50	.08			.05	19
20			.45					.10			.06		20
21		.92	.04									.10	21
22							.12	.04	.26			.15	22
23										1.20	.20		23 +
24	.35								.04	1.40	.15	.35	24
25								.20					25
26	.10							.06				.34	26
27			.07	.50		.05		.63				.08	27
28								.26				.37	28
29			.31							.07		.55	29
30		X		.15		.23		.45			.42	.42	30
31		X		X		X			X		X	.02	31 —
Total	3.89	3.41	5.35	1.84	.04	.88	2.79	2.94	1.60	2.97	1.46	4.76	YEAR'S TOTAL 31.93
Rain Days.	15	7	13	7	1	3	6	10	8	5	9	19	103

W. 8,000, IX. 17.

1859

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Thornbury House. Thornbury
in the County of Gloucestershire
by A. V. Gillett (Esq.)

Lat. 51° 38′ N Long. 2° 32′ W.
Time of Observation 9 a.m.
Nearest Railway Station Thornbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 1 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·40	·50		·25	·05	·08	·65		·51	1
2	·10		·04	·15				·12	·04	·25			2
3		·13		·21			1.25	·03		·20		·15	3
4				·09				·65		·17			4
5			·17	·02	·05		·56			·30			5
6			·12		·45		·07						6
7	·11			·09	·15		·06						7
8				·54	·10		·40	·06	·04				8
9	·42	·20		·85			·05						9
10	1.09	·15	·11	·10		·25	·30						10
11	·14		·16	·42	·45								11
12	·20	·08		·11	·06	1.04	·15						12
13	·07	·04	·35	·15									13
14	·06		·60	·32		·06			·07	·32	·95		14
15	·03	·10		·19						·35	·20		15
16				·03		·50	·45		·71	·25	·15		16
17	·09			·07	·34	·10			·74	·21			17
18	·36			·24	·11			·50	·30				18
19		·05		·29									19
20		·35		·06		·30						·27	20
21										·10			21
22				·08				·06				·31	22
23							·65					·60	23
24			·35								·07	·25	24
25	·05	·15	·14				·80					·15	25
26			·36				·05						26
27	·50			·11		·76						·19	27
28	1.15				·20	·11						·03	28
29	·25		·23	·02	·07						·17	·50	29
30	·10		·06	·05		·30	·32		·41		·30	·55	30
31	·15		·30							·36		·15	31
TOTAL	4.87	1.25	2.99	4.59	2.48	3.42	5.36	1.47	2.39	3.16	1.84	3.66	YEAR'S TOTAL 37.48 ~~140~~
Days with ·01 in. or more	17	9	13	23	11	9	14	7	8	11	6	12	
	16	9	13	20	11	9	14	6	8	11	6	11	134

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

R 11

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

WESTBURY ON SEVERN
NINNAGE LODGE

GLOUCESTER
1911 - 1920

Kept at Ninnage L
5 in.
in the County of G
ove Ground 3 ft. in
Sea Level 120 ft.
by Mr. T. J. J
g a.m.
Name Grange Court
Distance 2½ Direction N.W

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t ement of rain, the selection and pla British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.14				.06			.02		1
2	.02			.04	.45			.21		.06	.21	.32	2
3					.67			.02	.03	.02	.10	.04	3
4			.14					.01	.03	.03	.37	.40	4
5	.14		.04					.18			.06	.06	5
6	.31		.14					.02			.12	.91	6
7	.02		.01								.55		7
8	.24		.11								.10	.20	8
9	.08		.07								.18	.19	9
10	.02	.11	.33									.02	10
11	.21				.10						.70		11
12			.59		.02				.08		.26	.09	12
13					.06				.35	.73	.03	.42	13
14										.01	.02	.80	14
15		.05	.03							.01	.32	.06	15
16	.03					.21					.22	.70	16
17				.03		.20					.23	.29	17
18		.25	.03	.14		.15				.04	.01	.41	18
19	.02		.13	.04		.19			.15	.41		.08	19
20	.02	.06	.13						.05	.07		.58	20
21		.22							.05	.60		.12	21
22		.05	.28			.25		.28		.15		.72	22
23	.02	.27	.10			.08			.07	.31		.24	23
24		.09				.36		.08		.19		.19	24
25		.10		.04		.06				.04		.08	25
26		.18		.23	.10	.04		.06		.35	.19	.13	26
27		.27	.13	.07				.49	.35		.10	.12	27
28		.23		.25							.13	.01	28
29				.02		.16	.09		.06	.40			29
30			.02			.01	~~.09~~	.07					30
31					.03					.03			31
Total	1.18	1.88	2.28	1.00	1.43	1.68	.09	1.48	1.22	3.35	3.92	7.23	TOTAL for year
No. of Rain Days		3.06	5.34	6.34	7.77	9.45	9.54	11.02	12.24	15.59	19.51	26.74	

9,000, IX. '10.

13 12 16 10 7 11 1 11 10 17 20 25 153

R 11

FORM A2. BRITISH RAINFALL. 2 - JAN 1912

Kept at Mimage Lodge. Westbury on Severn

in the County of Gloucestershire

by Mr. S. J. Grant

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 120 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Grange Court
Distance 2½ Direction N. W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05			.14				.06			.02		1
2	.02			.04	.45			.21		.06	.21	.32	2
3					.67			.02	.03	.02	.10	.04	3
4			.14					.01	.03	.03	.37	.40	4
5	.14		.04					.18			.06	.06	5
6	.31		.14					.02			.12	.91	6
7	.02		.01								.55		7
8	.24		.11								.10	.20	8
9	.08		.07								.18	.19	9
10	.02	.11	.33									.02	10
11	.21				.10						.70		11
12			.59		.02				.08		.26	.09	12
13					.06				.35	.73	.03	.42	13
14										.01	.02	.80	14
15		.05	.03							.01	.32	.06	15
16	.03					.21					.22	.70	16
17				.03		.20					.23	.29	17
18		.25	.03	.14		.15				.04	.01	.41	18
19	.02		.13	.04		.19			.15	.41		.08	19
20	.02	.06	.13						.05	.07		.58	20
21		.22							.05	.50		.12	21
22		.05	.28			.25		.28		.15		.72	22
23	.02	.27	.10			.05			.07	.31		.24	23
24		.09				.36		.08		.19		.19	24
25		.10		.04		.06				.04		.08	25
26		.18		.23	.10	.04		.06		.35	.19	.13	26
27		.27	.13	.07				.49	.35		.10	.12	27
28		.23		.25							.13	.01	28
29				.02		.16	.09		.06	.40			29
30			.02			.01	~~.09~~	.07					30
31					.03					.03			31
Total	1.18	1.88	2.28	1.00	1.43	1.68	.09	1.48	1.22	3.35	3.92	7.23	TOTAL for year
No. of Rain Days		3.06	5.34	6.34	7.77	9.45	9.54	11.02	12.24	15.59	19.51	26.74	
	13	12	16	10	7	11	1	11	10	17	20	26	153

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

18 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Nunnage Lodge Westbury on Sevn

in the County of Gloucestershire 2

by Mr. S. J. Grant

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Grange Court

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·08	–	–	·48	·14	·01	·03	·36	–	·16	1
2	–	–	·20	–	·01	·37	·23	·08	–	–	–	–	2
3	·06	–	·15	–	·04	·17	·10	·35	–	–	·05	·02	3
4	·11	–	1·04	–	·10	·54	·02	·07	–	–	·15	–	4
5	·31	·06	·06	–	·05	·06	–	·23	·01	–	·01	·06	5
6	·54	·10	·02	–	·08	·03	·02	·77	–	–	·02	–	6
7	–	·30	·10	–	·05	·73	–	·09	–	–	–	·04	7
8	·35	·11	–	·05	·08	·01	–	·15	·07	–	–	·12	8
9	·07	–	·25	·05	–	·50	–	·22	·01	–	–	·19	9
10	·08	·12	·38	–	–	·06	–	·04	–	–	·12	–	10
11	·10	·04	–	–	–	·13	·02	·08	–	–	·10	·56	11
12	·02	–	·15	·04	·08	·03	·02	–	–	–	·01	·05	12
13	·03	·37	–	–	–	–	–	·06	·02	·04	–	·04	13
14	·08	–	·58	–	·30	–	–	·07	–	·01	–	·01	14
15	·19	·12	·01	–	·20	–	–	·03	–	–	–	·21	15
16	1·26	·02	·25	–	–	·02	–	·05	–	·07	·15	–	16
17	·71	–	·41	–	–	·06	–	·64	–	–	·03	·40	17
18	·10	·04	·08	–	–	–	–	·41	–	–	·01	·05	18
19	·11	·02	–	–	·02	·01	·26	·45	–	·01	–	–	19
20	–	–	·48	–	·07	–	·25	·20	–	·30	·06	–	20
21	–	·05	·30	–	·88	–	–	·22	–	·38	–	–	21
22	·23	·23	·07	–	·17	·03	·77	·14	–	·03	–	·05	22
23	·19	·45	·30	–	–	·17	–	·16	–	·05	·08	·31	23
24	·07	·02	–	–	–	·38	·09	·06	–	·01	–	·15	24
25	–	–	·02	–	–	·73	–	1·06	–	·02	·38	·45	25
26	–	·10	–	–	–	–	·32	·61	–	·70	·58	·21	26
27	–	–	–	–	–	·45	·71	–	–	1·12	–	·29	27
28	–	·11	–	–	–	·27	1·22	·82	·16	·30	·23	·46	28
29	–	·38	–	–	–	·31	·57	·10	·64	·46	–	·07	29
30	–		·06	–	–	·08	·14	–	·03	·21	–	·02	30
31	–		·24		·18	–	·70	·15		–		·12	31
Total	4·61	2·64	5·23	·14	2·31	5·62	5·58	7·32	·97	4·07	1·98	4·04	YEAR'S TOTAL 44·51
Rain Days.	19	18	22	3	15	23	17	28	8	16	15	23	207

W. 7,500, XI. ·13

Cmd. 26.111.14

W. 7. 6

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Vicarage Lodge Westbury on Sev
in the County of Gloucester G2
by Mrs S. J. Grant

Lat. 51 North Long. 2½ West
Time of Observation 9 A.M.
Nearest Railway Station Grange Court G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.05	.25	.15					.63	.06	.18		1
2	.04	.20	.11	.11			.03		.09	.82	.20	.01	2
3	.27		.03		.41					.01		.06	3
4	1.17	.04			.34		.02		.60	.50	.04	.16	4
5	.02	.04			.20	.11	.12		.03	.15	.15	.05	5
6	.06	.08	.03		.17	.09	.05			.10	.37	.47	6
7		.56	.24		.28	.06	.04			.55	.24	.02	7
8		.08		.02	.14	.01		.05		.17		.02	8
9					.05	.06	.16	.07	.17	.01	.10		9
10	.17			.06	.03		.02	.13			.12		10
11	.37	.01		.27	.23				.01	.11	.78	.01	11
12					.10					.01	.47		12
13			.23		.20			.02	.17		.20		13
14	.13	.02	.32					.06	.11	.08	.03		14
15	.24	.10	.64	1.10				.02	.28		.01	.05	15
16	.10		.84	.04		.09		.01	.01		.01		16
17	.10		.11	.22			.09		.01		.04		17
18	.11			.09			.08		.02		.04	.02	18
19	.12		.17	.02	.02	.09	.07		.23		.01	.01	19
20			.17	.09	.10	.01				.12	.23		20
21	.40		.11	.10			.05	.02		.04	.36		21
22	.51		.50	.09		.13		.09	.36				22
23	.01					.02			.01		.03	.09	23
24	.02			.03									24
25		.04		.27					.02		.01		25
26				.35				.35	—	.01		.30	26
27	.01	.01	.08	.32						.03	.01		27
28	.43		.09	.36	.02					.29	.01	.01	28
29			.33	.69				.09		.11			29
30	.35									.32	.11		30
31	.03		.18		.14			.01		x			31
Total	4.67	1.23	4.43	~~4.35~~ 4.38	2.43	.67	.73	.92	2.75	3.49	3.75	1.28	YEAR'S TOTAL 30.73 30.73
Rain Days.	22	12	18	19	15	10	11	12	16	19	24	14	192

~~W~~ DJS cnd for auth 23.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
9 JAN 1915
1915

Kept at Nurnage Lodge
in the County of Westbury-on-Severn Glos 2
by Mr S. J. Grant

Lat. 51 N. Long. 2½ W
Time of Observation 9 a.m
Nearest Railway Station Grange Court
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.11			2.15	.41			.24	.35	1
2				.03	.04		.48	.20			.50	.59	2
3	.01		.03	.17	.50		.14	.12			.20	.02	3
4	.20			.22	.06		.15	.03			.10	.47	4
5			.04	.21	.09		.37				.07		5
6	.02	.14	.05	.03	.09		.04				.08	.26	6
7	.02	.26	.21	.07	.20	.11	.23				.01		7
8	.03	.01	.21	.03	.15	.97	.02	.20					8
9	.03	.04	.21	.34	.10	1.67		.09	.02				9
10	.03	.30		.37	.04	.02			.06			.11	10
11		.13	.25	.03	.09	.52	.10				.12	.40	11
12	.01	.08	.15				.05		.01		.06	.30	12
13		.44	.36				.07		.24		.06	.27	13
14		.44	.36				.10	.01	.19	.20	.29		14
15	.04	.04	.15				.03	.14		.20	.10		15
16	.02		.01				.12		.32	.02			16
17		.19	.21				.02		.65			.44	17
18		.01	.03				.14					.34	18
19		.05	.06				.46	.03			.02	.05	19
20		.42	.07					.01				.34	20
21		.26	.01			.01	.07	.04		.16			21
22		.05	.04		.19			.08		.18			22
23		.06	.14		.09		.08			.22			23
24	.01	.01	.13				.07			.04	.32		24
25	.07		.23				.07	.36		.13			25
26			.12							.30	.05	.50	26
27	.05		.01							.33	.40	.17	27
28	.01	.18	.33		.02		.02				.25	1.16	28
29	.10		.19		.15					.23	.25		29
30	.03	X	17		.01					.15	.45	.66	30
31	.21	X		X	.05	X	.44		X	.6	X	.05	31
Total	.89	3.18 3.13	3.77	1.64 1.61	1.87	3.20	5.34	1.72	.89	2.22	3.77	6.48	YEAR'S TOTAL 34.94 34.94
Rain Days.	17	20	26	11	16	6	23	13	7	13	19	18	189 7

W. 8,000. X. 14.

~~W~~ DL cnd 202.111.16

2230

FORM A. BRITISH RAINFALL.

JAN

REGISTER OF RAINFALL IN 1915

Kept at Minnage Lodge Westbury-on-Sev

in the County of Gloucester

by Mr S. J. Grant

Lat. 51 N. Long. 2½ W.

Time of Observation 9 a.m.

Nearest Railway Station Grange Court G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14	.10			.20			.10	.31	.18	.01	.07	1
2	.47	.15	.22			.05		1.30		.19		.10	2
3	.50				.22		.99	.20				.37	3
4	.03		.05		.03		.14	.03				.56	4
5	.14	.30		.02	.01		.50	.07				.44	5
6	.08			.43			.55	.05				.44	6
7	.15	.69		.05			.09	.07				.17	7
8	.23	.29		.01			.07	.05				.25	8
9	.20	.05		.07				.10					9
10	.19		.16							.10		.61	10
11	.05			.01							1.05		11
12	.15	.13		.17	.50			.02	.05	.06	.38		12
13	.01				.83			.10			.05		13
14	.02	.54			.07		.04	.04	.05		.65		14
15	.31				.35			.07	.07		.10		15
16		.88					.53		.04			.15	16
17		.19	.01		.91							.01	17
18		.40	.62	.02									18
19				.01	.26		.29						19
20	.12						.05					.11	20
21	.05	.11		.03	.05		.05			.10		.18	21
22	.13	.14	.31	.10		.07	.17					.30	22
23	.02		.05						.04	1.16		.69	23
24									.45			.44	24
25							.07					.19	25
26		.21				.56	.10		.02	.57			26
27						.05	.18			.45		.55	27
28	.13		.02			.04	.02		.35	.01		.02	28
29						.03		.12			.08	.02	29
30		X				.66	.03			.09	.10	.22	30
31		X		X		X	.16	.07	X	.87	X	.27	31
Total	3.12	4.18	1.44	.92	3.43	.86	4.03	2.39	1.38	3.78	2.42	6.16	YEAR'S TOTAL 34.11 ✓
Rain Days.	20	14	8	11	11	7	18	15	9	11	8	22	154

W. 8,000. X. 15.

Exc d L

2166

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Ninnage Lodge
Westbury on Severn
in the County of Gloucestershire
by Mrs S. J. Grant

Lat. 51 n. Long. 2½ w.
Time of Observation 9 a.m.
Nearest Railway Station Grange Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·05		·10	·06	·20		·02	·25			1
2	·37	·03	·13		·25	·04			·06	·75			2
3	·01	·63			·18				·08	·32	·11		3
4	·36		·01	·01		·30				·10	·26		4
5	·01		·04		·28		·27			·11	·06		5
6		·15	·05		·38		·52			·20	·60		6
7			·11		·11	·10				·05	·32	·20	7
8			·02		·40	·10					·02	·35	8
9					·07	·25				·06	·02	·02	9
10		·47	·04	·05	·03	·07				·06		·01	10
11		·03	·05	·09		·08						·06	11
12	·08		·05	·01	·10			·02		·11			12
13	·04		·14	·04			·17	·42		·02			13
14		·30	·05		·04			·05		·11			14
15		·73	·25	·04	·07			·05					15
16	·01	·04		·18			·27	·16		·08			16
17	·16	·10		·16			·01	·19	·29	·45		·05	17
18	·01	·06	·05	·01				·02		·04	·35		18
19	·30		·23	·24						·12	·13		19
20	·09		·58	·05								·28	20
21	·04		·42		·08		·05			·08	·01		21
22				·06						·10	·01	·78	22
23		·07		·01		·11		·15			·20		23
24		·33		·04	·24	·49				·21	·15	·20	24
25		·03	·28						·02	·05			25
26			·04			·21		·62	·05				26
27			·50			·04	·03	·43	·26				27
28	·03	·48	·05						·26	·63		·14	28
29		·12						1·95		·61			29
30						·02		·03				·31	30
31										·36			31
Total	1·54	3·57	3·14	·99	2·33	1·87	1·52	4·09	1·04	4·87	2·24	2·40	YEAR'S TOTAL 29·60
Rain Days.	14	15	21	14	14	13	8	12	8	23	13	11	166

W. 8,000, VIII. 16

2068

7 JAN 1918
BRITISH RAINFALL.

cnd by mm stats

REGISTER OF RAINFALL IN 1917.

Kept at Minnage Lodge - Westbury-on Severn.
in the County of Gloucestershire
by Mrs S. J. Grant

Lat. 51 N. Long. 2½ W.
Time of Observation 9 a.m.
Nearest Railway Station Grange Court.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·19	·13		·19	·01	·79	·17		·11		1
2				·20		·01		·08			·02		2
3				·01		·04	·04	·06		·67	·01		3
4		·25		·16			·05	·04	·02	·31			4
5	·10		·12	·05				·28	·30	·19	·21		5
6	·01		·07			·94			·01	·20	·21		6
7	·11		·06				·25	·13		·25	·01		7
8	·48			·13		·02	·80	·60		·54	·02	·20	8
9	·20		·09	·03	·24			·18	·14	·04	·08		9
10			·46	·25	·04			·34	·14	·02		·02	10
11	·02			·12	·02			·24	·02	·14	·01		11
12				·08	·33			·02	·01	·20	·02		12
13			·19	·13				·04	·06	·01	·02	·01	13
14			·09					·03					14
15	·13		·01	·01				·38		·10		·18	15
16	·05			·12				·01		·03	·01	·02	16
17				·10	·45		·25	·02	·13	·06			17
18	·05			·01	·01	·01	·27		1·57	·03			18
19	·50					·05	·05	·14	·02				19
20	·13		·13		·58	·06	·30	·01	·04				20
21	·04	A	·03			·05	·01	·03	·01				21
22			·03			·02		·06					22
23	·19				·10			·40		·12			23
24	·01					·05	·02	·21	·01	·21			24
25	·04							·02	·01	·01			25
26					·03	·11		·35	·02		·07		26
27					1·14	·05	·02	·42	·09				27
28					·02	·30	·01	·14	·01	·03	·02	·04	28
29			·14		·09		·07	·01	·01	·40		·22	29
30		✕	·31			·51	·19	·45	·01	·10			30
31		✕	·14	✕	·04	✕	·01	·19	✕	·01	✕	·02	31
Total	1·14 ~~2·10~~	~~1·19~~ ·25	2·06	1·53	3·09	2·41	2·35	5·97	2·80	3·67	·82	·71	YEAR'S TOTAL 27·76
Rain Days	~~16~~ 9	12 ~~7~~ 8	15	15	13	15	16	29	21	22	14	8	185

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

8. 1. 19

Kept at Ninnage Lodge - Westbury on Severn
in the County of Gloucestershire
by S. J. Grant

Lat. 51. N. Long. 2½ W.
Time of Observation 9 a.m.
Nearest Railway Station Grange Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·01	·06			·09		·03	·34	·02	1
2		·22		·01				·37		·01	·01	·14	2
3		·18		·17				·17	·32	·01	·04	·07	3
4		·03	·02	·05				·09	·10	·04	·90	·19	4
5		·01		·02	·28			·03	·27	·16	·04	·02	5
6	·03	·25		·11		·03		·01	·04	·17	·01	·08	6
7	·01	·19		·03	·40	·01			·10	·13	·34	·07	7
8		·13							·12	·17		·07	8
9		·21		·10		·21	·15		·43	·19	·04	·14	9
10	(S) ·02	·01		·19			·30		·63	·09		·13	10
11	·04		·02	·02	·04		·10		·05	·01	·05	·11	11
12	·01	·03	·32		·07		·17		·03		·01		12
13	·01		·01	·01	·01		·05		·30	·01		·08	13
14	·49				·02	·10	·10		·53	·09		·11	14
15	(S.) ·83		·05	·43	·01	(·10)	·18			·03		·26	15
16	(S.) ·25		·01	·62	·01		·10		·43	·05		·02	16
17	·11			·06		·04	·20		·09			·03	17
18	·58		·13	·01		·35	·11		·65	·03		·45	18
19	·12	·05		·07		·01	·08		·02	·08		·04	19
20	·02	·09		·10		·05	·04		·31	·03			20
21	·03	·01		·15	·06	·01	·03		·40	·02		·03	21
22	·02			·01	·05				·20	·01		·23	22
23	·02				·35		·23		·01	·01	·05		23
24	·01	·07			·01		·14	·01	·04		·04		24
25		·02				·02	·40	·40		·04	·05		25
26							·76	·05	·17	·02	·07	·13	26
27	·01		·08			·02		·18	·04		·04	·02	27
28		·13	·25	·02				·01	1·38		·09	·03	28
29			·09						·03	·03		·02	29
30		X	·17							·02	·10	·06	30
31		X	·50	X		X		·16	X	·01	X		31
Total	2·61	1·67	1·65	2·19	1·37	·95	3·14	1·57	6·69	1·49	2·22	2·55	YEAR'S TOTAL 28·10
Rain Days.	18	17	12	20	13	11	17	12	25	26	17	25	213

W. 8,000, IX. 17.

1939

8 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at [illegible] Lodge Westbury on Severn
in the County of Gloucester
by Mr. S. J. Grant

Lat. 51 N. Long. 2½ W
Time of Observation 9 a.m.
Nearest Railway Station Grange Court G.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40		.04		.04	.16	.09		.16	.19		.47	1
2	.23	.01			.01		.20	.04	.31		.12	.09	2
3	.33	.02	.13				.18		.11		.12	.24	3
4	.10	.08	.46			.21	.15	.03	.57			.18	4
5		.32	.58		.05		.01		.34		.02	.14	5
6	.07	.04	.20								.05	.07	6
7	.12		.29	.19									7
8	.14		.04	.11									8
9	.12		.04	.11							.07		9
10	.03		.58	.01						.05		.35	10
11	.02		.30	.01			.50			.01		.05	11
12			.08			.69				.14		.12	12
13	.08		.36	.36								.02	13
14	.34			.30								.29	14
15	.48	.15		.03	.22		.14			.08		.02	15
16	.14	.89									.03		16
17	.03	.53				.01					.17		17
18			.49					.32			.68		18
19	.15	.37	.80			.15	2.07	.50	.03				19
20	.43	.02	.33			.03			.05		.03	.09	20
21	.03	.65	.05			.02	.14	.11	.05		.02	.22	21
22		.14						.01	.21			.08	22
23		.01					.05			1.05	.09		23
24				.03		.04					.18		24
25	.10			.03	.08			.33				.07	25
26	.05			.59				.07			.02		26
27	.04		.11	.05				.66				.31	27
28	.03	.06	.16					.28			.27	.28	28
29	.04									.16		.19	29
30	.01	☒		.01	~~.12~~	.18		.33		.03	.31	.48	30
31		☒		☒		☒		.02	☒		☒	.01	31
Total	3.51	3,29	4.79	1.93	.40	1.49	3.53	2.70	1.83	1'71	1.58	3.77	Year's Total 30.53
Days with ·01 in. or more	24	14	18	13	5	9	10	12	9	8	15	21	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1853

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at [illegible] Lodge Westbury on Severn
in the County of Gloucestershire
by Mr. S. J. Grant

Lat. 51 N Long. 2½ W.
Time of Observation 9 a.m.
Nearest Railway Station Grange Court
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.31	.42		.10		.01	.11		.25	1
2	.05		.04	.18			.20	.06	.09	.16		.32	2
3		.06		.06	.04	.03	.45			.22			3
4	.02			.08			.62	.66		.10			4
5			.23	.01			.23			.37			5
6					.14		.25			.17			6
7	.02			.11			.10						7
8		.04		.33			.48						8
9	.17	.01		.36			.05						9
10	.93	.09	.24	.06		.21	.07				.04		10
11	.23		.16	.38	.42	.06	.03				~		11
12	.21	.09		.10		.65	.09				.04		12
13	.10		.25	.13			.04						13
14	.02		.63	.48		.23			.16	.22	.31		14
15		.09		.61					.15	.11			15
16				.01	.10	.11	.38		.25	.29	.05		16
17	.02			.16	.26	.34			1.38	.24			17
18	.17			.09	.11			.35	.72				18
19	.05	.20		.45		.12			.01				19
20		.09		.20		.13			.01			.26	20
21				.03			.03	.11					21
22				.17			.01					.37	22
23							.40					.33	23
24			.46	.01							.04	.16	24
25		.08	.27	.01			.54						25
26	.21		.28		.04	.03						.09	26
27	.40	.01	.08	.09	.19	.43	.06					.16	27
28	.83		.05			.02	.03					.01	28
29	.25		.20		.14	.11	.05				.21	.43	29
30	.10	✕	.16	.07		.05	.06		.27			.34	30
31	.12	✕	.21	✕		✕			✕	.16	✕	.12	31
TOTAL	3.90	.76	3.28	4.49	1.86	2.52	3.67	1.18	3.05	2.15	.69	2.74	YEAR'S TOTAL 30.29
Days with ·01 in. or more	18	10	15	25	10	14	22	4	10	11	6	12	157
Days with ·04 in. or more	14	8 9	14	20 ~~22~~	10	11 ~~15~~	17 ~~22~~	3 ~~4~~	7	11	6	11	~~143~~ 132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGI

WHITMINSTER

THE JUNCTION

GLOUCESTER

1911- 1920

FORM A2.
BRITISH RAINFALL
27 JAN 1912

Kept at Whitminster

in.

in the County of Glouce

nd 1 ft. 0 in.

Level 32 ft.

by W. Fredericks

Worcester

nce 4 m. Direction SE

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	-	0.01	0.15	0.02	-	-	-	-	-	0.04	0.02	1
2	0.01	-	-	0.03	0.30	-	-	0.32	-	0.07	0.25	0.22	2
3	-	-	0.01	-	0.45	-	-	-	-	0.02	0.15	0.03	3
4	0.02	-	0.12	-	-	-	-	-	0.04	0.07	0.30	0.35	4
5	0.08	-	0.05	0.01	-	-	-	0.18	-	0.01	0.15	0.03	5
6	0.26	-	0.14	-	-	-	-	-	-	-	0.10	0.77	6
7	-	-	-	0.01	-	-	-	-	-	-	0.54	[illegible]	7
8	0.19	-	0.10	-	-	-	-	-	-	-	0.05	0.23	8
9	0.07	-	0.05	-	-	-	-	-	-	-	0.11	0.20	9
10	-	0.08	0.27	-	-	-	-	0.02	-	-	0.03	0.16	10
11	0.07	-	0.01	-	0.12	-	-	-	-	-	0.65	0.01	11
12	-	-	0.61	-	-	-	-	-	-	-	0.27	0.16	12
13	-	-	-	-	0.05	-	-	-	0.38	1.20	0.05	0.40	13
14	-	-	-	-	-	-	-	-	-	-	0.02	0.67	14
15	-	-	-	-	-	-	-	-	-	-	0.25	0.10	15
16	-	-	-	-	-	0.18	-	-	-	-	0.25	0.26	16
17	-	-	-	-	-	0.08	-	-	-	-	0.23	0.36	17
18	-	0.23	0.03	0.03	-	0.34	-	-	-	0.05	-	0.36	18
19	-	-	0.01	0.09	-	-	-	-	0.10	0.36	-	0.20	19
20	-	0.06	0.13	0.01	-	0.60	-	-	0.06	-	-	0.39	20
21	-	0.24	0.04	0.01	-	-	-	0.20	0.05	0.45	-	0.12	21
22	-	0.03	0.11	-	-	0.48	-	-	-	0.07	0.01	0.56	22
23	-	0.26	0.08	-	-	0.12	-	-	0.05	0.32	-	0.19	23
24	0.01	0.06	0.01	-	-	0.50	-	0.15	-	-	-	0.16	24
25	0.01	0.08	-	-	-	0.12	-	0.13	0.02	0.07	-	0.02	25
26	-	0.13	-	0.23	0.05	0.01	-	0.02	-	0.35	0.20	0.04	26
27	-	0.15	0.18	0.02	-	-	-	0.40	0.25	-	0.06	0.12	27
28	-	0.20	-	0.20	-	-	-	-	-	-	0.05	-	28
29	-		-	-	-	0.20	0.05	-	0.07	0.15	0.03	-	29
30	-		-	0.03	-	0.01	-	0.09	-	0.21	0.02	-	30
31	-		-		-		-	-		0.01		-	31
Total	0.74	1.52	1.96	0.82	0.99	2.64	0.05	1.51	1.02	3.41	3.81	6.13	TOTAL for year 24.60
No. of Rain Days	10	11	18	12	6	11	1	9	9	15	23	26	151

9,000, IX. '10. R

✓

REGI

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

Kept at Whitminster

in the County of Worcester 3

by W. Fredericks

Pattern

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 32 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Worcester
Distance 4 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	–	0.01	0.15	0.02	–	–	–	–	–	0.04	0.02	1
2	0.01	–	–	0.03	0.30	–	–	0.32	–	0.07	0.25	0.22	2
3	–	–	0.01	–	0.45	–	–	–	–	0.02	0.15	0.03	3
4	0.02	–	0.12	–	–	–	–	–	0.04	0.07	0.30	0.35	4
5	0.08	–	0.05	0.01	–	–	–	0.18	–	0.01	0.15	0.03	5
6	0.26	–	0.14	–	–	–	–	–	–	–	0.10	0.77	6
7	–	–	–	0.01	–	–	–	–	–	–	0.54	– ~~0.23~~	7
8	0.19	–	0.10	–	–	–	–	–	–	–	0.05	0.23	8
9	0.07	–	0.05	–	–	–	–	–	–	–	0.11	0.20	9
10	–	0.08	0.27	–	–	–	–	0.02	–	–	0.03	0.16	10
11	0.07	–	0.01	–	0.12	–	–	–	–	–	0.65	0.01	11
12	–	–	0.61	–	–	–	–	–	–	–	0.27	0.16	12
13	–	–	–	–	0.05	–	–	–	0.38	1.20	0.05	0.40	13
14	–	–	–	–	–	–	–	–	–	–	0.02	0.07	14
15	–	–	–	–	–	–	–	–	–	–	0.25	0.10	15
16	–	–	–	–	–	0.18	–	–	–	–	0.25	0.26	16
17	–	–	–	–	–	0.08	–	–	–	–	0.23	0.36	17
18	–	0.23	0.03	0.03	–	0.34	–	–	–	0.05	–	0.36	18
19	–	–	0.01	0.09	–	–	–	–	0.10	0.36	–	0.20	19
20	–	0.06	0.13	0.01	–	0.60	–	–	0.06	–	–	0.39	20
21	–	0.24	0.04	0.01	–	–	–	0.20	0.05	0.45	–	0.12	21
22	–	0.03	0.11	–	–	0.48	–	–	–	0.07	0.01	0.50	22
23	–	0.26	0.08	–	–	0.12	–	–	0.05	0.32	–	0.19	23
24	0.01	0.06	0.01	–	–	0.50	–	0.15	–	–	–	0.16	24
25	0.01	0.08	–	–	–	0.12	–	0.13	0.02	0.07	–	0.02	25
26	–	0.13	–	0.23	0.05	0.01	–	0.02	–	0.35	0.20	0.04	26
27	–	0.15	0.18	0.02	–	–	–	0.40	0.25	–	0.06	0.12	27
28	–	0.20	–	0.20	–	–	–	–	–	–	0.05	–	28
29	–		–	–	–	0.20	0.05	–	0.07	0.15	0.03	–	29
30	–		–	0.03	–	0.01	–	0.09	–	0.21	0.02	–	30
31	–		–		–		–	–		0.01		–	31
Total	0.74	1.52	1.96	0.82	0.99	2.64	0.05	1.51	1.02	3.41	3.81	6.13	TOTAL for year 24.60
No. of Rain Days	10	11	18	12	6	11	1	9	9	15	23	26	151

9,000, IX. '10. R

FORM A2.
BRITISH RAINFALL.
16 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Whitminster

in the County of Gloucester 3

by Wm Fredericks

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 33 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Frocester
Distance 4 mls Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	-	0.13	-	-	0.57	0.12	-	0.03	0.35	-	0.18	1
2	-	-	0.21	0.04	-	0.58	0.33	0.07	-	-	-	-	2
3	0.04	-	0.14	-	0.04	0.17	0.06	0.23	0.01	-	0.03	0.01	3
4	0.10	-	1.03	-	0.06	0.77	-	0.01	-	-	0.20	-	4
5	0.27	^{s}0.11	0.09	-	0.05	0.05	-	0.16	-	-	0.01	0.06	5
6	0.46	0.12	0.01	-	0.11	0.02	-	0.60	-	-	-	-	6
7	-	0.11	0.08	-	0.03	0.95	-	0.01	-	-	0.01	0.05	7
8	0.26	0.07	0.23	-	-	-	0.15	0.13	0.03	-	-	0.02	8
9	0.07	0.04	0.30	0.04	-	0.36	0.01	0.25	-	-	-	0.22	9
10	0.05	0.06	0.01	-	-	0.13	0.02	0.05	-	-	0.04	-	10
11	0.05	0.05	-	-	-	0.13	-	0.02	-	-	0.10	0.43	11
12	0.02	0.45	0.13	0.05	0.03	0.02	0.02	-	-	-	-	0.05	12
13	0.01	0.04	-	-	-	-	-	0.05	-	0.06	-	0.10	13
14	0.07	-	0.62	-	0.23	-	-	0.12	-	0.01	-	0.02	14
15	0.14	0.11	0.01	-	0.34	0.45	-	0.02	-	-	-	0.28	15
16	^{s}0.65	[illegible]	0.23	-	-	0.02	-	0.07	-	0.08	0.14	0.01	16
17	^{s}0.63	0.01	0.30	-	-	0.05	-	0.65	-	-	0.02	0.44	17
18	0.16	0.05	0.08	-	-	-	-	0.40	-	0.01	0.01	0.01	18
19	0.03	0.03	-	-	0.02	0.01	0.32	0.62	-	0.02	-	0.02	19
20	0.02	[illegible]	0.30	-	0.14	-	0.22	0.44	-	0.33	0.03	-	20
21	0.01	0.10	0.34	-	0.91	-	-	0.20	-	0.27	-	-	21
22	^{s}0.67	0.13	0.03	-	0.43	0.10	0.75	0.19	-	0.02	-	0.04	22
23	0.13	0.51	0.30	-	-	0.21	-	0.25	-	0.03	0.08	0.35	23
24	0.05	0.01	-	-	-	0.27	0.06	0.05	-	0.01	-	0.17	24
25	-	-	-	-	-	0.69	-	0.95	-	0.05	0.44	0.41	25
26	-	0.11	0.03	-	-	-	0.28	0.67	-	0.55	0.55	0.14	26
27	-	0.03	0.01	-	-	0.42	0.76	-	-	0.88	-	0.36	27
28	-	0.09	0.01	-	-	0.20	1.26	0.82	0.14	0.32	0.19	0.45	28
29	-	0.28	-	-	-	-	0.39	0.27	0.52	0.45	-	0.03	29
30	-		0.01	-	-	0.06	0.11	-	0.05	0.18	-	0.01	30
31	-		0.18		0.30		0.63	0.21		0.02		0.30	31
Total	3.90	2.51	4.81	0.13	2.69	6.23	5.49	7.51	0.78	3.64	1.85	4.16	TOTAL for year 43.70
No. of Rain Days	22	21	25	3	13	22	17	27	6	18	14	25	213

7,000. X. '09.

[illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

22 JAN 1914

Kept at Whitminster

in the County of Gloucester 3

by Thos. Fredericks

Lat. 51° 47' N Long. 2° 21' W

Time of Observation 9 a.m.

Nearest Railway Station Stonehouse

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0.11	0.19	0.12	-	-	-	-	0.65	-	0.18	-	1
2	0.01	0.16	0.14	0.14	-	-	0.03	-	0.05	0.53	0.13	-	2
3	0.32	0.01	0.07	-	0.39	-	-	-	0.01	-	-	0.09	3
4	0.48	0.03	0.05	-	0.31	-	0.01	-	0.75	0.45	0.01	0.15	4
5	0.02	0.06	0.02	-	0.07	-	0.09	-	0.07	0.05	0.14	0.05	5
6	0.01	0.02	0.20	-	0.25	0.07	0.09	-	-	0.14	0.31	0.50	6
7	0.02	0.33	0.01	-	0.20	0.11	0.05	-	-	0.75	0.15	-	7
8	-	0.23	-	-	0.15	-	-	0.05	-	0.17	-	0.01	8
9	-	0.17	0.01	-	0.03	0.06	0.20	0.06	0.17	0.01	0.06	-	9
10	0.26	-	-	0.05	0.04	-	-	0.10	-	-	0.10	-	10
11	0.65	-	-	0.24	0.08	-	-	0.01	-	0.10	1.00	-	11
12	-	0.01	-	-	0.08	-	-	-	-	-	0.41	-	12
13	0.04	-	0.36	-	0.22	-	-	0.01	0.17	-	0.20	-	13
14	0.07	0.01	0.37	0.01	-	-	-	0.06	-	0.02	-	-	14
15	0.25	0.07	0.44	0.88	-	-	-	0.02	0.13	-	-	-	15
16	0.18	-	0.74	0.05	-	-	-	0.06	0.01	-	0.01	-	16
17	0.02	0.01	0.07	0.27	-	0.05	0.06	-	0.02	-	0.05	0.01	17
18	0.08	-	0.18	0.09	-	-	0.07	-	0.45	-	0.08	-	18
19	0.14	-	0.05	-	-	0.07	0.03	-	0.18	0.01	0.01	-	19
20	0.27	-	0.10	0.06	-	-	-	-	0.02	0.07	0.08	-	20
21	-	-	0.06	0.08	0.12	-	0.10	0.04	-	0.11	0.38	-	21
22	0.47	-	0.50	0.24	-	0.07	-	0.16	0.44	-	-	-	22
23	-	-	0.01	-	-	0.05	-	-	-	-	0.05	0.15	23
24	-	-	-	0.05	-	0.01	-	0.04	-	-	-	-	24
25	-	0.04	-	0.36	-	-	-	-	0.02	-	-	0.01	25
26	-	-	-	0.30	-	-	-	0.37	0.01	0.01	-	0.20	26
27	0.01	-	0.10	0.32	-	-	-		-	0.10	-	-	27
28	0.46	-	0.12	0.39	-	-	-	-	-	0.25	-	-	28
29	0.01		0.37	0.57	-	-	-	0.06	-	0.07	0.01	-	29
30	0.29		0.01	-	-	-	-	0.01	-	0.35	0.05	-	30
31	0.03		0.14		0.15		-	-		-		-	31
Total	4.59	1.26	4.31	4.22	2.09	0.49	0.73	1.05	3.15	3.19	3.41	1.17	YEAR'S TOTAL 29.66
Rain Days.	22	14	24	18	13	8	10	14	16	17	20	9	185

W. 7,500, XI. ·12 X°

FORM A.
BRITISH RAINFALL.

15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Junction Saul (Whitminster)

in the County of Gloucester 3

by Wm. Fredericks

Lat. 51° 47 N. Long. 2° 21 W

Time of Observation 9 a.m.

Nearest Railway Station Stonehouse

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. . in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	—	—	—	.86	.48	—	—	.10	.14	1
2	—	—	—	.01	.02	—	.52	.18	—	—	.65	.78	2
3	—	—	.02	.12	.50	—	.25	.01	—	—	.03	.04	3
4	.19	—	—	.18	.05	—	.15	—	—	—	.29	.50	4
5	—	—	.05	.30	.08	—	.47	—	—	—	.03	—	5
6	—	.13	.02	.01	.04	—	.08	.04	—	—	.07	.20	6
7	.03	.20	.30	.14	.26	.07	.22	.11	—	—	.01	.05	7
8	.05	—	.35	.01	.10	1.28	—	.04	.01	—	—	.20	8
9	—	.06	.22	.28	.08	1.02	—	.08	.09	—	.02	—	9
10	.04	.19	.01	.23	.03	.01	—	—	—	—	—	—	10
11	—	.12	.22	.04	.11	.45	.05	—	.26	—	.08	.39	11
12	Snow .01	.09	.17	—	—	—	.03	—	.28	—	.08	.08	12
13	—	.51	.55	—	—	—	.05	—	.25	.24	.04	.43	13
14	—	.46	.35	.04	—	—	.05	.02	—	.35	.18	.01	14
15	—	.05	.15	—	—	—	—	.17	.03	.01	.21	.01	15
16	.05	—	.01	—	—	—	.13	—	.18	—	—	—	16
17	—	.21	.13	—	—	—	.01	—	.02	—	—	.55	17
18	—	.01	.01	—	—	—	.15	—	—	—	—	.34	18
19	—	.06	part Snow .10	—	—	—	.65	—	—	—	.06	.10	19
20	—	.56	.03	—	—	—	—	—	—	—	—	.12	20
21	—	.40	—	—	—	—	.06	.03	—	.14	—	.01	21
22	—	.06	.04	.01	.24	.08	—	.10	—	.14	—	—	22
23	—	.05	.24	.01	.08	—	.01	.01	—	.21	—	—	23
24	—	—	.05	—	—	—	—	.03	—	.20	.10	—	24
25	.10	—	.15	—	—	—	.01	.35	—	.25	.02	.21	25
26	—	—	.14	—	—	—	.02	—	—	.11	.17	.40	26
27	.07	—	—	—	—	—	—	—	—	.02	.37	.35	27
28	—	.22	.31	—	.06	—	—	—	—	—	.17	1.00 Part Snow	28
29	.13		.15	—	.08	—	—	—	—	.25	.45	—	29
30	.08		.18	—	.01	—	—	—	—	.15	.74	.65	30
31	.07		—		.01		.45	—		.10		.06	31
Total	.82	3.39	3.95	1.38	1.75	2.91	4.22	1.65	1.12	2.17	3.87	6.62	YEAR'S TOTAL 33.85
Rain Days.	11	18	25	13	16	6	20	14	8	13	21	23	188

W. 7,500, XI. 12 R

2254

FORM A.
BRITISH RAINFALL.
26 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Whitminster
in the County of Gloucester
by W. Fredericks

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.19	0.09	—	—	0.02	—	0.01	0.05	0.63	0.26	0.01	0.10	1
2	0.25	0.22	0.17	0.16	—	0.06	—	1.18	0.02	0.06	—	0.12	2
3	0.92	0.15	0.04	0.03	0.15	—	0.94	0.15	—	0.01	—	0.15	3
4	0.05	0.01	—	—	0.02	—	0.15	0.05	—	—	—	0.65	4
5	0.01	0.44	—	0.05	0.01	—	0.03	0.06	—	—	—	0.38	5
6	0.18	0.06	—	0.27	—	—	0.50	0.06	—	—	—	0.27	6
7	0.16	0.54	—	0.01	—	—	0.15	0.04	—	—	—	0.24	7
8	0.27	0.22	—	0.02	—	—	0.20	0.03	—	—	0.06	—	8
9	0.04	0.03	—	0.08	—	—	—	0.24	—	—	0.20	0.78	9
10	0.10	0.01	0.08	0.06	—	—	—	—	—	—	—	—	10
11	0.02	—	0.07	0.07	—	—	—	—	—	0.02	0.80	part snow 0.10	11
12	0.13	0.21	—	0.20	0.51	—	—	0.02	0.01	0.09	0.42	0.03	12
13	0.01	0.55	—	—	part snow 1.00	—	—	0.03	0.04	—	—	0.08	13
14	0.04	0.02	—	—	—	—	0.08	0.14	0.07	0.01	—	0.65	14
15	0.33	—	—	—	0.06	—	0.07	0.13	—	0.06	0.03	0.07	15
16	—	0.96	—	0.02	0.24	—	0.53	0.08	—	—	—	0.06	16
17	—	0.33	Snow 0.03	—	0.74	—	0.01	0.10	—	—	—	0.01	17
18	—	0.32	Snow 0.01	—	—	—	—	—	—	0.01	0.03	—	18
19	—	0.03	—	—	0.09	—	0.29	—	—	—	—	—	19
20	0.11	—	—	0.09	—	—	0.02	—	—	0.05	—	0.14	20
21	Pt snow 0.06	0.07	—	—	0.04	—	0.03	0.02	—	0.09	—	0.08	21
22	0.11	0.16	0.34	0.03	—	0.05	0.22	—	0.01	—	—	0.36	22
23	—	0.03	0.39	—	—	0.02	0.06	—	0.04	1.00	—	0.45	23
24	—	—	0.02	0.07	—	—	0.95	—	0.56	0.50	—	0.47	24
25	—	—	0.02	—	—	0.50	0.01	—	0.01	0.03	—	0.15	25
26	0.01	0.24	—	—	—	0.01	0.20	—	—	—	—	0.48	26
27	—	0.02	—	—	—	—	0.21	—	—	0.35	—	0.04	27
28	—	0.10	Snow 0.02	—	—	0.12	0.02	0.02	0.48	—	—	0.01	28
29	—	X	—	—	—	0.02	0.19	0.10	—	—	0.05	—	29
30	0.10	X	—	—	—	0.10	0.14	—	—	0.18	0.09	0.18	30
31	—	X	—	X	—	X	-	0.02	X	0.98	X	0.44	31
Total	3.09	4.81	1.19	1.16	2.88	0.88	5.01	2.52	1.87	3.70	1.69	6.49	YEAR'S TOTAL 35.29
Rain Days.	20	23	11	14	11	8	23	19	10	16	9	26	190

W. 8,000. X. 15.

Exd P3E

2189

FORM A.
BRITISH RAINFALL.

19 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Junction Whitminster
in the County of Gloucestershire
by W. Fredericks

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	–	0.02	–	0.26	0.08	0.18	″	″	0.21	0.28	″	1
2	0.47	0.04	Snow 0.11	–	0.27	0.05	–	″	0.02	0.95	0.03	″	2
3	0.01	0.85	0.05	–	0.10	0.01	–	″	0.02	0.35	0.11	″	3
4	0.52	0.08	–	0.01	0.30	0.37	–	″	0.15	0.32	0.44	″	4
5	0.07	0.02	Snow 0.05	–	0.11	0.08	0.31	″	″	0.10	0.30	″	5
6	0.03	0.35	S 0.05	–	0.40	0.02	0.49	″	″	0.15	0.65	″	6
7	0.01	–	S 0.12	–	0.07	0.05	0.01	″	″	0.19	0.45	0.28	7
8	0.02	0.02	S 0.05	–	0.33	0.01	–	″	″	0.01	0.02	0.15	8
9	–	0.01	–	–	0.04	0.14	–	″	″	0.10	0.04	0.01	9
10	–	0.55	S 0.01	0.03	0.02	0.22	–	″	″	0.11	″	″	10
11	0.07	0.01	0.08	0.08	0.06	0.10	–	″	0.01	″	″	S 0.13	11
12	.03	0.06	0.05	0.04	0.41	–	0.10	0.01	″	0.11	″	″	12
13	.02	0.35	0.08	0.05	0.01	–	–	0.25	″	0.01	0.01	″	13
14	~~0~~ –	Part Snow 41	0.06	–	0.07	–	–	0.11	″	0.13	″	″	14
15	–	0.26	0.27	0.07	0.04	–	–	0.51	″	0.01	″	″	15
16	0.01	0.05	–	0.23	–	–	0.40	0.31	″	0.02	″	″	16
17	0.13	0.12	–	0.10	–	–	0.01	0.28	0.30	0.47	0.02	″	17
18	0.03	0.04	0.05	0.01	–	–	–	″	0.08	0.15	0.50	0.10	18
19	0.33	–	0.25	0.27	–	–	–	″	″	″	0.13	″	19
20	0.17	–	0.65	0.01	–	–	–	″	″	″	0.01	Pt S 0.45	20
21	0.10	–	0.50	–	0.11	–	0.05	″	″	″	″	0.30	21
22	0.01	Snow 0.01	0.01	–	0.02	0.14	–	″	″	0.19	0.01	0.45	22
23	0.01	Snow 0.15	–	0.01	–	–	–	0.12	″	0.15	0.13	0.09	23
24	0.01	Snow 0.11	0.05	0.05	0.08	0.26	–	0.07	″	0.35	0.01	0.20	24
25	–	Snow 0.33	0.28	–	–	0.01	–	″	0.01	0.01	0.15	″	25
26	–	Snow 0.08	0.01	–	–	0.23	–	0.61	0.06	0.21	0.01	″	26
27	0.02	Snow 0.10	S 1.00	–	0.04	0.02	0.04	0.25	0.25	0.76	″	″	27
28	–	Snow 0.36	S 0.20	–	–	–	–	0.01	0.27	0.11	″	0.26	28
29	–	0.15	0.01	–	–	0.23	–	2.16	″	0.32	″	0.24	29
30	–	X	–	–	–	0.02	–	0.02	″	0.35	″	0.01	30
31	–	X	–	X	–	X	–	0.01	X	0.60	X	0.03	31
Total	2.09	4.51	4.01	0.96	2.74	2.05	1.59	4.72	1.17	6.44	3.30	2.70	YEAR'S TOTAL 36.28
Rain Days.	21	24	24	13	19	18	9	14	10	27	19	14	212

W. 8,000, VIII. 16

2090

FORM A.
BRITISH RAINFALL.
18. JAN 1918

Entd 40

REGISTER OF RAINFALL IN 1917

Kept at "The Junction" Whitminster

in the County of Gloucester

by W. Fredericks.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
~~Nil~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	0.24	Snow 0.20	"	0.10	"	0.90	0.40	"	0.09	"	1
2	"	"	"	0.18	"	0.09	"	0.10	"	0.01	0.02	"	2
3	"	Snow 0.06	"	0.03	"	"	0.05	0.08	"	0.74	0.01	"	3
4	"	Snow 0.14	0.15	"	"	"	0.10	0.09	0.01	0.35	"	"	4
5	0.15	"	0.06	pt Snow 0.23	"	"	"	0.48	0.35	0.21	0.09	"	5
6	0.01	"	0.40	0.15	"	0.60	"	"	"	0.03	0.18	0.02	6
7	0.15	"	"	"	"	"	0.43	0.15	"	0.65	0.02	"	7
8	0.49	"	0.03	pt Snow 0.13	"	"	0.96	0.67	0.02	0.46	0.01	0.28	8
9	"	"	Snow 0.12	0.03	0.24	"	"	0.29	0.25	0.05	"	"	9
10	pt Snow 0.19	"	0.35	pt Snow 0.21	0.01	"	"	0.11	0.03	0.03	0.02	0.01	10
11	0.05	"	0.20	pt Snow 0.36	0.01	"	"	1.18	0.22	0.11	0.02	"	11
12	0.03	0.01	0.01	0.02	0.45	"	"	0.05	0.01	0.25	0.01	"	12
13	"	"	0.13	0.13	0.01	0.04	"	0.08	0.10	0.02	"	0.01	13
14	0.01	"	0.06	0.02	"	"	"	0.65	"	0.01	"	0.03	14
15	"	"	"	0.01	"	"	0.03	0.38	"	0.14	"	0.15	15
16	Snow 0.06	0.04	"	0.10	0.01	"	"	"	"	"	"	0.13	16
17	"	0.01	"	0.10	0.53	"	0.31	0.04	0.15	0.07	"	"	17
18	0.01	0.03	"	"	0.02	"	0.32	"	2.15	0.01	"	"	18
19	0.01	0.58	0.20	"	"	0.44	"	0.02	0.02	"	0.01	"	19
20	"	0.12	0.09	"	0.57	0.06	0.39	0.01	0.01	"	"	"	20
21	0.01	0.02	Snow 0.35	"	0.01	0.01	"	0.04	"	0.11	0.02	"	21
22	0.01	"	0.07	"	"	0.03	"	0.06	0.03	0.20	"	"	22
23	0.01	0.14	0.01	"	0.05	0.04	"	0.35	"	"	"	0.01	23
24	"	"	0.01	"	"	0.09	0.01	0.16	"	0.19	0.02	"	24
25	"	0.05	0.02	"	"	0.01	"	"	"	"	0.03	"	25
26	"	"	0.04	"	0.18	0.10	0.01	0.36	0.17	"	0.09	"	26
27	"	"	"	"	1.15	0.08	"	0.73	"	"	"	"	27
28	"	"	pt Snow 0.14	"	0.10	0.63	"	0.19	"	"	"	0.02	28
29	"	"	0.13	"	0.12	0.65	"	0.01	0.01	0.46	"	0.23	29
30	"	X	0.01	"	"	"	0.28	0.38	"	0.04	0.01	0.01	30
31	"	X	0.25	X	0.01	X	"	0.16	X	"	X	0.07	31
Total	1.19	1.20	3.07	1.90	3.39	2.54	2.89	7.72	3.93	414	0.65	0.97	YEAR'S TOTAL 33.59
Rain Days.	14	11	23	15	16	15	11	27	16	21	16	12	197

W. 8,000, IX. 17. K°

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at The "Junction"
in the County of Gloucestershire
by W. Fredericks

Lat. 51° 47′ Long. 2° 21′
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	.03	.01	.10	.07	"	"	.12	"	.02	.45	.10	1
2	"	.17	"	.02	"	·	·	.42	"	.01	.02	.01	2
3	·	.14	.02	.31	.12	"	·	.22	.46	.01	.01	.02	3
4	"	.05	.01	.10	"	"	"	.10	.10	.03	.86	.12	4
5	.01	"	"	.02	.37	"	"	.01	.40	.19	.10	.01	5
6	.05	.26	"	.13	"	.01	·	"	.02	.08	"	.07	6
7	Snow .01	.17	"	.02	.50	·	"	"	.03	.11	.33	.02	7
8	"	.08	"	.03	"	"	·	"	.12	.12	.01	.06	8
9	"	.15	"	.09	"	.17	.07	"	.62	.11	.01	.20	9
10	.02	"	"	.34	"	"	.37	"	.45	.08	.01	.17	10
11	.03	"	.02	.02	.01	"	.07	"	.18	"	.05	.15	11
12	"	.02	.34	"	.07	"	.01	"	.12	.02	"	.01	12
13	? ·	"	.01	"	.01	"	.03	"	.24	.08	"	.15	13
14	"	"	.05	"	·	.03	.44	"	.66	.05	"	.07	14
15	Snow .73	"	"	.50	·	"	.25	"	.01	.02	"	.41	15
16	Snow .30	"	"	.61	"	"	.01	"	.32	.01	"	.02	16
17	.19	"	.01	.01	"	"	.30	"	.06	.04	"	.01	17
18	.90	"	"	"	"	.46	.14	"	.79	.02	"	.10	18
19	.10	.04	.15	.09	"	"	.08	"	.01	.01	"	.50	19
20	.02	.10	"	.22	"	.07	.13	"	.32	.05	"	.03	20
21	.02	.02	"	.03	"	.01	.01	"	.42	.04	"	.01	21
22	.01	"	"	"	.07	"	.10	"	.16	.01	"	.30	22
23	.01	·	·	·	.25	"	.22	"	.04	.01	.03	.01	23
24	"	.12	·	"	·	"	.11	.01	.09	.03	.05	.01	24
25	·	"	·	"	.01	"	.43	.47	.02	.03	.06	"	25
26	"	.01	·	"	"	"	.70	"	.06	.02	.09	"	26
27	"	"	.06	"	"	.03	.01	.20	.16	"	.07	.03	27
28	"	pt Snow .15	.26	"	"	"	"	"	.06	"	.10	.02	28
29	"		.08	"	"	"	"	"	1.60	.01	.02	.02	29
30	"		.28	"	"	"	"	"	.07	.01	.05	.05	30
31	"		.34		"		"	.09		.02		.07	31
Total	2.40	1.51	1.64	2.64	1.48	.78	3.48	1.64	7.59	1.24	2.32	2.75	YEAR'S TOTAL 29.47
Rain Days.	14	15	14	17	10	7	19	9	28	28	18	29	208

W. 6,500, VII. 18. w w c

[illegible] 193

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

27 JAN 20

Kept at the Junction Whitminster

in the County of Gloucester

by William Fredericks

Lat. 51° 47' Long. 2° 21'

Time of Observation 9 a.m.

Nearest Railway Station Stonehouse

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. " in.

" " " " Sea Level 33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.01	.03	"	.06	.02	.11	"	.01	.16	"	.66	1
2	.23	.01	.01	"	.03	"	.19	.03	.48	"	.08	.10	2
3	Part Snow .84	.01 Snow	.05	"	.02	.07	.18	"	.08	"	.13	.29	3
4	Part Snow .15	.04	.60	"	"	.11	.05	.05	.51	"	"	.17	4
5	.02	Pt Snow .27	.48	"	.07	"	.07	"	.45	"	.02	.13	5
6	.10	"	.12	"	.09	"	"	"	.01	"	.01	Snow .15	6
7	.18	"	.33	.12	.01	"	"	"	"	"	.01	.01	7
8	.05	"	.05	.15	"	.02	"	"	"	"	"	"	8
9	.45	"	.01	.16	"	"	"	"	"	"	.03	"	9
10	.01	"	.55	.01	"	"	"	"	"	.04	"	.07	10
11	.01	"	.42	.04	.10	"	.43	"	"	.02	"	.02	11
12	"	"	.10	.09	"	.75	"	"	"	"	Snow .01	"	12
13	.07	"	"	.31	"	"	"	"	.04	"	.01	.03	13
14	.41	.01	"	.24	"	"	.04	"	.02	"	"	.01	14
15	.48	.02	"	.02	.03	"	"	.01	"	.04	"	.25	15
16	.12	.91	"	"	"	"	"	"	"	"	.08	.02	16
17	"	.61	"	"	"	.01	"	"	"	"	.19	.01	17
18	.01	.02	.42	"	"	"	"	.45	.05	"	.11	.01	18
19	.17	.35	.95	"	"	.16	2.05	.53	.01	"	.01	.02	19
20	.31	.07	.42	"	"	.05	.01	.16	.04	"	.03	.01	20
21	.04	.76	.03	"	"	"	.14	.02	.02	"	.02	.18	21
22	"	.08	"	"	"	"	.05	"	.22	"	.01	.08	22
23	"	"	"	"	"	"	"	.01	"	1.20	.14	"	23
24	"	"	"	.02	"	"	.11	.01	"	1.00	.12	.07	24
25	.12	"	"	.05	.05	.04	"	.28	"	"	.02	.01	25
26	.01	"	.10	.02	"	"	.02	.10	.14	"	"	.35	26
27	.10	"	.01	Snow .58	"	"	"	.56	.01	"	"	.02	27
28	.03	"	Snow .33	"	"	"	"	.13	"	"	Snow .28	.22	28
29	.04		"	.11	"	"	"	"	"	.14	Snow 15	.33	29
30	.02		"	.13	"	.22	"	.33	.02	.02	.17	.53	30
31	"		.01		"		"	"		.01		.01	31
TOTAL	4.44.	3.17.	5.02	2.02	0.46.	1.45	3,45	2,67	2,11	2,63	1.63	3,86	YEAR'S TOTAL 32.91 ✓
Days with ·01 in. or more	25	14	20	15	9	10	13	14	16	9	21	27	193 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex Rd

1833

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN 1921

Kept at Junction

in the County of Gloucester

by W. Fredericks

Lat. 51° 47' N Long. 2° 21' W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.25	.46	—	.22	.08	.10	.10	—	.32	1
2	.11	—	.02	.20	.03	—	.06	.07	.03	.32	—	.33	2
3	.01	.07	.01	.27	—	—	.83	—	.05	.08	—	—	3
4	—	—	.03	.07	—	—	.02	.70	—	.12	—	—	4
5	—	.01	.26	.06	.03	—	.23	.05	—	.39	—	.01	5
6	—	—	.18	—	.15	—	.18	—	—	.18	—	.01	6
7	.01	—	.01 Snow	.09	.02	—	.10	—	—	—	.01	—	7
8	.03	.08	—	.36	.05	—	.66	.01	—	—	—	.02	8
9	.17	.01	—	.37	—	.01	.03	—	—	—	—	—	9
10	1.07	.08	.07	.06	—	.12	.12	—	—	—	.02	.01	10
11	.17	.02	.16	.33	.45	.01	.06	—	—	—	—	—	11
12	.22	.07	.14	.11	.01	.67	.02	—	—	—	.03	.01	12
13	.11	.02	.25	.15	—	—	—	—	—	—	.03	Snow .01	13
14	.02	.01	Part Snow .73	.44	—	.23	.01	—	.10	.30	.73	—	14
15	.01	.06	.03	.40	.03	.02	—	—	.04	.10	.14	—	15
16	—	—	—	.03	.09	.33	.43	—	.62	.30	—	—	16
17	.02	—	—	.18	.25	.17	—	—	1.10	.29	.01	.01	17
18	.33	—	—	.22	.15	—	.07	.38	.75	—	—	.06	18
19	.03	.30 Rd Snow	—	.33	—	.15	.02	.01	—	—	—	.01	19
20	.04	.03	—	.18	—	.15	—	—	—	—	—	.15	20
21	.01	—	—	.06	—	—	—	—	—	—	—	.04	21
22	.02	—	—	.10	—	—	—	.10	—	.01	—	.42	22
23	—	.01	—	—	—	—	.67	—	—	.01	—	.29	23
24	.02	—	.34	.01	—	—	—	—	T	—	.02	.25	24
25	.01	.02	.11	—	—	—	.60	—	—	—	.01	.03	25
26	.30	—	.29	—	—	.05	.02	—	—	—	.03	.10	26
27	.35	—	.12	.12	.03	.61	.01	—	—	—	.03	.15	27
28	.83	—	.04	—	.32	.02	.01	—	—	—	—	.03	28
29	.18	—	.12	.04	.01	.11	.03	—	—	—	.10	.46	29
30	.12		.11	.08	—	.20	.12	—	.30	.02	.35	.40	30
31	.10		.18		—		.01	—		.27		.09	31
TOTAL	4.29	0.79	3.23	4.81	2.08	2.85	4.23	1.35	3.09	2.40	1.52	3.21	YEAR'S TOTAL 33.55
Days with ·01 in. or more	25	14	21	25	15	15	24	8	9	14	13	23	206
Days with ·04 in. or more	14	~~8~~ 6	15	23	8	11	14	5	8	11	4	13	~~134~~ 132 132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

2159

WHITMINSTER, PARKLANDS
1918, 1920

FORM A.
BRITISH RAINFALL.
6. 1.

Kept at Parklands Whit

in the County of Gloucest

by Wm Grey Robinson

ound 3 miles

8 self-registering

Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 103 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		25	1	2	6			10		1	44		1
2		~~4~~22						36		2	1	12	2
3		11	1	25	10			18	29	3	5		3
4		4	1	9				9	9		74	10	4
5				1	24			1	52	13	9	1	5
6	5	20		10		1			11	6		6	6
7	1	12		2	48	2			4	4	33		7
8		11					1		10	9		9	8
9		15		8		13	3		60	8		8	9
10				2			30		45	7		18	10
11	2		1	29	1		7		11		8	12	11
12		3	35		7		9		3				12
13			1		2		2		15	1		15	13
14	50		3			4	57		66	6		5	14
15	1.62			47	2		21		1	4	2	36	15
16	25			57		9			23	3			16
17	11		1	14			20			3		13	17
18	66					36	16		1.10	1		42	18
19	6	2	10	8			6		4	7		3	19
20	1	8	1	22		7	7		36	1			20
21				3					40	2		1	21
22	1				2		6		8	3		26	22
23	1				21		18		3		1	1	23
24		12					4	1	2		5		24
25							23	41		3			25
26							71	2	2	3	11	11	26
27			1			1	1	18	15		4	1	27
28		13	24								10	1	28
29			5						1.43			3	29
30	1		22						1		4	2	30
31			37				7	7					31
Total	3.32	1.38	1.44	2.39	1.23	.73	3.02	1.43	7.03	.90	2.11	2.36	YEAR'S TOTAL 27.34
Rain Days.	13	13	15	15	10	8	18	10	25	21	14	22	184

REGIS

FORM A.
BRITISH RAINFALL.
6. 1.

Kept at Parklands Whitminster
in the County of Gloucester
by Wm Grey Robinson

Lat. 51.50 Long. 2.10
Time of Observation 9 A M
Nearest Railway Station Stonehouse 3 miles
Diameter of Funnel of Rain Gauge 8" self registering
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 103 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		25	1	2	6			10		1	44		1
2		22						36		2	1	12	2
3		11	1	25	10			18	29	3	5		3
4		4	1	9				9	9		74	10	4
5				1	24			1	52	13	9	1	5
6	5	20		10		1			11	6		6	6
7	1	12		2	48	2			4	4	33		7
8		11					1		10	9		9	8
9		15		8		13	3		60	8		8	9
10				2			30		45	7		18	10
11	2		1	29	1		7		11		8	12	11
12		3	35		7		9		3				12
13			1		2		2		15	1		15	13
14	50		3			4	57		66	6		5	14
15	1.62			47	2		21		1	4	2	36	15
16	25			57		9			23	3			16
17	11		1	14			20			3		13	17
18	66					36	16		1.10	1		42	18
19	6	2	10	8			6		4	7		3	19
20	1	8	1	22		7	7		36	1			20
21				3					40	2		1	21
22	1				2		6		8	3		26	22
23	1				21		18		3		1	1	23
24		12					4	1	2		5		24
25							23	41		3			25
26							71	2	2	3	11	11	26
27			1			1	1	18	15		4	1	27
28		13	24								10	1	28
29			5						1.43			3	29
30	1	✕	22						1		4	2	30
31		✕	37	✕		✕		7	✕		✕		31
Total	3.32	1.38	1.44	2.39	1.23	·73	3.02	1.43	7.03	·90	2.11	2.36	YEAR'S TOTAL 27·34
Rain Days.	13	13	15	15	10	8	18	10	25	21	14	22	184

W. 6,500, VII. 18. W W G

1871

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Parkland Whitminster

in the County of Gloucester

by Wm Grey Robinson

Lat. 51.50 Long. 2.10

Time of Observation 9 AM

Nearest Railway Station Stonehouse 3 miles

Diameter of Funnel of Rain Gauge 8 in. self registering

Height of top of Gauge above Ground 2 ft. 6 in.

„ „ „ „ Sea Level 103 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				19	34		26	1	1	8		32	1
2	5		5	21			18	15	7	17		24	2
3	5	6		41			43		3	25			3
4			2	6		1		59	1	11			4
5			21	6	1		21			31	1		5
6			15		14		16			16			6
7			1	9	1		6					1	7
8		6		35	1		60			1			8
9	12			48	2	1	3					1	9
10	89	4	3	7		11	10				2		10
11	11		14	30	46	2	5					1	11
12	18	3	2	7	1	62	2				6		12
13	7	3	20	12					1				13
14	1		61	33		25	1		6	32	47	2	14
15		5	1	32	2	4			3	7	8		15
16				3	6	28	36		53	28	2		16
17	1			8	24	26	10	1	95	28		1	17
18	32			10	10		8	41	68				18
19	6	21		32	1	10					1	1	19
20	1	14		12		17						9	20
21				1					1			4	21
22	1			8				9				37	22
23		1					53	4				20	23
24		1	37						1		2	23	24
25		6	12				48					1	25
26	12		27			8	5			1	1	10	26
27	26	2	7	8	2	55						13	27
28	68		2	1	15								28
29	12		13	2	2	13	2			1	7	38	29
30	3	X	9	14		10	12		25		27	33	30
31	9	X	24	X		X			X	22	X	10	31
Total	3.19	.72	2.76	4.65	1.62	2.73	3.85	1.30	2.65	2.28	1.04	2.61	Year's Total 28.80
Days with ·01 in. or more	19	12	19	25	16	15	20	7	13	14	11	19	190
Days with ·04 in. or more	14	7	13	21	7	12	16	5	6	11	5	12	129

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIST ... 11.

GLOUCESTER.

WICKWAR RECTORY

1911

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Wickwar

in the County of Glouces

by Revd Claude

in.

ve Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·09				·08		·65	·07		1
2				·06	·29			·29			·08	·20	2
3					·35	·14		·08			·14	·08	3
4	·03		·14	·02					·03	·10	·35	·43	4
5	·06		·04					·24		·04	·10		5
6	·27							·04			·08	·34	6
7	·03		~~7~~								·43		7
8	·020		·17								·15	·26	8
9	·05		·03								·17	·29	9
10	·011	·07	·29								·03	·21	10
11	·020	·03	·12								·63	·17	11
12	·03		·64								·59	·17	12
13					·11				·72		~~[illegible]~~	·45	13
14		·04										·80	14
15		·04	·02			·01				·01	·17	·18	15
16		·02				·25					·37	·25	16
17		·03				·02					·06	·21	17
18		·60	·08	·07		·14				·02		·28	18
19	·03	·02		·07		·28			·23	·15	·01	·32	19
20	·02	·07	·09	·06					·05	·09		·40	20
21		·25						·94		·44		·19	21
22			·62			·72				·11		·41	22
23		·25	·11			·08			·06	·23	·02	·20	23
24	·01	·10				·49		·28		·44		·11	24
25	·02	·20	·03	·16		·05				·05		·02	25
26		·14		·25	·10	·02		·07		·31	·23	·12	26
27		·26	·20	·07				·37	·31		·09	·15	27
28		·29		·39		·04		·29				·	28
29				·07		·48			·38	·30	·02	·02	29
30			·02	·18		·04		·05		·27		·02	30
31			·12							·06			31
Total	106.	~~139~~ 2·41	~~204~~ 2·74	~~140~~ 1·49	85	276	·00	~~268~~ 2·73	178	~~328~~ 3·27	~~304~~ 3·99	618	TOTAL FOR YEAR 29·26
No. of Rain Days.	13	16	17	12	4	14	0	17	7	16	20	26	156

W. 8,000, X. '11.

156

REGIST 11.

FORM A2.
BRITISH RAINFALL
18 JAN 1912

Kept at Wickwar Rectory

in the County of Gloucester 3

by Rev.d Canon Lyon

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·09				·08		·65	·07		1
2				·06	·29			·29			·28	·20	2
3					·35	·14		·08			·14	·08	3
4	·03		·14	·02					·03	·10	·35	·43	4
5	·06		·04					·24		·04	·10		5
6	·27							·04			·08	·34	6
7	·03		~~7~~								·43		7
8	·20		·17								·15	·26	8
9	·05		·03								·17	·29	9
10	·11	·07	·29								·03	·21	10
11	·20	·03	·12								·63	·17	11
12	·03		·64								·59	·17	12
13					·11				·72		~~·14~~	·45	13
14		·04										·80	14
15		·04	·02			·01				·01	·17	·18	15
16		·02				·25					·37	·25	16
17		·03				·02					·06	·21	17
18		·60	·08	·07		·14				·02		·28	18
19	·03	·02		·07		·28			·23	·15	·01	·32	19
20	·02	·07	·09	·06					·05	·09		·40	20
21		·25						·94		·44		·19	21
22			·62			·72				·11		·41	22
23		·25	·11			·08			·06	·23	·02	·20	23
24	·01	·10				·49		·28		·44		·11	24
25	·02	·20	·03	·16		·05				·05		·02	25
26		·14		·25	·10	·02		·07		·31	·23	·12	26
27		·26	·20	·07				·37	·31		·09	·15	27
28		·29		·39		·04		·29					28
29				·07		·48			·38	·30	·02	·02	29
30			·02	·18		·04		·05		·27		·02	30
31			·13							·06			31
Total	106	~~189~~ 2·41	~~264~~ 2·74	~~160~~ 1·49	85	276	·00	~~268~~ 2·73	178	~~320~~ 3·27	~~304~~ 3·99	618	TOTAL 29·26
No. of Rain Days.	13	16	17	12	4	14	0	11	7	16	20	26	[illegible]

W. 8,000, X. '11.

156

with 23.III.15

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

GLOUCESTER,

WICKWAR.

1914-1920

REGIST 4

Kept at WICKWAR.

in the County of Gloucester

by F. G. ANSELL. F.C.S.

ng. 2° 25′ W

9 am. daily

ion Wickwar, Midland Ry

ge 5 in.

ge above Ground 1 ft. – in.

„ Sea Level 260 ft.

IMPORTANT NOTE.—Rain shou n. and the result entered to the previous day. If an Observer prefers not to confor st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·03	·26	·63			·14		1
2				·01			·64	·19			·70	·27	2
3			·03	·17	·42		·08	·01			·02	·12	3
4	·24			·32	·22		·19	·19			·36	·57	4
5			·04	·34	·07		·36	·02			·13	·29	5
6		·08		·08	·11		·17	·04				·19	6
7		·32	·44	·22	·24	·01	·41	·07				·06	7
8	·11		·56	·06	·02	·48		·11			·02		8
9	·21		·30	·05		·50		·09					9
10		·11		·09	·02	·37							10
11			·23		·05						·06	·61	11
12		·12	·12						·29		·04	·22	12
13		·51	·22							·17	·05	·44	13
14		·37	·39					·03	·50	·35	·24		14
15			·19				·06	·52	·63	·01	·27		15
16			·01				·03		·12				16
17		·35	·15						·03			·54	17
18			·03				·25		·01			·35	18
19		·10	·28				·62					·15	19
20		·33	·10									·24	20
21		·48								·19			21
22		·01	·07	·02	·19	·28		·06		·07			22
23		·04	·20		·04					·14			23
24			·09					·01		·06	·11		24
25			·12					·36		·36		·33	25
26							·19			·07	·17	·46	26
27											·19	·32	27
28	·18	·17	·20		·02						·36	1·06	28
29	·24		·12		·09		·02			·22	·24		29
30	·07		·11			·13				·16	·51	·60	30
31	·03						·43			·29		·02	31
Total	1·08	2·99	4·00	1·42	1·49	1·90	~~3·75~~ 3·71	2·33	1·58	2·09	3·61	6·84	YEAR'S TOTAL 33·04
Rain Days.	7	13	22	11	12	7	14	14	6	12	17	19	154

W.7,000, XI. 13

REGIST 14

15

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at WICKWAR.

in the County of Gloucester, ~~England~~ 3

by F. G. ANSELL. F.C.S.

Lat. Long. 2° 25′ W

Time of Observation 9 am. daily

Nearest Railway Station Wickwar, Midland Rys

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·03	·26	·63			·14		1
2				·01			·64	·19			·70	·27	2
3			·03	·17	·42		·08	·01			·02	·12	3
4	·24			·32	·22		·19	·19			·36	·57	4
5			·04	·34	·07		·36	·02			·13	·29	5
6		·08		·08	·11		·17	·04				·19	6
7		·32	·44	·22	·24	·01	·41	·07				·06	7
8	·11		·56	·06	·02	·48		·11			·02		8
9	·21		·30	·05		·50		·09					9
10		·11		·09	·02	·37							10
11			·23		·05						·06	·61	11
12		·12	·12						·29		·04	·22	12
13		·51	·22							·17	·05	·44	13
14		·37	·39					·03	·50	·35	·24		14
15			·19				·06	·52	·63	·01	·27		15
16			·01				·03		·12				16
17		·35	·15						·03			·54	17
18			·03				·25		·01			·35	18
19		·10	·28				·62					·15	19
20		·33	·10									·24	20
21		·48								·19			21
22		·01	·07	·02	·19	·28		·06		·07			22
23		·04	·20		·04					·14			23
24			·09					·01		·06	·11		24
25			·12					·36		·36		·33	25
26							·19			·07	·17	·46	26
27											·19	·32	27
28	·18	·17	·20		·02						·36	1·06	28
29	·24		·12		·09		·02			·22	·24		29
30	·07		·11			·13				·16	·51	·60	30
31	·03						·43			·29		·02	31
Total	1·08	2·99	4·00	1·42	1·49	1·90	3·75 3.71	2·33	1·58	2·09	3·61	6·84	YEAR'S TOTAL 33·04
Rain Days.	7	13	22	11	12	7	14	14	6	12	17	19	154

W.7,000, XI. 13

Exe 8L 2230

FORM A. BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at WICKWAR.

in the County of GLOUCESTER.

by F. G. ANSELL. F.C.S.

Lat. 51°-35′ Long. 2°-25′

Time of Observation 9 am.

Nearest Railway Station Wickwar M.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·13						·04	·28	·26	·02	·09	1
2	·44	·30	·23	·15	·18			1·04		·08		·11	2
3	·78	·03	·03	·02	·13		·27	·36				·14	3
4	·06	·04			·01		·84	·01				·69	4
5	·06	·40						·04				·31	5
6	·23	·05		·29	·80		·41	·04				·20	6
7	·30	·28		·02			·14	·04				·20	7
8	·33	·24					·07	·10					8
9	·06	·02		·22				·03			·23	·68	9
10	·21		·10					·05		·07			10
11			·15	·04	·40			·01			·80		11
12	·14	·19		·27				·01		·19	·31	·04	12
13		·65							·11		·03		13
14	·23						·12	·30	·04			·60	14
15	·34			·03	·03		·07	·24	·02	·03	·06	·04	15
16		·78			·37		·64	·12		·01			16
17		·20			·92								17
18		·18											18
19					·09		·24						19
20	·13			·13						·05		·14	20
21	·08	·08					·02			·03		·14	21
22	·07	·29	·48				·63					·28	22
23			·27				·20		·11	·84		·49	23
24			·06	·06			·54		·38	·50		·36	24
25						·59	·13					·12	25
26		·11				·05	·29		·01			·40	26
27		·02					·25			·38		·01	27
28		·09					·04		·50				28
29						·21	·19	·08			·04		29
30	·12	×				·16	·03			·30	·28	·06	30
31		×		×		×	·12	·05	×	·73	×	·31	31
Total	3·88	4·08	1·32	1·23	2·93	1·01	5·24	2·56	1·45	3·47	1·77	5·41	YEAR'S TOTAL 34·35
Rain Days.	17	19	7	10	9	4	20	17	8	13	8	21	153.

W. 8,000. X. 14.

Snod Ery

2171

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
4 JAN 19

Kept at Wickwar

in the County of Gloucestershire

by F.G. ANSELL F.C.S.

Lat. 51° 35' N Long. 2° 25' W.

Time of Observation 9 a.m. daily

Nearest Railway Station Wickwar. M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11				·10	·16	·87			·21	·12		1
2	1·33	·04				·09			·03	1·04	·06		2
3		·74			·15	·03	·04		·02	·46	·14		3
4	·42	·14	·09		·23	·54			·15	·11	·42		4
5	·03				·09	·07	·01			·04	·07		5
6	·08	·27	·03		·35	·13	·40			·35	·45		6
7			·06		·06					·16	·26	·34	7
8	·05	·08	·21		·20	·02					·04	·15	8
9					·12		·31					·05	9
10		·46		·12	·02	·16				·09	·01		10
11	·04	·03	·04	·09	·07	·05							11
12	·01	·09	·04		·39		·18	·03		·18			12
13		·35						·18		·08			13
14		·54	·09		·05			·31		·10			14
15		·19	·03					·31					15
16	·02	·09		·46	·03		·19	·58					16
17	·15	·09		·33				·15	·39	·38	Snow ·10		17
18			·07	·03					·10		Snow ·25		18
19	·20		·29	·33							·20		19
20	·28		·56	·05								·44	20
21	·37	·15	·58		·15		·07					·44	21
22					·06	·14				·25	·07	·45	22
23		·31						·12		·14	·12	·29	23
24			·06	·15	·41	·34		·07		·32		·18	24
25		·49	·26					·70			·12		25
26	·07		·03			·18			·05	·31			26
27	·08	·22	·78			·01	·25	·06	·26	·38			27
28		·30	·95						·16	·41		·72	28
29		·32				·39		1·59		·25		·73	29
30		×								·44		·01	30
31		×		×		×		·02	×	·29	×		31
Total	3·24	4·90	4·17	1·56	2·48	2·31	2·26	4·12	1·16	5·99	2·43	3·80	YEAR'S TOTAL 38·42
Rain Days.	15	19	17	8	16	14	9	12	8	21	15	11	165

W. 8,000. X. 15.

2073

FORM A.
BRITISH RAINFALL.
8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at WICKWAR.

in the County of Gloucestershire

by F. G. ANSELL. F.C.S

Lat. 51° 35′ N Long. 2° 25′ W

Time of Observation 9 a.m. daily

Nearest Railway Station WICKWAR. M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13			·09		·56	·23		·03		1
2				Snow ·55		·17		·09			·03		2
3				Snow ·03			·10	·05		·92			3
4		·20	·13				·18	·20		·27			4
5	·39			Snow ·23		·11		·53	·38	·39	·15		5
6						·03				·21	·30		6
7	·20		1·00				·07	·12		·03			7
8	·36					·03	·76	·56		·41	·11	·15	8
9				Snow ·11	·11			·70	~~·49~~ ·13		·09		9
10	·17		·28	Snow ·16				·27	·13				10
11			·27	Snow ·19				·13	·54	·13			11
12	·09		·01		·87			·09	·14	·50	·02		12
13			·12		·02	·10		·13		·07			13
14				·08				·01		·22			14
15								·62		·07		·22	15
16	·02	·08								·14		·08	16
17				·21	·37	·77	·20	·08	·26	·27			17
18		·02			·01		·54	·03	·97				18
19		·41							·04				19
20		·11	·20		·31	·09			·04		·05		20
21			·24										21
22						·09		·10		·18			22
23		·17			·12			·63		·05	·02	·04	23
24						·27	·02	·40		·16			24
25		·05	·06							·09			25
26					·15			·33	·22				26
27					·97	·07	·06	·64					27
28			·09		·01	·75		·11					28
29			·03		·24	·58	·09			·42			29
30		X					·13	·20		·06			30
31		X	·10	X		X		·05	X	·01	X	·20	31
Total	1·23 ✓	1·04 ✓	2·66 ✓	1·56 ✓	3·18 ✓	3·15 ✓	2·15 ✓	6·63 ✓	3·08 ✓	4·60 ✓	·80 ✓	·69 ✓	YEAR'S TOTAL 30·77 ✓
Rain Days.	6 ✓	7 ✓	17 ✓	8 ✓	11 ✓	13 ✓	10 ✓	24 ✓	11 ✓	20 ✓	9 ✓	5 ✓	141 days ✓

W. 8,000, VIII. 16

82

18

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

5. 1. 19

Kept at WICKWAR

in the County of GLOS.

by F. G. ANSELL F.C.S.

Lat. 51° 35' N. Long. 2° 25' W.

Time of Observation 9 am. daily.

Nearest Railway Station WICKWAR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08			·04			·14			·37		1
2		·05		·04				·30		·03	·01	·14	2
3								·22	·17	·05			3
4		·14		·09	·19			·04	·05		·82	·11	4
5					·19			·17	·78	·20	·07	·02	5
6	·14	·32		·23					·12	·13		·10	6
7		·14		·08	·53	·02		·02	·43	·21	·25		7
8		·13					·03		·17	·20		·06	8
9		·19		·19		·17	·06		·51	·12	·07	·16	9
10		·03		·14			·47		·43	·05		·32	10
11	·02			·01					·74		·07	·28	11
12		·14	·41		·17		·03		·01			·01	12
13	·03				·07		·05		·54			·47	13
14	·50		·07		·06	·07	1·28		·36	·08		·17	14
15	snow ·47			·28		·06	·21		·01	·02		·18	15
16	snow ·86			·50			·01		·17			·06	16
17			·05	·10			·60	·13	·05	·03		·09	17
18	snow ·69			·03		·60	·16		·85			·17	18
19	·05	·03	·14				·06		·08	·04		·03	19
20		·13		·16			·33		·55	·03			20
21		·03		·01		·03	·01		·83			·01	21
22	·05			·22	·07		·17			·02		·23	22
23	·08				·19		·32		·07				23
24		·14					·34		·02	·02	·03		24
25							·36	·63	·01	·01			25
26							1·22		·11	·02	·10	·20	26
27		·05					~~·71~~	·25	·27		·09		27
28		snow ·18	·23									·06	28
29			·09						·87			·08	29
30		X	·36						·03	·03	·06		30
31		X	·16	X		X			X	·02	X		31
Total	2·89	1·78	1·51	2·08	1·51	·95	5·71	1·90	8·23	1·31	1·94	2·95	YEAR'S TOTAL 32·76
Rain Days.	10	15	8	14	9	6	18	9	26	19	11	21	166 days

W. 8,000, IX. 17.

1943

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL
5 JAN 20

Kept at WICKWAR.

in the County of GLOUCESTERSHIRE.

by F. G. ANSELL. F.C.S.

Lat. 51° 35′ N. Long. 2° 25′ W

Time of Observation 9 am daily

Nearest Railway Station WICKWAR.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35		·02		·04		·31		·04	·07		·59	1
2	·14		·01		·07		·15		·15			·30	2
3	snow ·84		·22		·04				·16		·17	·44	3
4	snow ·12		·49			·12		·04	·53			·24	4
5		·38	·62		·06		·05				·03	·26	5
6	·16		·18									·08	6
7	·18		·27									·03	7
8	·12		·12	·12		·02							8
9	·18			·18									9
10			·42	·09						·05		·11	10
11	·02		·40	·05	·06		·38					·02	11
12	·11		·16			·39	·02			·04		·03	12
13				·30								·15	13
14	·59	·10		·42			·05						14
15	·24			·03				·01		·02			15
16	·15	·68									·20	·20	16
17		·55				·10					·08		17
18			·50				·05	·34	·15		·04	·04	18
19	·18	·30	·90			·20	1·54	·23	·05		·04		19
20	·35		snow ·61			·12			·03		·01		20
21		·82	·01				·05		·03			·07	21
22		·14				·07	·09		·26			·16	22
23									·02	·87	·12		23
24									·02	·84	·19	·36	24
25					·03	·04		·24					25
26	·19		·10					·05	·22			·34	26
27			·03	·51				·35				·02	27
28	·20		Snow ·16					·28			·40	·38	28
29				·09						·15		·37	29
30		X		·17		·21		·33		·02	·29	·42	30
31		X	·08	X		X	·02		X		X	·02	31
Total	4·12	2·97	5·30	1·96	0·24	1·27	2·71	1·87	1·66	2·06	1·57	4·63	YEAR'S TOTAL 30·36
Rain Days.	17	7	19	10	6	9	11 ~~6~~	9	12	8	11	22	~~136~~ 141

W. 6,500. VII. 18. W W C

W J h ndfrank 1758

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

17 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at WICKWAR
in the County of Gloucester
by F. G. ANSELL F.C.S.

Lat. 51° 35′ N Long. 2° 25′ W.
Time of Observation 9 a.m. daily
Nearest Railway Station Wickwar, M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·41	·51		·32	·07		·15		·43	1
2	·06		·05	·12			·09	·12	·12	·11		·14	2
3		·10		·13			·47	·02	·03	·28			3
4				·04	·05			·61	·	·10			4
5			·14	·04			·42	·01		·22			5
6			·25		·31		·10			·20			6
7			·03	·09	·28		·04						7
8	·09			·46	·07		·56	·05				·04	8
9	·27	·27		·78			·03	·03	·04				9
10	·95	·19	·07	·05		·23	·21						10
11	·18		·12	·34	·43		·08						11
12		·06		·30	·02	·89	·05				·10		12
13	·09		·29	·24									13
14	·07	·07	·63	·48			·02		·09	·23	1·–		14
15	·02	·07	·05	·17	·04	·06	·02		·08	·21	·10		15
16				·03	·11	·10	·22		·40	·05			16
17	·07			·19	·19	·34			·47				17
18	·26			·07	·19	·01		·31	·46				18
19	·03	·28		·41		·07							19
20		·13		·12		·20		·01				·22	20
21							·01					·13	21
22				·10			·05					·10	22
23							·85	·07				·51	23
24	·02		·28								·04	·09	24
25		·11	·10				·57						25
26			·35				·04				·02		26
27	' +		·03	·17	·02	·52	·01					·10	27
28	1·94 ' +		·15	·01	·26	·03	·03						28
29	' +		·07		·02	·05					·10	·42	29
30	' +	✕	·08	·02		·20	·35		·25		·25	·52	30
31	' +	✕	·32	✕		✕			✕	·27	✕		31
TOTAL	4·05	1·28	3·01	4·76	2·50	2·70	4·54	1·30	1·94	1·82	1·61	2·70	YEAR'S TOTAL 32·21
Days with ·01 in. or more	~~15~~ (19)	9	17	23	14	12	22	10	9	10	7	11	~~157~~ 163
	(26)	9	15	20	11	10	16	6	8	10	6	11	138

(44,283). Wt.21958—218. 7500. 10/19. Gp.132. A.&E.W.

iv.12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

GLOUCESTER.

WINCHCOMBE.

1911- 1918

REG 1911

Snowdon

Kept at Winchcombe

in the County of Glou

by J. Halliwell

f top 5 in.

op above Ground 1 ft. 2 in.

" Sea Level 345 ft.

9 am

ation { Name Winchcombe
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	–	0·09	0·07	0·01	–	0·07	0·02	–	–	0·05	0·07	1
2	0·04	–	0·01	0·12	0·26	–	0·01	0·24	0·01	0·21	0·17	0·15	2
3	–	–	–	–	0·34	–	–	–	0·01	0·01	0·05	0·03	3
4	0·06	0·01	0·26	Snow. 0·02	–	–	–	–	0·02	0·13	0·28	0·43	4
5	0·05	–	0·04	Snow 0·01	–	–	–	0·17	–	–	0·11	–	5
6	0·32	–	0·04	Snow. 0·01	–	–	–	–	–	–	0·10	1·06	6
7	0·03	–	–	–	–	–	–	–	–	–	0·26	–	7
8	0·27	–	0·22	–	–	–	–	–	–	–	0·06	0·34	8
9	0·18	–	0·01	–	–	–	–	–	–	–	0·07	0·24	9
10	0·05	0·14	0·38	–	–	–	–	–	–	–	0·05	0·46	10
11	0·28	–	–	–	0·01	–	–	–	–	–	0·48	–	11
12	–	–	(Sleet & snow) 0·71	–	–	–	–	–	0·16	–	0·36	0·06	12
13	–	–	0·01	–	0·01	–	–	–	0·46	0·04	0·03	0·37	13
14	–	–	(Snow) 0·01	–	–	–	–	–	–	–	–	0·66	14
15	–	0·03	(Sleet) 0·05	–	–	–	–	–	–	–	0·12	0·12	15
16	–	–	–	–	–	0·14	–	–	–	–	0·33	0·20	16
17	0·01	–	0·01	0·09	0·01	0·05	–	–	–	–	0·20*	0·34	17
18	–	0·25	0·06	0·03	–	0·10	–	–	–	0·04	–	0·38	18
19	0·01	0·04	–	0·02	–	0·62	–	–	0·14	0·13	0·05	0·07	19
20	–	0·09	0·04	–	–	0·02	–	0·10	0·12	–	–	0·80	20
21	0·01	0·11	0·04	–	–	–	–	0·27	–	0·49	–	0·12	21
22	0·01	–	0·02	–	–	0·33	–	0·03	–	0·05	0·02	0·55	22
23	–	0·12	0·20	0·05	–	0·05	–	–	0·22	0·13	–	0·18	23
24	–	0·14	(Snow) 0·01	0·06	–	0·42	–	0·11	–	0·42	–	0·21	24
25	–	0·10	–	0·34	0·08	0·09	–	–	0·02	–	–	0·13	25
26	–	0·20	0·01	0·05	0·01	0·05	–	0·04	–	0·22	Snow. 0·26	0·28	26
27	–	0·29	0·29	0·22	–	–	–	0·58	0·35	–	Snow 0·09	0·17	27
28	–	0·19	–	0·15	–	–	–	0·02	–	–	0·06	–	28
29	–		–	0·13	–	0·35	0·04	–	0·23	0·25	0·01	–	29
30	–		0·05	–	0·11	0·04	–	0·32	0·07	0·16	0·03	–	30
31	–		–		0·01		–	–		0·02		–	31
Total	1·41	1·71	2·56	1·37	0·85	2·26	0·12	1·90	1·81 1·81	2·30 2·30	3·24	7·42	TOTAL for year 26·95 26·95
No. of Rain Days	14	13	22	15	~~8~~ 10	12	3	11	12	14	23	24	173

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

11.12

REG 19 11

Snowdon

Kept at Winchcombe

in the County of Gloucestershire. 4

by J. Halliwell

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 345 ft.

Time of Observation 9 am

Nearest Railway Station
Name Winchcombe
Distance 1 mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·09	—	0·09	0·07	0·01	—	0·07	0·02	—	—	0·05	0·07	1
2	0·04	—	0·01	0·12	0·26	—	0·01	0·24	0·01	0·21	0·17	0·15	2
3	—	—	—	—	0·34	—	—	—	0·01	0·01	0·05	0·03	3
4	0·0·6	0·01	0·26	Snow. 0·02	—	—	—	—	0·02	0·13	0·28	0·43	4
5	0·05	—	0·04	Snow 0·01	—	—	—	0·17	—	—	0·11	—	5
6	0·32	—	0·04	Snow. 0·01	—	—	—	—	—	—	0·10	1·06	6
7	0·03	—	—	—	—	—	—	—	—	—	0·26	—	7
8	0·27	—	0·22	—	—	—	—	—	—	—	0·06	0·34	8
9	0·18	—	0·01	—	—	—	—	—	—	—	0·07	0·24	9
10	0·05	0·14	0·38	—	—	—	—	—	—	—	0·05	0·46	10
11	0·28	—	—	—	0·01	—	—	—	—	—	0·48	—	11
12	—	—	(Sleet & Snow) 0·71	—	—	—	—	—	0·16	—	0·36	0·06	12
13	—	—	0·01	—	0·01	—	—	—	0·46	0·04	0·03	0·37	13
14	—	—	(Snow) 0·01	—	—	—	—	—	—	—	—	0·66	14
15	—	0·03	(Sleet) 0·05	—	—	—	—	—	—	—	0·12	0·12	15
16	—	—	—	—	—	0·14	—	—	—	—	0·33	0·20	16
17	0·01	—	0·01	0·09	0·01	0·05	—	—	—	—	0·20	0·34	17
18	—	0·25	0·06	0·03	—	0·10	—	—	—	0·04	—	0·38	18
19	0·01	0·04	—	0·02	—	0·62	—	—	0·14	0·13	0·05	0·07	19
20	—	0·09	0·04	—	—	0·02	—	0·10	0·12	—	—	0·80	20
21	0·01	0·11	0·04	—	—	—	—	0·27	—	0·49	—	0·12	21
22	0·01	—	0·02	—	—	0·33	—	0·03	—	0·05	0·02	0·55	22
23	—	0·12	0·20	0·05	—	0·05	—	—	0·22	0·13	—	0·18	23
24	—	0·14	(Snow) 0·01	0·06	—	0·42	—	0·11	—	0·42	—	0·21	24
25	—	0·10	—	0·34	0·08	0·09	—	—	0·02	—	—	0·13	25
26	—	0·20	0·01	0·05	0·01	0·05	—	0·04	—	0·22	Snow. 0·26	0·28	26
27	—	0·29	0·29	0·22	—	—	—	0·58	0·35	—	Snow 0·09	0·17	27
28	—	0·19	—	0·15	—	—	—	0·02	—	—	0·06	—	28
29	—		—	0·13.	—	0·35	0·04	—	0·23	0·25	0·01	—	29
30	—		0·05	—	0·11	0·04	—	0·32	0·07	0·16	0·03	—	30
31	—		—		0·01		—	—		0·02		—	31
Total	1·41	1·71	2·56	1·37	0·85	2·26	0·12	1·90	1·81 1·87	2·30 2·30	3·24	7·42	TOTAL for year 26·95 26·95
No. of Rain Days	14	13	22	15	~~9~~ 10	12	3	11	12	14	23	24	173

9,000, IX. '10.

cnd by C. 28·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

14 JAN 1913

Kept at Winchcombe

in the County of Gloucestershire 4

by J Halliwell

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station 1 mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	0·11	–	–	0·56	0·22	–	0·04	0·25	–	0·06	1
2	–	0·02 (Snow)	0·25	0·03	–	0·25	0·46	0·06	–	–	–	0·02	2
3	0·02	–	0·13	–	0·02	0·15	0·18	0·45	0·03	–	0·01	0·09	3
4	0·12	–	0·86	–	0·07	1·14	–	0·28	–	–	0·26	–	4
5	0·28	(Snow) 0·06	0·23	–	0·12	0·05	–	0·72	–	–	0·02	0·08	5
6	0·22	0·13	0·05	–	–	–	0·12	0·92	0·04	–	–	0·03	6
7	0·02	0·12	0·10	–	0·04	0·84	0·05	0·16	–	–	–	0·05	7
8	0·28	0·15	0·46	0·01	–	0·08	0·13	0·05	–	–	–	0·08	8
9	0·06	0·04	0·47	0·04	–	0·28	–	0·14	–	–	–	0·25	9
10	0·05	0·10	0·01	–	–	0·21	0·01	0·08	0·07	–	0·29	–	10
11	0·13	0·06	–	–	–	0·06	–	0·34	–	–	0·12	0·43	11
12	0·08	0·60	0·17	–	0·03	–	0·02	–	–	–	0·04	0·06	12
13	0·01	0·13	–	–	–	–	0·05	0·10	–	–	0·01	0·02	13
14	0·13	–	0·46	–	0·07	–	–	0·07	–	0·01	–	–	14
15	0·23	0·12	0·02	–	0·38	0·25	–	0·04	–	–	–	0·22	15
16	0·32	–	0·14	–	0·17	·01	–	0·08	–	0·07	0·05	–	16
17	(Snow) 1·22	–	0·16	–	–	0·04	–	0·41	–	–	0·01	0·52	17
18	(Snow) 0·25	0·02	0·23	–	–	–	–	0·09	–	0·05	–	0·01	18
19	0·09	0·06	0·05	–	–	–	0·37	0·39	–	–	0·03	–	19
20	0·02	0·06	0·48	–	0·05	–	0·20	0·16	–	0·33	0·02	–	20
21	0·02	0·02	0·37	–	0·55	–	–	0·34	–	0·43	–	–	21
22	(Snow) 0·38	0·07	0·15	–	0·09	0·10	0·47	0·19	–	0·06	–	0·02	22
23	0·17	0·46	0·30	–	–	0·13	0·01	0·21	–	0·03	0·04	0·40	23
24	0·05	0·01	–	–	–	0·15	0·01	0·06	–	0·01	–	0·10	24
25	0·01	–	–	–	–	0·85	–	0·53	–	–	0·30	0·40	25
26	–	0·03	–	–	–	0·01	0·29	0·74	–	0·30	0·30	0·13	26
27	–	–	–	–	–	0·13	0·28	–	–	0·64	–	0·22	27
28	–	0·08	–	–	–	0·21	0·40	0·62	0·14	0·27	0·30	0·55	28
29	–	0·08	0·03	–	–	0·50	0·29	0·03	0·50	0·54	Snow 0·03	0·08	29
30	–		–	–	–	0·11	0·12	–	0·08	0·16	–	–	30
31	0·02		0·14		0·19		0·45	0·10		0·03		0·08	31
Total	4·18	2·42	5·37	0·08	1·78	6·11 ✓	4·13	7·36	0·90	3·18	1·83	3·90	YEAR'S TOTAL 41·24 ✓
Rain Days.	24	21	23	3	12	22	20	27	7	15	16	~~21~~ 23	213

W. 7,500, XI. ·12

Written 6·4·14

Cndly C 26·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Winchcombe

in the County of Gloucestershire 4

by Dr. Halliwell

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Winchcombe G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 285 ft.

IMPORT … lt entered to the
previous day. … e, he is earnestly
requested to a … space provided
for it at the … rain,
the selection … infall
Organization a … on to
Dr. H. R. Mi

Jan. 1, following.

---

c 3/c

8 APR 1914

Irwell
Winchcombe,
R.S.O. Glos.
7. 4. 14

Dear Sir.

In receipt of your letter I have examined the register for the rainfall & find as you say that the total for Jan 1913 is 4·85" and for Jan 11th it is 1·41".

Total for March is 3·80. The error was made while entering figures on to your sheets from the register

for J. Halliwell.
BTH.

Date.	Jan.	Fe										Dec.	Date.
1	–	·0										–	1
2	·02	·2										–	2
3	·15	–										·05	3
4	·85	–										·17	4
5	·01	·0										·02	5
6	·04	–										·27	6
7	–	·27	–	–	·31	·05	·66	–	–	·67	·09	–	7
8	–	·01	–	–	·29	·01	·1	–	–	–	–	–	8
9	–	·20	·01	·01	·06	·10	Trace	–	·32	·03	·02	·02	9
10	·19	–	–	·12	·02	–	·015	·37	–	·03	·22	–	10
11	1·41	–	–	·32	–	–	·1	·14	–	Trace	·62	–	11
12	–	–	–	–	·23	Trace	–	Trace	–	–	·90	–	12
13	Snow ·08	·01	·05	·01	–	–	–	–	Trace	·13	·35	–	13
14	·12	–	·38	·03	–	–	–	·01	·14	–	·02	–	14
15	·14	·13	·47	·30	–	–	·02	·12	Trace	–	·02	·01	15
16	·08	–	Snow ·69	·08	–	–	·03	·02	·17	–	–	–	16
17	·08	·03	·05	·07	–	·04	–	·01	·015	–	·02	·01	17
18	·11	–	·14	·15	–	–	·16	–	·05	–	–	–	18
19	·33	–	·13	–	Trace	·14	·08	–	·02	–	·09	·02	19
20	·27	–	·04	·09	–	–	·04	–	·11	·09	·40	–	20
21	–	–	·15	·02	·09	–	Trace	–	–	·01	·01	Trace	21
22	Snow ·46	–	·35	–	–	·02	–	Trace	–	–	–	–	22
23	–	–	–	–	–	·07	–	·08	·321	–	·02	–	23
24	·02	–	–	·07	–	–	–	·05	·01	–	–	·06	24
25	–	·01	–	·29	–	–	–	·04	–	Trace	–	·02	25
26	–	·05	–	·61	–	–	–	–	·03	·10	–	–	26
27	–	·03	·11	·18	–	–	–	·29	–	·02	–	·27	27
28	·25	–	·23	·37	·01	–	–	Trace	–	·20	–	·02	28
29	·01	–	·47	·79	Trace	–	–	–	–	·30	·08	·01	29
30	·23	–	–	–	–	–	–	·01	–	·32	–	·03	30
31	–	–	·06		·19		–	–		–		–	31
Total	4·85	1·06	3·80	3·90	2·32	·76	1·382 ✓	1·14	1·686	4·03	3·05	·98	YEAR'S TOTAL 28·058 28·958
Rain Days.	20 4·85	12	21 3·80	19	12	9	12	11	16	17	19	14	182 ✓

W.7,000, XI. 13

Written 6·4·14

Cwdly C 26 III·14

W 7 B

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 - JAN 1914

Kept at Winchcombe

in the County o

by Dr. H

Lat. Long.

Time of Observation 9·AM

combe G.

in.

1 ft. 2 in.

285 ft.

IMPORT

previous day.

requested to a

for it at the

the selection

Organization a

Dr. H. R. Mi

lt entered to the

e, he is earnestly

space provided

rain,

nfall

n to

Jan. 1, following.

Carle Salter Esq.

The British Rainfall Organisation.

62 Camden Square

London N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·08	·12	·24	–	–	–	–	·02	·59	·05	–	1
2	·02	·23	·01	·15	·02	–	–	–	·01	·03	·05	–	2
3	·15	–	·12	–	·70	–	·017	–	·25	·60	–	·05	3
4	·85	–	·04	–	·18	–	–	–	·005	·27	·01	·17	4
5	·01	·01	·08	–	–	·20	·05	–	·2	·28	·04	·02	5
6	·04	–	·10	–	·22	·13	·11	–	·015	·36	·04	·27	6
7	–	·27	–	–	·31	·05	·66	–	–	·67	·09	–	7
8	–	·01	–	–	·29	·01	·1	–	–	–	–	–	8
9	–	·20	·01	·01	·06	·10	Trace	–	·32	·03	·02	·02	9
10	·19	–	–	·12	·02	–	·015	·37	–	·03	·22	–	10
11	·41	–	–	·32	–	–	·1	·14	–	Trace	·62	–	11
12	–	–	–	–	·23	Trace	–	Trace	–	–	·90	–	12
13	Snow ·08	·01	·05	·01	–	–	–	–	Trace	·13	·35	–	13
14	·12	–	·38	·03	–	–	–	·01	·14	–	·02	–	14
15	·14	·13	·47	·30	–	–	·02	·12	Trace	–	·02	·01	15
16	·08	–	Snow ·69	·08	–	–	·03	·02	·17	–	–	–	16
17	·08	·03	·05	·07	–	·04	–	·01	·015	–	·02	·01	17
18	·11	–	·14	·15	–	–	·16	–	·05	–	–	–	18
19	·33	–	·13	–	Trace	·14	·08	–	·02	–	·09	·02	19
20	·27	–	·04	·09	–	–	·04	–	·11	·09	·40	–	20
21	–	–	·15	·02	·09	–	Trace	–	–	·01	·01	Trace	21
22	Snow ·46	–	·35	–	–	·02	–	Trace	–	–	–	–	22
23	–	–	–	–	–	·07	–	·08	·321	–	·02	–	23
24	·02	–	–	·07	–	–	–	·05	·01	–	–	·06	24
25	–	·01	–	·29	–	–	–	·04	–	Trace	–	·02	25
26	–	·05	–	·61	–	–	–	–	·03	·10	–	–	26
27	–	·03	·11	·18	–	–	–	·29	–	·02	–	·27	27
28	·25	–	·23	·37	·01	–	–	Trace	–	·20	–	·02	28
29	·01	–	·47	·79	Trace	–	–	–	–	·30	·08	·01	29
30	·23	–	–	–	–	–	–	·01	–	·32	–	·03	30
31	–	–	·06		·19		–	–		–		–	31
Total	4·85	1·06	3·80	3·90	2·32	·76	1·382 ✓	1·1[illegible]	1·686	4·03	3·05	·98	YEAR'S TOTAL 28·058 28·958
Rain Days.	20 4·85	12	21 3·80	19	12	9	12	11	16	17	19	14	182 ✓

W.7,000, XI. 13

written 1.IV.15

cnd for auth 25.III.15 W. M.G.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

2 JAN 1915

Kept at winchcombe. R.S.O.

in the County of Gloucestershire. 4

by Dr J. Halliwell.

Lat. 51° 57' 10" Long. 1° 57' 40"

Time of Observation 9. a. m

Nearest Railway Station winchcombe. G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–				Trace	·01	·02	·33			·04	·45	1
2	–		·015	·085	Trace		1·17	·31			·75	·54	2
3			·015		Trace.	·01	·50				·08	Trace	3
4	·22		·035	·07	·19	·01	·07	·03			·47	·68	4
5	·01		·01	·14	·06		·02	·04			·10		5
6	·01	·09	·04	·12	·12	·01	·29	·06			·04	·14	6
7	·02	·23	·03	·03	·02	·02		·10	·15		·01	·06	7
8		·02	·10	·11	·21	·13	·14	·09				·16	8
9	·05		·275	·05	·06	1·12	·01	·05	·05				9
10		·32	·25	·265	·05	1·40			·30			·01	10
11		·17		·115	·04	·03					·11	·54	11
12	·01	·13	·28	·03	·28	·43			·27		·06	·32	12
13	·01	·16	·165		·01	·01	·37		·15		·02	·26	13
14		·12	·365		·01			·04		·09	·11	·02	14
15	·02	·03	·20				·02		·07	·60	·19	·01	15
16	·04		·12				·01		·09	·02		·01	16
17		·21							·09			·15	17
18			·12						·01	·01		·46	18
19		·02	·07			·23	·06		·02		·09	·07	19
20		·30	·25				·65	·24				·19	20
21		·55	·03			·09	·01	·03			·01	·22	21
22		·02				·19				·12			22
23		·10	·09	·02	·64	·01	·02			·08		·02	23
24		·03	·115		·10		·02	·21		·1	·09		24
25		·01	·12		·01	·01	·03	·03		·1	·03	·06	25
26	·14		·31		·01		·13			·18	·14	·45	26
27	·06		·01				·09			·08	·08	·12	27
28			·16							·03	·09	1·17	28
29			·04		·15						·23		29
30	·01	✕	·025		·07			·01		·61	·44	·80	30
31	·01	✕		✕	·01	✕	·21		✕	·04	✕		31
Total	·61	2·51	3·24	1·035	2·04	3·71	3·84	1·57	1·20	2·06	3·18	6·91	31·905 YEAR'S TOTAL 35·905
Rain Days.	13	17	26	12	~~21~~ 18	16	20	14	10	13	21	24	~~208~~ 203

W. 8,000. X. 14.

2278

FORM A.
BRITISH RAINFALL.
25 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Winchcombe

in the County of Glos:

by Jno Halliwell LRCP. MRCS.

Lat. 51°57'10" Long. 1°57'40"

Time of Observation 9 a.m daily

Nearest Railway Station Winchcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.36	0.12	0.03	.	0.19	.	0.02	0.12	0.29	0.21	0.02	0.08	1
2	0.23	0.13	0.21	0.16	.	0.04	.	1.52		0.09	.	0.05	2
3	0.96	0.04	0.05	0.11	0.04		0.34	0.85			.	0.11	3
4	0.02	.	.	.	0.01		0.36	0.07			.	0.40	4
5	0.01	0.87	.	.	.		0.04	0.05		0.01	.	0.30	5
6	0.23	0.02	.	0.20	.		0.45	0.03			0.01	0.14	6
7	0.07	0.62	.	.	0.06	0.21	0.07	0.06			.	0.26	7
8	0.21	0.26	.	.	.		0.08	0.06			0.01	.	8
9	0.10	0.01	.	0.11	.		.	0.03			0.19	0.28	9
10	0.16	-	0.03	0.05	.		.	0.06				0.02	10
11	0.01	-	.	0.18	0.02		0.01	-			0.96	0.02	11
12	0.05	0.16	.	0.18	0.37		.	0.02		0.06	0.49	0.07 Snow	12
13	0.02	0.72	.	.	0.68		.	0.06	0.01		0.01	0.02	13
14	-	0.04	.	.	0.01		0.04	0.21	0.04		.	0.36	14
15	0.16	0.64	.	0.01	0.06		0.03	0.04		0.06	0.06	0.08	15
16	0.01	0.22	.	0.03	0.14		0.46	0.06		0.01	.	0.02	16
17	.	0.25	0.02	.	0.74		.	0.27			.	0.02	17
18	.	0.01	0.08 Snow	.	.		.	.		0.01	.	.	18
19	.	-	0.02 Snow	.	0.04		0.18	.			0.01	.	19
20	0.34	0.09	.	0.10			0.02	.			.	0.21	20
21	0.20 Snow	0.03	.	.			0.06	.		0.08	.	0.06	21
22	0.13 Snow	.	0.27	0.07			0.16	.			.	0.14	22
23	0.01	0.04	0.15	.		0.01	0.05	.	0.02	0.52	.	0.50	23
24		.	0.02	0.05		0.01	0.18	.	0.30	0.43	.	0.21	24
25		.	.	.		0.91	0.05	.		0.03		0.39	25
26		0.04	.	.			0.07	.	0.02			0.46	26
27		0.10	.	.		0.16	0.09	.		0.41	.	0.02	27
28		0.05	0.01 Snow	.		0.03	.	0.14	0.24	0.03	.	.	28
29			.	.	0.01		0.12	0.05			0.05	0.03	29
30	0.09	X	.	.	.	0.09	0.08	0.04		0.18	0.33.	0.20	30
31	0.02	X	.	X	.	X	0.05	0.04	X	0.82	X	0.20	31
Total	3.39	4.46	0.89	1.25	2.37.	1.46	3.01	3.78	0.92	2.95	2.14	4.65	YEAR'S TOTAL 31.27
Rain Days.	21	21	11	12.	13.	8	23.	20	7	15	11	27	189.

W. 8,000. X. 15.

2216

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 16. JAN 1917

Kept at Winchcombe.

in the County of Glos:

by Jno. Halliwell

Lat. 51 57.10 Long. 1. 57. 40. W

Time of Observation 9. a. m.

Nearest Railway Station Winchcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·02		·08	·03	·16			·05	·20		1
2	·22	·04	·28		·30	·01				·52	·06		2
3		·73			·04					·38	·11		3
4	·35	·06			·43	·12		~~·07~~	·07	·08	·57		4
5	·26		·03		·15	·08	·10	~~·07~~	·07	·04	·26		5
6	·05	·15	·11		·26	·22	·29			·07	·62		6
7	·01		·27		·04	·04	·08			·33	·63	15	7
8	·02	trace	·06		·12	·01					·02	·22	8
9			·02		·05	·33				·05	·01		9
10		·47	·05	·09	·01	·05	·03			·06		·01	10
11	·03	·06	·09	·10	·03	·17			·03	·13	-	·71	11
12	·03	·01	·01	·04	·43	·01	·61	·04	·01	·01	·01		12
13		·34	·07	·03	–		·12			·16	·01		13
14		·28	·04	trace	·03			·14		·01			14
15		·19	·28	·03	·19		·03	·02		·02			15
16		·04	·04	·21	·01		·11	·88		·20			16
17	0·11	·14		·17			·02	·50	·42	·20			17
18		·07	·03	·05				·08	·21	·07	55		18
19	0·17		·11	·15				·10	·09	·	·18	·12	19
20	·04		·44	·05				·02		·	·05	·35	20
21	·02		·48	·01	12		·15			·	·01	52	21
22			·01		·03	·02				·13		72	22
23	·03	snow ·40								·02	·03	14	23
24		snow ·23	·06		·08	·27		·09		·44		17	24
25		snow ·47	·27	·01				·10		trace	·19	·01	25
26	·02	snow ·10	·07		·05	·05		·20	·07	·46	·06	·01	26
27	·05	snow ·60	snow 1·27			·08	·57	·03	·20	·24		·01	27
28		snow ·18	snow ·11			·32	-	·06	·15	·10	·01	·12	28
29						·25	·	–	trace	·42		·19	29
30		✕		·02		·04	·	1·34		·25			30
31		✕		✕		✕	·	·02	✕	·30	✕	·04	31
Total	1·46	4·56 4·57	4·22 4·52	·96	2·45 2·45	2·10 2·10	2·27	3·62	1·32	4·74 4·64	3·58 3·57	3·49	YEAR'S TOTAL 34·77 ~~35·08~~
Rain Days.	16	19	24	13	19	18	12	15	10	27	19	16	208

W. 8,000, VIII. 16

2116

FORM A.
BRITISH RAINFALL.

JAN

REGISTER OF RAINFALL IN 1917

Kept at Winchcombe
in the County of Gloucestershire
by Jno. Halliwell

Lat. 51° 57' 10" Long. 1° 57' 40" W.
Time of Observation 9 A.M.
Nearest Railway Station Winchcombe 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov	Dec.	*Date.*
1			0·11	0·12		0·06		1·12	0·11		0·13	0·03	1
2			0·03	0·05		0·19		0·04		0·04	0·05		2
3	0·02	0·01		0·13				0·24		0·04			3
4		0·22	0·20	0·01				0·28		0·50			4
5	0·25		0·06	0·20		0·02		0·03	0·05	0·25	0·05	0·01	5
6			0·20	0·01		0·12	0·17	0·01		0·07	0·14		6
7	0·22					trace	0·64	0·06		0·30		0·03	7
8	0·63		0·02	0·16		0·03	0·02	0·24	0·06	0·43	0·04	0·24	8
9	0·01		0·11	0·06	0·18		trace	0·41	0·01	0·07	0·05		9
10	0·40		0·18	0·31	0·10			0·18				0·01	10
11	0·09	0·01	0·13	0·26	trace			0·32	0·26	0·09	0·01		11
12	0·03		0·02	0·04	0·04			0·10		0·12	0·02		12
13	0·01		0·06	0·06	0·05	trace		0·11	0·05				13
14	0·01		0·08	0·05			0·04	0·02		0·08		0·02	14
15	0·02		0·02	0·01			0·31	0·03		0·03		0·19	15
16	0·05	0·06		0·30	0·06		0·32	trace		0·07		0·48	16
17	0·01			0·10	0·43	trace	0·20	0·03	0·12	0·08		trace	17
18	0·03			0·03	trace	trace		0·01	0·90	0·03			18
19	0·01	0·34	0·46			0·06	0·15	0·02	0·02		0·02		19
20	0·01	0·14	0·02		0·74	0·12					0·04		20
21	trace	0·01	0·16		0·02	0·02		0·05			0·06		21
22	trace		0·23			0·03		0·22		0·15			22
23		0·16			0·07	0·02		0·22		0·04		0·02	23
24		0·03	0·02			0·10		0·13		0·17	0·02		24
25			0·07								0·04		25
26		0·15	0·01		0·06	0·09	0·04	0·48	0·17		0·20		26
27					1·55	0·31	0·03	0·65				0·01	27
28		0·05	0·13		0·01	0·65	0·09	0·20				0·05	28
29			0·02		1·03	0·45	0·02	0·02		0·45		0·27	29
30	0·03	×	0·03		0·02	trace	0·54	0·28		0·03			30
31		×	0·04	×		×	0·02	0·06	×		×	0·04	31
Total	1·83 ✓	1·18 ✓	2·41 ✓	1·90 ✓	4·36 ✓	2·27 ✓	2·59 ✓	5·56 ✓	1·75 ✓	3·04 ✓	0·87 ✓	1·40 ✓	YEAR'S TOTAL 29·16 ✓
Rain Days.	17 ✓	11 ✓	24 ✓	17 ✓	14 ✓	15 ✓	14 ✓	28 ✓	10 ✓	20 ✓	14 ✓	13 ✓	197 ✓

1·98

W. 8,000, IX. 17.

60

FORM A.
BRITISH RAINFALL.
15.1.19

REGISTER OF RAINFALL IN 1918

Kept at Winchcombe.

in the County of Gloucestershire.

by Dr John Hallewell

Lat. 51° 57' 10" Long. 1° 51' 40"

Time of Observation 9 Am

Nearest Railway Station Winchcombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	·03	·05	–	–	·06	–	·04	·48	·02	1
2	–	·07	–	·01	–	–	–	·11	·01	·02	·06	·02	2
3	–	·07	·03	·08	·05	–	–	·01	·30	·03	·03	·03	3
4	–	·09	·03	–	–	–	–	·02	·10	·01	·75	·08	4
5	–	–	·02	–	·22	–	–	·02	·10	·02	·06	·01	5
6	·03	·16	–	·06	–	–	–	–	·02	·07	–	·05	6
7	·03	·13	–	·02	·21	·04	–	–	·03	·05	·21	·02	7
8	–	·11	–	–	–	–	–	–	·19	·13	·02	·01	8
9	·04	·13	–	·16	–	–	–	–	·39	·20	–	·15	9
10	·04	–	–	·04	–	–	·05	–	·27	·19	·01	·17	10
11	–	–	–	·02	·01	–	·25	–	·02	·03	·08	·08	11
12	–	·02	·19	–	·28	–	·08	–	·03	–	–	·01	12
13	–	·07	–	·02	·03	–	·23	–	·12	·06	–	·24	13
14	·20	–	·07	–	–	·15	·03	–	·66	·15	–	·05	14
15	1·35	–	–	·68	·01	·20	·24	–	·01	·01	·01	·30	15
16	·16	–	–	·86	–	·16	·17	–	·14	–	·02	·07	16
17	·14	–	–	·09	·02	–	·02	·02	·01	–	–	·05	17
18	·48	–	–	–	–	–	·21	–	·65	–	–	·53	18
19	·05	·07	·22	·13	–	·22	·23	–	·04	–	–	·03	19
20	·02	·06	–	·33	–	–	·07	–	·12	·07	–	·10	20
21	·06	–	–	·60	–	·07	·03	–	·27	·03	–	·03	21
22	·05	–	–	–	–	·02	·18	–	·20	·07	–	·28	22
23	·05	–	–	–	–	–	·09	–	·02	–	–	·01	23
24	–	·12	–	–	–	·04	·25	–	·04	–	·09	·01	24
25	–	–	–	–	·01	–	·22	·24	–	·05	–	–	25
26	–	–	–	–	–	–	·18	–	·02	·03	·11	·15	26
27	–	–	–	–	–	–	·65	·15	·14	–	·15	·06	27
28	–	·20	·26	–	–	·05	–	–	–	–	·34	·04	28
29	–	–	·04	–	–	·01	–	–	1·18	–	·03	·06	29
30	–	X	·23	–	–	–	–	–	·01	·02	·12	·06	30
31	–	X	·31	X	–	X	–	·07	X	·02	X	–	31
Total	3·78 ~~2·78~~	1·30	1·42	3·13	·89	·96	3·18	70	5·09 ~~5·08~~	1·30	2·57	2·72	25·96 YEAR'S TOTAL 33·03
Rain Days.	14	13	11	15	10	10	18	9	27	21	17	29	194

W. 8,000, IX. 17.

8L ✓

365

R[illegible]

WINCHCOMBE

TEMPLE GUITING

GLOUCESTER

1911, 13, - 1915

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Temple

in the County of E

by Major G. T.

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT

the result entered to the previous day. If an O

versal rule, he is earnestly requested to add the rea

ar in the space provided for it at the end of th

nent of rain, the selection and placi

itish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·11			·05						2
3			·08	·10	·30		·02			·20			3
4					·25					·08			4
5			·25							·13			5
6	·28		·01	·02									6
7	·22		·05										7
8				·03									8
9	·20		·12										9
10	·10												10
11	·04		·33										11
12	·32		·05										12
13	·01		·63										13
14			·03										14
15			·05		·01		·01						15
16			·02							·03			16
17													17
18													18
19			·05	·08						·08			19
20				·03						·13			20
21			·06	·02						·01			21
22										·52			22
23										·05			23
24										·28			24
25			·25		·15					·37			25
26			·01	·04						·23			26
27				·30						·05			27
28			·23	·03									28
29				·16									29
30				·27						·10			30
31			·01	·10	·12					·30 (·02)			31
Total	1·17		2·23	1·29 ✓	·83		·08			2·58			TOTAL for year
No. of Rain Days	7		17	19	5		3			15			

9,000, IX. '10.

84 ✓

365

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Temple Guiting
in the County of E. Gloucestershire 7
by Major G. T. Noel

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·11			·05						2
3			·08	·10	·30		·02			·20			3
4					·25					·08			4
5			·25							·13			5
6	·28		·01	·02									6
7	·22		·05										7
8				·03									8
9	·20		·12										9
10	·10												10
11	·04		·33										11
12	·32		·05										12
13	·01		·63										13
14			·03										14
15			·05		·01		·01						15
16			·02							·03			16
17													17
18													18
19			·05	·08						·08			19
20				·03						·13			20
21			·06	·02						·01			21
22										·52			22
23										·05			23
24										·28			24
25			·25		·15					·37			25
26			·01	·04						·23			26
27				·30						·05			27
28			·23	·03									28
29				·16									29
30				·27						·10			30
31			·01	·10	·12					·30 (·02)			31
Total	1·17		2·23	1·29 ✓	·83		·08			2·58			TOTAL for year
No. of Rain Days	7		17	19	5		3			15			

9,000, IX. '10.

82 W. WD. 375

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Temple Guiting WDW

in the County of Gloucestershire 7

by Major G. S. Noel

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			·19						1·29				2
3							·03		·19				3
4			·10		1·10				·01				4
5					·23		·14		·17				5
6			·06				·13						6
7			·10		·27		·77						7
8					(·26)		·09						8
9					·30				·25				9
10			·02		·06		·14						10
11					·04		·02						11
12					·06								12
13					·29								13
14			·03		·01	·12			·19				14
15			·34				·05		·15				15
16			·40				·01		·03				16
17			·90										17
18			·03				·11		·07				18
19			·18			·14	·10						19
20			·09			·14	·03		·17				20
21			·27										21
22			·10				·07						22
23			·33			·05			·43				23
24													24
25													25
26													26
27									·02				27
28					·06								28
29			·37		·05								29
30			·75										30
31			·07										31
Total			4·33		2·73	·45	1·69		2·97				YEAR'S TOTAL
Rain Days.			18		11		13						

W. 7,500, XI. ·12

[illegible] W.D. Dec 2 [illegible] Daily figs in red from C.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
21 JAN 1915

Kept at Temple Guiting &
in the County of Gloucestershire 24 RL 7
by Major J. T. Noel

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station Toddington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level 670 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~·29~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·03	·39	1
2											—	·02	2
3											·82	*·50*	3
4					·24						·07	·25	4
5	·27										·63	·27	5
6	·03				·14						·16	—	6
7					·24						·02	·22	7
8					·04							·13	8
9												—	9
10												—	10
11					·19							—	11
12					·25						·10	·49	12
13											·07	·40	13
14	·24										—	·43	14
15	·08										·18	·06	15
16	·06										·24		16
17											·01		17
18											—	·40	18
19											—	·46	19
20											·11	=	20
21											—	·20	21
22											·02		22
23					·25						—		23
24					·22						—		24
25					·09						—	·34	25
26	·15										·09	·47	26
27											·18		27
28	·09										·12		28
29					·10						·02	1·84	29
30		X			·04						·45	·61	30
31	(·04)	X		X		X			X		X ~~·39~~		31
Total	·96	2·40	4·11	1·17	1·80	3·79	4·05	1·80	1·55	·03 2·34	~~3·32~~	~~7·48~~	YEAR'S TOTAL 34·74
Rain Days.											3·68	7·09	

W. 8,000. X. 14. ** The Rain Gauge blew over in the night in a violent gale & ·50 may be rather an underestimate

8L

cwd for W.D. 22 III 16

2324

35a

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
17. APR. 1916

Kept at Temple Guiting

in the County of Gloucestershire

Eve Dh

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	·09	·05				·20	·02					1
2	·23	·14	·03	·01	·14		·02	·24	·42				2
3	·23	·16	·19	·22		·08		·96		·64			3
4		·02	·05		·06	·01	·16	·41					4
5	1·33				·01		·54	·11					5
6		·74		·02			·04	·07					6
7	·27	·05		·14			·37	·10					7
8	·04	·60			·13	·46	·09	·01					8
9	·18	·23		·03			·10	·04					9
10	·18			·20				·09					10
11	·15		·05										11
12	·05			·21									12
13	·04			·41	·55			·01		·07			13
14					·89			·01					14
15		·76		·03				·22	·06	·01			15
16	·23			·01	·09			·17					16
17	·02	·70			·34		·64	·02		·10			17
18		·25			·74			·57					18
19		·37	·14										19
20	·02	·11	·03	·03	·05		·11			·01			20
21				·06									21
22	·60		·06				·10						22
23	·20	·06	·25	·06			·24						23
24	·02	·19	·08			·01	·07			·96			24
25				·05		·02	·25		·35	·40			25
26						·86	·02			·03			26
27							·06		·01				27
28		·09					·05			·50			28
29			·02						·32				29
30		X				·02	·10	·13					30
31		X		X		X	·07	·02	X	·13	X		31
	·09	·05	–	–	–	·20	~~·82~~	–	–	·98			YEAR'S TOTAL
Total	~~4·08~~	~~4·56~~	~~·95~~	1·48	3·00	~~1·46~~	~~3·23~~	~~2·14~~	1·16	2·85			
	3·88	4·52	·90			1·66	3·05	3·12		3·83			
Rain Days.	17	16	10	14	10	~~7~~ 8	19	~~18~~ 17	5	~~10~~ 11			

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.

JAN 191

REGIS 912

GLOUCESTER.

WINTERBOURNE DOWN.

1912 – 1919

Kept at Frenchay to 2
at Winterbourne Down
in the County of Gloucester
by Hugh Thomas C

5 in.
bove Ground 1 ft. – in.
„ Sea Level 250 ft. 150 (Frenchay) Winterbourne Down
9 a.m.
Name Winterbourne
Distance 1/4 mile Direction East

IMPORTANT NOTE.—R should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·12	—	—	·42	·26	—	·01	·74	—	·22	1
2	—	—	·08	·01	—	·26	·25	—	—	·01	—	—	2
3	—	—	·12	—	—	·21	·01	·41	·07	—	·04	·01	3
4	·15	—	·57	—	·08	·21	—	·04	—	—	·21	—	4
5	·40	—	·11	—	·03	·01	—	·93	—	—	—	·21	5
6	·32	? —	·04	—	·06	—	·17	·65	—	—	·02	·04	6
7	·01	·30	·07	—	·08	·57	—	·01	—	—	—	·08	7
8	·33	·12	·18	—	—	·05	·11	·06	—	—	—	·07	8
9	·01	·02	·26	·06	—	·18	·01	·18	—	—	·	·24	9
10	·08	·11	·01	—	—	·09	—	·07	—	—	·17	·04	10
11	·06	·04	·01	—	—		—	—	—	—	·01	·45	11
12	—	·38	·05	·07	·04		·02	—	—	—	—	·06	12
13	—	—	·01	—	—		—	—	—	—	—	·30	13
14	·11	—	·50	—	·26		—	·03	—	·02	—	·08	14
15	·07	·20	·01	—	·27		—	—	—	·10	—	~~·42~~	15
16	·55	·01	·15	—	—		—	·19	—	—	·03	·43	16
17	·75	—	·31	—	·03	·79	—	·70	—	—	·02	·46	17
18	·14	·01	·30	—	—	—	—	·25	—	·02	—	·05	18
19	·03	·09	·04	—	—	·17	·19	·35	—	·20	—	·01	19
20	—	·01	·29	—	·32	—	·08	—	—	·15	·02	—	20
21	·01	·03	·20	—	·67	—	·01	·13	—	·23	—	—	21
22	·51	·36	·09	—	·10	—	·08	·23	—	·02	·01	·12	22
23	·24	·43	·46	—	·01	·03	·07	·56	—	·09	·05	·35	23
24	·04	·01	·19	—	—	·17	·03	·02	—	·01	—	·18	24
25	—	—	·01	—	—	·88	—	·84	—	·07	·53	·55	25
26	—	·04	—	—	—	—	·24	·45	—	·46	·77	·19	26
27	—	—	—	—	—	Elm Croft (·19)	1.03	—	—	·65	—	·54	27
28	—	·06	—	—	—	(·32)	·48	·72	·10	·39	·30	·83	28
29	—	·05	·02	—	—	(·22)	·36	·04	·42	·40	—	·18	29
30	—		·01	—	—	(·07)	·18	—	·07	·19	—	·01	30
31	—		·16		·06		·41	·02		—		·25	31
Total	3.81	2.27	4.37	·14	2.01	(4.84)	3.99	6.98	·67	4.15	2.18	5.95	TOTAL for year ~~41.36~~
No. of Rain Days.	18	19	28	3	13	? (18)	19	22	5	17	13	26	~~201~~

W. 8,000, X. '11. Note. Feb 7 includes some rain which fell on 6th but the bottle was frozen in the ground –

FORM A2.
BRITISH RAINFALL.

4 JAN 19

REGIS[illegible]12

Kept at Frenchay to 27 June & then at Winterbourne Down both
in the County of Gloucester
by Hugh Thomas Coles

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 250 ft. 150 (Frenchay) Winterbourne Down
Time of Observation 9 a.m.
Nearest Railway Station
Name Winterbourne
Distance ¼ Mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. .25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	—	—	.42	.26	—	.01	.74	—	.22	1
2	—	—	.08	.01	—	.26	.25	—	—	.01	—	—	2
3	—	—	.12	—	—	.21	.01	.41	.07	—	.04	.01	3
4	.15	—	.57	—	.08	.21	—	.04	—	—	.21	—	4
5	.40	—	.11	—	.03	.01	—	.93	—	—	—	.21	5
6	.32	? —	.04	—	.06	—	.17	.65	—	—	.02	.04	6
7	.01	.30	.07	—	.08	.57	—	.01	—	—	—	.08	7
8	.33	.12	.18	—	—	.05	.11	.06	—	—	—	.07	8
9	.01	.02	.26	.06	—	.18	.01	.18	—	—	—	.24	9
10	.08	.11	.01	—	—	.09	—	.07	—	—	.17	.04	10
11	.06	.04	.01	—	—		—	—	—	—	.01	.45	11
12	—	.38	.05	.07	.04		.02	—	—	—	—	.06	12
13	—	—	.01	—	—		—	—	—	—	—	.30	13
14	.11	—	.50	—	.26		—	.03	—	.02	—	.08	14
15	.07	.20	.01	—	.27		—	—	—	.10	—	— ~~.42~~	15
16	.55	.01	.15	—	—		—	.19	—	—	.03	.43	16
17	.75	—	.31	—	.03	.79	—	.70	—	—	.02	.46	17
18	.14	.01	.30	—	—	—	—	.25	—	.02	—	.05	18
19	.03	.09	.04	—	—	.17	.19	.35	—	.20	—	.01	19
20	—	.01	.29	—	.32	—	.08	—	—	.55	.02	—	20
21	.01	.03	.20	—	.67	—	.01	.13	—	.23	—	—	21
22	.51	.36	.09	—	.10	—	.08	.23	—	.02	.01	.12	22
23	.24	.43	.46	—	.01	.03	.07	.56	—	.09	.05	.35	23
24	.04	.01	.19	—	—	.17	.03	.02	—	.01	—	.18	24
25	—	—	.01	—	—	.88	—	.84	—	.07	.53	.55	25
26	—	.04	—	—	—	—	.24	.45	—	.46	.77	.19	26
27	—	—	—	—	—	Elm Croft (.19)	1.03	—	—	.65	—	.54	27
28	—	.06	—	—	—	(.32)	.48	.72	.10	.39	.30	.83	28
29	—	.05	.02	—	—	(.22)	.36	.04	.42	.40	—	.18	29
30	—		.01	—	—	(.07)	.18	—	.07	.19	—	.01	30
31	—		.16		.06		.41	.02		—		.25	31
Total	3.81	2.27	4.37	.14	2.01	(4.84)	3.99	6.98	.67	4.15	2.18	5.95	TOTAL for year ~~41.36~~
No. of Rain Days.	18	19	28	3	13	?(18)	19	22	5	17	13	26	~~201~~

W. 8,000, X. '11. Note – Feb 7 includes some rain which fell on 6th but the bottle was frozen in the ground –

✓

REGISTER OF RAINFALL IN 19*13*

FORM A. BRITISH RAINFALL. 13 JAN 1914

Ex. Abdo

5

Kept at Elm Croft Winterbourne Down

in the County of Gloucester

by Hugh T. Coles

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Winterbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·12	·22	·07	·10	–	–	–	·40	–	·04	·03	1
2	–	·19	·02	·10	·02	–	·02	–	·06	·20	·14	·02	2
3	·26	–	·30	–	·58	–	–	–	–	·03	·01	·35	3
4	1·02	–		–	·25	–	–	–	·97	·20	·04	·05	4
5	·01	·04	·03	–	·31	·24	·07	–	·25	[illegible]	·13	·09	5
6	·01	·05	·21	–	·13	·11	·07	–	–	·50	·10	·53	6
7	–	·23	·01	–	·19	·19	·06	–	–	·20	·27	–	7
8	–	·13	–	–	·19	·01	·01	–	–	·05	–	·01	8
9	–	·12	–	–	·03	·14	·02	·10	·04	–	·05	·01	9
10	·14	–	·05	·01	·03	·01	–	·08	–	·08	·14	–	10
11	·67	–	–	·21	·10	–	–	–	–	·19	·63	·05	11
12	·01	·02	–	–	·07	–	·01	–	·03	·01	·23	–	12
13	·04	·01	·09	–	–	–	·02	·07	·23	–	·16	–	13
14	·09	·01	·28	·02	–	–	–	·03	·02	·23	·01	·04	14
15	·22	·05	·45	·65	–	–	–	·04	–	–	·11	·02	15
16	·25	–	·41	·01	–	–	·01	·01	·08	–	·01	–	16
17	·07	–	·01	·08	–	–	·02	–	·15	–	·04	–	17
18	·16	–	·13	·19	–	·01	·01	–	·01	–	·06	·01	18
19	·32	–	·06	–	–	·10	·12	–	·24	–	–	·01	19
20	·37	–	·14	·03	–	–	–	–	–	·05	·17	–	20
21	–	–	·09	·04	·16	–	·04	·02	–	–	·26	–	21
22	·51	–	·63	·11	·03	·06	·01	·05	·27	·01	·01	–	22
23	·05	–	–	–	–	·05	–	·40	·01	–	·08	·18	23
24	·15	–	–	·07	–	–	–	·01	–	–	–	·01	24
25	–	·07	–	·19	–	–	–	–	·01	–	·01	·07	25
26	–	·02	–	·20	–	–	–	·18	–	–	–	·25	26
27	·05	–	·08	·37	–	–	–	–	–	·07	–	–	27
28	·29	–	·11	·23	–	–	–	–	–	·04	–	·05	28
29	·04		·46	·49	–	–	–	·09	–	·07	·01	–	29
30	·36		·01	–	–	–	–	·09	–	·41	·04	–	30
31	·15		·10		·28		–	·05		–	–	–	31
Total	5·24	1·06	3·89	3·07	2·47	·92	·49	1·22	2·77	2·34	2·75	1·77	YEAR'S TOTAL 27·99
Rain Days.	23	13	22 ? 23	18	15	10	14	14	15	16	24	18	202 ✓

W.7,000, XI. 13

Ex MCC.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

Kept at Elm Croft. Winterbourne Down

in the County of Gloucester 5

by Hugh T. Coles.

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Winterbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·09	–	·02	·66	·51	–	–	·13	–	1
2	–	–	–	·01	·01	–	·75	·20	–	–	·67	·36	2
3	–	–	·03	·21	·32	–	·04	·10	–	–	·02	·16	3
4	·33	–	·01	·25	·19	–	·23	·22	–	–	·31	·81	4
5	·02	–	·06	·33	·03	–	·26	·02	–	–	·07	·06	5
6	–	·06	·09	·11	·12	–	·12	·05	–	–	·02	·21	6
7	·01	·40	·44	·22	·32	–	·44	·12	–	–	·01	·12	7
8	·12	·01	·82	·03	·02	·48	·24	·06	·03	–	–	·07	8
9	·15	–	·32	·05	·03	·83	–	·08	·06	–	–	–	9
10	–	·13	·01	·07	·02	–	–	–	·41	–	–	–	10
11	–	·06	·21	–	·04	·26	–	–	–	–	·05	·32	11
12	–	·09	·13	–	–	·01	·36	–	·15	–	·07	·18	12
13	–	·46	·35	–	–	–	·	–	·25	·13	·04	·41	13
14	–	·37	·35	–	–	–	·01	·05	·01	·23	·24	–	14
15	·01	–	·15	–	–	–	·02	·64	·59	·04	·21	–	15
16	–	–	–	–	–	–	·01	–	·11	–	·01	–	16
17	–	·37	·15	–	–	–	·01	–	·03	–	·01	·55	17
18	–	·02	·04	–	–	–	·22	–	·02	–	–	·36	18
19	–	·14	·12	–	–	–	·49	–	–	–	·04	·07	19
20	–	·41	·06	–	–	·04	–	–	–	–	–	·13	20
21	–	·43	–	–	–	·19	–	–	–	·14	·01	·01	21
22	–	·01	·01	·01	·16	·10	–	·04	–	·09	–	–	22
23	–	·07	·25	–	·04	–	–	·01	–	·16	–	·01	23
24	–	·01	·05	–	–	–	–	·02	–	·05	·07	·01	24
25	·06	·01	·14	–	–	–	·01	·52	–	·33	·01	·40	25
26	–	–	·01	–	–	–	·14	·01	–	·05	·19	·37	26
27	·05	–	–	–	–	–	–	–	–	·03	·34	·22	27
28	·01	·18	·16	–	·02	–	–	–	–	–	·38	1.04	28
29	·25		·11	–	·10	–	·03	–	–	·14	·28	·01	29
30	·01		·06	–	·02	·05	–	–	–	·17	·47	·55	30
31	·02		–		·02		·36	–		·18		·08	31
Total	1.04	3.23	4.13	1.38	1.46	1.98	4.40	2.65	1.66	1.74	3.65	6.51	YEAR'S TOTAL 33.83
Rain Days.	12	18	25	11	16	9	19	16	10	13	23	24	196

W. 8,000. X. 14.

2296

FORM A.
BRITISH RAINFALL.
17 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Elm Croft - Winterbourne Down

in the County of Gloucester

by Hugh T. Coles

Lat. ...... Long. ......

Time of Observation 9 a.m.

Nearest Railway Station Winterbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·12	-	-	·11	-	-	·12	·04	·29	·02	·21	1
2	·22	·23	·17	·23	-	-	-	1·29	·21	·04	-	·11	2
3	·49	·04	·04	·05	·12	-	·18	·14	-	-	-	·17	3
4	·03	·01	-	-	·13	-	·91	-	-	-	-	·85	4
5	·21	·36	-	·04	-	-	-	·07	-	-	-	·25	5
6	·29	·10	-	·16	-	-	·43	·07	-	-	-	·35	6
7	·40	·34	-	·03	·19	-	·42	·01	-	-	·01	·17	7
8	·35	·22	-	·04	-	-	·02	·09	-	-	·09	·03	8
9	·01	·05	-	·02	-	-	-	·03	-	-	·15	·78	9
10	·22	·01	·09	·03	-	-	-	·07	-	-	-	·02	10
11	·02	-	·05	·01	·01	-	·03	·02	-	·01	·77	·02	11
12	·16	·22	·01	·24	·45	-	-	·07	·01	·14	·24	·01	12
13	·03	·49	-	-	·88	-	-	·15	·19	·01	·01	·03	13
14	·15	-	-	-	·01	-	·09	·26	·06	·03	-	·66	14
15	·33	-	-	·01	·04	-	·15	·05	·05	·03	·04	·03	15
16	-	·68	-	-	·40	-	·60	-	-	-	-	·07	16
17	-	·14	·03	-	·41	-	-	-	-	·01	-	·01	17
18	-	·20	-	-	-	-	-	-	-	·01	-	-	18
19	·01	·08	-	-	·08	-	·23	-	-	-	-	-	19
20	·15	-	-	·18	-	-	-	·01	-	·04	-	·16	20
21	·10	·04	-	-	-	-	·01	-	-	·05	-	·09	21
22	·05	·30	·44	·02	-	·02	·73	-	·01	-	-	·15	22
23	-	·06	·11	-	-	-	·15	-	·08	1·10	-	·53	23
24	-	-	·02	·03	-	-	·53	-	·28	·59	-	·27	24
25	-	-	-	-	-	·43	·12	-	·01	·03	-	·16	25
26	-	·12	-	-	-	-	·40	-	·03	-	-	·42	26
27	-	·08	-	-	-	·03	·49	-	·01	·37	-	·01	27
28	-	·10	·01	-	-	·01	·06	-	·47	·04	-	-	28
29	-		-	-	-	·22	-	·06	·05	-	·05	·02	29
30	·19	X	-	-	-	·46	-	-	-	·27	·26	·11	30
31	·01	X	-	X	-	X	·13	·04	X	·61	X	·37	31
Total	3·69	3·99	·97	1·09	2·83	1·17	5·68	2·55	1·50	3·67	1·64	6·06	YEAR'S TOTAL 34·84
Rain Days.	21	22	10	14	12	6	19	17	14	18	10	28	191

W. 8,000. X. 15.

Ex 8h

2233

FORM A2.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Elm Croft, Winterbourne Down

in the County of Gloucester

by Hugh T. Coles

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m. (& 10 a.m. part of year)

Nearest Railway Station
Name Winterbourne
Distance ¼ mile Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	–	·01	–	·13	·16	·27	–	·02	·21	·09	–	1
2	1·14	·05	·03	–	·07	·05	–	–	·02	1·25	·03	–	2
3	–	·78	–	–	·20	·02	·13	–	·03	·37	·10	–	3
4	·42	·15	–	–	·11	·79	–	–	·15	·28	·30	–	4
5	·01	·01	·04	–	·12	·26	–	–	–	·03	·11	–	5
6	·16	·22	·01	–	·33	·03	·43	–	–	·17	·44	–	6
7	·04	·16	·09	–	·06	·02	·01	–	–	·09	·29	·25	7
8	·01	·06	·03	–	·19	–	–	–	–	·01	·02	·14	8
9	–	–	–	–	·17	·06	·17	–	–	·01	·02	·06	9
10	–	·48	–	·14	·03	·04	·01	–	–	·14	–	·01	10
11	–	·01	·04	·15	·05	·04	–	–	–	·01	–	–	11
12	·02	·10	·07	·01	·57	–	·19	·03		·22	–	–	12
13	–	·47	·18	–	–	–	·01	·34	–	·03	·01	–	13
14	–	·31	·18	·01	·13	–	–	·25	–	·03	–	·01	14
15	·01	·20	·03	·08	·01	–	–	·16	–	–	–	–	15
16	·03	·05	–	·34	·01	–	·15	·18	–	·03		–	16
17	·12	·11	–	·13	–	–	–	·16	·49	·38	·09	–	17
18	–	–	·09	·01	–	–	–	·01	·01	·03	·26	·05	18
19	·26	–	·27	·27	–	–	–	–	–	–	·13	–	19
20	·25	·04	·68	·02	–	–	–	–	–	–	·03	·51	20
21	·29	·03	·64	–	·17	–	·01	–	–	–	·01	·28	21
22	·01	–	–	·01	·01	·15	–	–	–	·22	·06	·36	22
23	–	·17	–	·08	–	·03	–	·20	–	·16	·12	·30	23
24	–	·05	–	·11	·76	·15	–	·05	–	·26	·01	·19	24
25	–	·22	·35	–	–	–	–	·80	·01	·07	·16	·02	25
26	·06	·08	·08	–	·07	·19	–	·01	·25	·24	·01	–	26
27	·12	·05	·67	–	·03	·02	·03	·12	·27	·26	–	·01	27
28	–	·14	·34	–	–	·02	–	–	·02	·39	–	·97	28
29	–	·32	·01	–	–	·41	–	1·71	–	·39	–	·70	29
30	–		–	–	–	–	–	–	–	·50	–	·02	30
31	–		–		–		–	·02		·11		·04	31
Total	3·03	~~3·44~~ 4·26	3·84	1·36	3·22	2·44	1·41	4·04	1·27	5·89	2·29	3·92	TOTAL for year 36·97
No. of Rain Days.	17	24	20	13	20	17	11	14	10	27	20	17	210

W. 8,000, X. '11.

[illegible] 2130

FORM A. 1918 BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Elm Croft. Winterbourne Down

in the County of Gloucester

by Hugh T Coles

Lat. Long.

Time of Observation 9 a.m. (10 a.m. during Summer Time)

Nearest Railway Station Winterbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·22	·18	–	·13	–	·65	·13	–	·02	·03	1
2	–	–	·01	·04	–	·17	–	·08	–	–	·07	–	2
3	·03	–	–	·02	–	–	·18	·03	–	1.22	·01	–	3
4	–		·05	–	–	–	·09	·11	·01	·21	–	–	4
5	·29	Snow fell for 6 hours on the 4th and bottle was frozen in the ground until 19th.	·08	·21	–	·12	–	·01	·30	·40	·15	–	5
6	·01		·37	·01	–	·03	–	–	–	·09	·41	–	6
7	·16		·01	–	–	–	·02	·31	·01	·10	·01	·03	7
8	·25		–	·10	–	–	·57	·64	–	·47	·12	·05	8
9	–		·13	·01	·15	–	–	·52	·07	·11	·18	–	9
10	·19		·26	·20	·01	–	–	·24	·05	·02	–	–	10
11	·06		·33	·24	·04	–	–	·06	·54	·10	·01	–	11
12	·05		·01	·01	·69	–	–	·17	·01	·66	·01	–	12
13	–		·14	·10	–	·05	–	·17	·08	·08	–	–	13
14	–		·09	·03	–	–	–	·07	·02	·01	·01	–	14
15	–		–	–	–	–	·12	·60	·01	·05	·01	·14	15
16	–		–	·08	·03	–	–	–	–	·11	–	·08	16
17	–		–	·20	·31	·05	·30	·08	·28	·24	·01	–	17
18	·01	·39	–	·01	·01	–	·50	·06	·87	–	–	–	18
19	–	·40	·05	–	–	·05	–	–	·02	–	–	–	19
20	–	·12	·03	–	·22	·09	–	–	·02	–	·01	–	20
21	–	·06	·32	–	–	·02	–	–	–	·01	–	–	21
22	–	–	·02	–	–	·73	–	·08	–	·11	–	–	22
23	–	·14	–	–	·05	·01	–	·54	–	·03	·01	·05	23
24	–	·01	–	–	–	·17	·02	·28	–	·13	–	–	24
25	–	·03	·04	–	–	–	–	·01	–	·11	–	–	25
26	–	–	–	–	·07	–	–	·53	·20	·03	·04	–	26
27	–	–	–	–	·90	·06	–	·93	–	–	·01	–	27
28	–	–	·10	–	·01	1.27	–	·73	–	–	·01	·01	28
29	–	X	·06	–	–	·22	·04	·01	–	·38	–	·13	29
30	–	X	·04	–	–	–	·08	·30	–	·07	–	–	30
31	–	X	·10	X	–	X	–	·14	X	·02	X	·02	31
Total	1.05	1.15	2.46	1.44	2.49	3.17	1.92	7.35	2.62	4.76	1.10	·54	YEAR'S TOTAL 30.05
Rain Days.	9	8	21	15	12	15	10	26	16	24	18	9	183

W. 8,000, IX. 17.

EDC WH 85

73

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
8. 1. 19

Kept at Elm Croft, Winterbourne Down
in the County of Gloucester
by Hugh T. Coles

Lat. Long. –
Time of Observation 9 a.m (10 a.m Summer Time)
Nearest Railway Station Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·05	·01	·08	·03	-	-	·26	-	·02	·42	·01	1
2	-	·02	-	·03	-	-	-	·09	-	·03	·01	·22	2
3	-	·02	-	·12	·29	-	-	·31	·15	·05	-	·01	3
4	-	·10	-	·02	-	-	-	·03	·03	·02	·71	·10	4
5	-	-	-	·05	·33	-	-	·20	·94	·30	·19	·01	5
6	·13	·55	-	·17	-	·02	-	-	·19	·18	·01	·12	6
7	·01	·15	-	·02	·69	·01	-	-	·48	·28	·30	-	7
8	-	·09	-	-	-	·01	·03	-	·24	·15	-	·12	8
9	-	·18	-	·26	-	·20	·20	-	·53	·13	·01	·19	9
10	·02	·06	~~[illegible]~~	·09	-	-	·45	-	·61	·05	-	·28	10
11	·03	·07	·04	-	-	-	·12	-	1.30 ?	-	·03	·29	11
12	-	·14	·25	-	·29	-	-	-	·01	-	·01	·04	12
13	·10	-	~~[illegible]~~	-	-	·01	·05	-	·51	·09	-	·64	13
14	·52	-	·02	-	-	·03	1·29	-	·24	·06	-	·16	14
15		-	-	·26	·08	·11	·34	-	-	·03	-	·35	15
16	1·37 ?	-	~~[illegible]~~	·53	-	·09	·01	·07	·15	-	-	·02	16
17		-	·05	·07	-	-	·46	·02	·07	·02	-	·12	17
18	·73	-	~~[illegible]~~	·01	-	·82	·12	-	·94	·02	-	·11	18
19	·05	·01	·14	·01	-	-	·08	·03	·14	·03	-	·07	19
20	·01	·12	-	·30	-	·02	·17	-	·58	·02	·01	-	20
21	·03	·03	-	·01	-	-	·04	-	·91	·03	-	·05	21
22	·01	-	-	-	·06	-	·32	-	·12	·03	-	·27	22
23	·07	-	-	-	·23	·01	·44	-	·01	-	-	-	23
24	-	·17	-	-	-	-	·40	·11	·10	-	·03	-	24
25	-	-	-	-	-	-	·13	·71	-	·04	·03	-	25
26	-	-	-	·20	-	-	·34	·02	·10	·01	·07	·16	26
27	-	·01	·04	-	-	-	·03	·25	·44	-	·10	·07	27
28	-	·11	·29	-	-	-	-	·01	·01	-	·07	·07	28
29	-	✕	·12	-	-	-	-	-	·88	-	-	·06	29
30	-	✕	·39	-	-	-	-	-	·01	·06	·10	·07	30
31	-	✕	·18	✕	-	✕	-	-	✕	-	✕	-	31
Total	3.08	1.88	1.53	2.23	2.00	1.33	5.02	2.11	9.69	1.65	2.10	3.61	YEAR'S TOTAL 36.23
Rain Days.	15	17	11	17	8	11	19	13	26	22	16	25	200

W. 6,500, VII. 18. w w c

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

12 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Elm Croft Winterbourne Down

in the County of Gloucester

by Hugh T. Coles

Lat. Long.

Time of Observation 9 a.m. (10 a.m. in Summer Time)

Nearest Railway Station Winterbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

" " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·02	·01	·01	·07	–	·31	–	·03	·07	–	·67	1
2	·19	–	·02	–	·01	–	·08	–	·12	·01	·10	·29	2
3	·59	–	·19	–	·04	·01	·01	–	·10	–	·09	·63	3
4	·09	·11	·55	–	–	·06	·08	·05	·21	–	–	·16	4
5	–	·32	·46	–	·04	–	–	·01	·51	·01	·04	·26	5
6	·13	·03	·21	–	–	–	–	–	–	–	·05	·02	6
7	·12	–	·30	·08	–	–	–	–	–	–	–	·02	7
8	·16	–	·13	·06	–	·01	–	–	–	–	·01	–	8
9	·13	–	·05	·15	–	–	–	–	–	–	·12	–	9
10	·02	–	·35	·01	–	–	–	–	–	·07	·01	·14	10
11	·03	–	·35	·10	·07	·01	·27	–	–	·01	–	·02	11
12	·02	–	·13	·02	·01	·29	·01	–	–	·06	·02	·05	12
13	·07	–	·01	·32	–	·01	·01	–	–	·01	–	·05	13
14	·63	·02	–	·56	–	–	·14	–	–	·03	–	·05	14
15	·43	–	–	·02	·01	–	–	–	–	–	·19	·25	15
16	·18	·76	–	–	–	–	–	–	–	–	–	·01	16
17	·01	·12	–	–	–	·05	–	–	–	–	·07	·01	17
18	·03	·10	·49	·01	–	–	·09	·34	–	–	·07	·04	18
19	·19	·17	1·23	–	–	·22	1·58	·55	·06	–	·10	·06	19
20	·32	·13	·36	–	–	·09	·01	·15	·01	–	·02	·08	20
21	–	·72	·01	–	–	·04	·07	–	·02	–	·01	·02	21
22	–	·11	–	–	–	·04	·07	–	·32	–	·01	·11	22
23	·01	–	–	–	–	–	·01	–	–	1·02	·08	–	23
24	–	–	–	·08	–	·07	–	–	·04	·98	·20	·48	24
25	·11	–	–	·02	·01	·01	–	·35	·02	–	·07	·03	25
26	·14	–	·11	·04	–	·01	·01	·03	·14	–	–	·34	26
27	·08	–	–	·26	–	–	–	·55	–	–	–	·02	27
28	·01	–	·22	–	–	–	–	·27	–	–	·05	·49	28
29	·01		–	·12	–	·01	–	·02	–	·09	·22	·49	29
30	–		–	·19	–	·25	–	·23	–	·02	·20	·38	30
31	–		·04		·03		·03	–		·01		·06	31
Total	4·00	2·61	5·22	2·05	·29	1·18	2·78	2·55	1·58	2·39	1·73	5·23	YEAR'S TOTAL 31·61
Days with ·01 in. or more	25	12	20	17	9	16	16	11	12	13	21	28	200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REG

WINTERBOURNE
KENDLESHIRE

GLOUCESTER
1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Kendleshire
in the County of Glouces
by James Mars

in.
ound 1 ft. — in.
Level 140 ft.
m
me Winterbourne
stance 1 mile Direction N.W.

IMPORTANT NOTE.- e result entered to the previous day. If an Obser al rule, he is earnestly requested to add the readin in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.01	.06				.03			.03	.01	1
2	.01			.04	.27			.23		.14	.23	.18	2
3					.33						.14	.07	3
4	.01		.16						.03		.30	.45	4
5			.01					.26		.01	.23	.03	5
6	.20		.09								.14	.30	6
7	.03										.45		7
8	.11		.13								.04	.30	8
9	.13		.01								.10	.25	9
10	.10	.06	.22		.13						.01	.25	10
11	.23		.03								.70	.19	11
12			.22						.01		.54	.03	12
13			.01		.19				.53	.11		.55	13
14												.63	14
15		.03	.01			.03					.21	.17	15
16		.02				.20					.41	.25	16
17		.01				.05					.06	.27	17
18		.41	.08	.10		.25				.03		.17	18
19						.11			.35	.10	.01	.12	19
20	.02	.03	.06	.10					.14	.09		.55	20
21		.21	.24	.03				.02	.08	.47		.17	21
22		.01	.21	.05		1.20				.20		.41	22
23		.19	.19	.03		.15			.07	.10		.19	23
24		.08				.25		.06		.43		.12	24
25		.06		.04		.10		.01	.01			.10	25
26		.05		.09	.05	.01	.08			.41	.07	.19	26
27		.43	.13	.27				.23	.22		.19	.13	27
28		.38		.05		.01		.44			.03	.01	28
29				.39		.37		.03	.14	.35			29
30										.20		.02	30
31										.15			31
Total	— .86	1.96	1.80	1.25	— .97	2.72	— .08	1.30	1.57	2.79	3.88	6.09	TOTAL for year 25.27
No. of Rain Days.	10	.14	17	12	5	12	1	9	10	14	19	28	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Kendleshire

in the County of Gloucester 5

by James Marsh

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 170 ft.

Time of Observation 8 a m

Nearest Railway Station
Name Winterbourne
Distance 1 mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.01	.06				.02			.02	.01	1
2	.01			.04	.27			.23		.14	.23	.18	2
3					.33						.14	.07	3
4	.01		.16						.02		.30	.45	4
5			.01					.26		.01	.23	.02	5
6	.20		.09								.14	.30	6
7	.02										.45		7
8	.11		.13								.04	.30	8
9	.13		.01								.10	.25	9
10	.10	.06	.22		.13						.01	.25	10
11	.22		.02								.70	.19	11
12			.22						.01		.54	.03	12
13			.01		.19				.53	.11		.55	13
14												.63	14
15		.02	.01			.02					.21	.17	15
16		.02				.20					.41	.25	16
17		.01				.05					.06	.27	17
18		.41	.08	.10		.25				.03		.17	18
19						.11			.35	.10	.01	.13	19
20	.02	.03	.06	.10					.14	.09		.55	20
21		.21	.24	.03				.02	.08	.47		.17	21
22		.01	.21	.05		1.20				.20		.41	22
23		.19	.19	.03		.15			.07	.10		.19	23
24		.08				.25		.06		.43		.13	24
25		.06		.04		.10		.01	.01			.10	25
26		.05		.09	.05	.01	.08			.41	.07	.19	26
27		.43	.13	.27				.23	.22		.19	.13	27
28		.38		.05		.01		.44			.03	.01	28
29				.39		.37		.03	.14	.35			29
30										.20		.02	30
31										.15			31
Total	— .86	1.96	1.80	1.25	— .97	2.72	— .08	1.30	1.57	2.79	3.88	6.09	TOTAL for year 25.27
No. of Rain Days.	10	.14	17	12	5	12	1	9	10	14	19	28	151

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

9 JAN 191

REGISTER OF RAINFALL IN 1913

Ex. JHb

Kept at Kendleshire
in the County of Gloucester 5
by James Marsh

Lat. 51½ Long. 2½
Time of Observation 8 a.m.
Nearest Railway Station Winterbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13			.50	.15		.01	.66		.24	1
2			.06	.05		.28	.36			.06			2
3			.08			.18	.01	.42	.07		.04	.01	3
4	.18		.70		.04	.29		.10			.21		4
5	.38		.07		.02	.02		.73			.01	.15	5
6	.36	.15	.04		.02		.15	.65				.08	6
7	.02	.15	.04		.11	.45		.01				.05	7
8	.45	.13	.27			.17	.12	.09				.05	8
9	.02	.04	.31	.05		.08	.01	.05				.24	9
10		.05				.44		.10			.15	.08	10
11	.15	.01				.04						.41	11
12	.01	.35	.07	.08	.03	.01	.02				.01	.08	12
13		.01	.01								.01	.15	13
14	.16		.56		.04	.01		.05		.02		.04	14
15	.06	.20	.03		.45	.61		.01				.43	15
16	.46		.22		.03			.19		.16		.03	16
17	.43		.28		.05	.10		.65			.02	.27	17
18	.13	.01	.27					.21		.03		.13	18
19	.31	.13	.02			.14	.16	.24		.16			19
20	.02		.30		.34		.07	.05		.50			20
21	.01	.02	.33		.93		.01	.15		.19			21
22	.47	.45	.03		.08		.10	.19		.02	.01	.15	22
23	.20	.40	.47			.05	.16	.57		.05	.05	.24	23
24	.03		.21			.15	.03	.10		.21		.17	24
25	.01	.01	.05			.84		.94		.06	.46	.57	25
26		.05					.24	.41		.68	.74	.25	26
27						.20	1.03			.96		.54	27
28		.07	.01			.35	.42	.69	.08	.04	.30	.71	28
29		.04				.10	.36	.02	.47			.27	29
30						.05	.15		.07	.30			30
31			.10		.13		.36	.02				.23	31
Total	3.84	2.27	4.65	.18	2.27	5.06	3.81	6.64	.70	4.10	2.01	5.51	YEAR'S TOTAL 41.04
Rain Days.	20	18	25	3	13	22	19	24	5	16	12	25	203

√

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
8- JAN 1914

Kept at Kendleshire
in the County of Gloucester
by James Marsh

5

Lat. 51½ Long. 2½ W
Time of Observation 8 a.m.
Nearest Railway Station Winterbourne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.12	.20	.08	.11				.36		.05	.03	1
2	.01	.18	.02	.10			.02		.06		.12	.02	2
3	.28		.06		.60					.05	.01	.31	3
4	.96		.13		.21				.86	.21	.03	.03	4
5	.01	.05			.05	.21	.06		.34		.11	.06	5
6	.02	.06	.23		.41	.11	.01			.44	.14	.52	6
7		.26			.26	.04	.06			.32	.27		7
8		.06			.22	.12	.01			.05			8
9		.12			.03	.11	.02	.06	.05		.03	.01	9
10	.11		.04		.02	.01		.06		.05	.13		10
11	.64			.24	.05					.22	.56		11
12	.01				.06				.06		.13	.01	12
13	.03		.08				.01	.05	.18		.15		13
14	.09		.24	.02			.01	.03		.20	.01	.01	14
15	.20	.09	.44	.50				.02	.05		.10	.03	15
16	.25		.40	.18			.01		.06		.01		16
17	.04		.01	.05			.01		.11		.02		17
18	.24		.11	.17			.01				.05		18
19	.36		.08				.09		.25				19
20	.34		.12	.04						.06	.05		20
21			.09	.05	.22		.03	.03			.36		21
22	.50		.53	.14	.03			.05	.26				22
23	.04					.21	~~.21~~	.22	.02		.09	.20	23
24				.06									24
25		.01		.16							.05	.06	25
26		.05		.30				.20	.02			.18	26
27	.01			.29						.10			27
28	.30		.14	.24						.04		.03	28
29	.02		.41	.49				.13		.11			29
30	.30							.20		.38	.03		30
31	.18		.10		.14			.06					31
Total	4.94	1.00	3.43	3.11	2.41	—.81	—.35	1.21	2.68	2.23	2.50	1.50	YEAR'S TOTAL 26.17
Rain Days.	23	10	19	17	14	7	13	12	14	13	22	14	178

W. 7,500, XI. 12

Ex L McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at Kendleshire

in the County of Gloucester 5

by James Marsh

Lat. 51½ Long. 2½ W

Time of Observation 8 a m

Nearest Railway Station Winterbourne

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06			.74	.65			.12	.01	1
2				.03			.47	.13			.64	.35	2
3	.01		.02	.16	.35		.03	.09			.01	.16	3
4	.26		.02	.24	.19		.23	.09			.30	.82	4
5	.04		.05	.31	.02		.28	.02			.08	.16	5
6		.04		.11	.11		.12	.04			.01	.22	6
7	.01	.41	.21	.20	.24		.41	.05			.01	.11	7
8	.05	.04	.98	.02	.02	.60	.35	.09	.03			.06	8
9	.12		.31	.04	.05	.83		.06	.05			.06	9
10		.14		.11	.03				.44				10
11		.07	.20	.03		.26	.27				.02	.31	11
12		.11	.23				.28		.14		.01	.16	12
13		.41							.23	.25	.07	.38	13
14		.26	.54					.05	.01	.14			14
15			.08					.63	.37				15
16			.21				.02		.10				16
17		.36	.25				.01		.05			.50	17
18		.02	.06				.20		.02		.05	.32	18
19		.14	.08				.55		.02			.10	19
20		.36	.12									.16	20
21		.41				.08				.16	.02		21
22					.14			.05		.08			22
23		.07	.16		.04					.08			23
24			.13							.15	.06		24
25			.13					.51		.32	.01	.43	25
26			.03				.15	.02		.08	.16	.35	26
27	.04										.10	.22	27
28	.01		.16		.03		.05			.02	.55	.83	28
29	.17		.06		.11		.01			.12	.25	.01	29
30	.04	X	.12		.04					.16	.50	.57	30
31	.01	X		X	.02	X	.32		X	.25	X	.02	31
													YEAR'S TOTAL
Total	.76	2.84	4.15	1.31	1.39	1.67	4.79	2.48	1.46	1.81	2.97	6.31	31.94
Rain Days.	11	14	22	11	14	4	18	14	11	12	19	23	193

W. 8,000. X. 14.

Ex ML

2295

FORM A.
BRITISH RAINFALL.
18. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Kendleshire Winterbourne
in the County of Gloucester
by James Marsh

Lat. 51½ Long. 2½ W
Time of Observation 8 a.m
Nearest Railway Station Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.12						.02	.05	.22	.05	.18	1
2	.22	.21	.18	.15				1.39	.08	.13		.08	2
3	.51	.03	.03	.11	.10		.12	.13				.14	3
4	.02	.01			.12		.48					.98	4
5	.25	.40						.07				.23	5
6	.26	.01		.21			.36	.05				.30	6
7	.29	.29		.03	.10		.51					.16	7
8	.44	.24		.01			.02	~~.25~~					8
9	.01	.04		.04							.21	.76	9
10	.20	.02	.07					.05		.01		.01	10
11	.01		.07	.01			.01	.08			.43	.03	11
12	.13	.07		.21	.33			.18		.10	.36	.02	12
13	.04	.68			.91			.03	.16				13
14	.10	.02		.01			.08	.07	.07	.02		.60	14
15	.32						.11	.01	.04	.01	.05	.06	15
16		.53			.34		.61	.51				.07	16
17		.21			.48			.01					17
18		.18	.02		.03			.02					18
19		.02			.08		.25	.01					19
20	.14			.10								.10	20
21	.05	.04					.01			.10		.15	21
22	.12	.31	.41	.01			.40		.01			.18	22
23		.07	.11				.25		.10	1.11		.42	23
24			.02	.02			.98		.30	.58		.28	24
25						.44	.13			.02		.25	25
26		.14					.27		.03			.42	26
27		.05				.12	.62			.36			27
28		.07	.01				.05		.48	.05			28
29						.19		.06	.11		.14	.02	29
30	.13					.34				.31	.27	.06	30
31							.16			.58		.41	31
Total	3.56	3.46	.92	.91	2.49	1.09	5.42	2.69	1.43	3.59	1.81	5.91	YEAR'S TOTAL 3386
Rain Days.	19	23	9	12	9	4	19	16	11	14	7	24	167

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Kendleshire
in the County of Gloucester
by James Marsh

Lat. 51½ Long. 2½ W
Time of Observation 8. a.m
Nearest Railway Station Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	(·08)				·10	·14	·40	-	·02		·14		1
2	·93	·05	·03		·06	·03				1·36	·02		2
3	·10	·73			·02	·02	·43		·03	·38	·34		3
4	·34	·13			·24	·69		-	·15	·21	·24		4
5	·01	·01	·04		·11	·26				·02	·12		5
6	·10	·13	·03		·33	·04	·39			·16	·45		6
7	·05	·11	·04			·01	·01			·02	·29		7
8	·01	·13	·07		·22	·04					·14	·10	8
9					·20	·04	·15			·01	·02	·08	9
10		·42	·01	·11	·03	·04	·03			·12		·01	10
11		·04	·02	·12	·05	·03							11
12	·01	·04	·05	·02	·55	·02	·18	·04		·14			12
13		·40	·07					·25		·06			13
14		·32	·17		·11			·29		·02			14
15		·18	·03	·05				·16					15
16	·02	·05		·36	·02		·12	·30		·01			16
17	·11	·10		·08				·25	·46	·42			17
18		·01		·01					·02	·02	·10	·04	18
19	·13		·24	·26							·17		19
20	·30	·02	·49								·21	·43	20
21	·20	·04	·62	·02	·05						·06	·41	21
22	·02			·01	·08	·14				·17	·06	·44	22
23		·10						·17		·12	·13	·20	23
24		·05		·21	·82	·11		·03		·06	·01	·19	24
25		·12	·31		·01			·60		-	·13	·03	25
26	·03	·08	·06			·19		·08	·20	·24			26
27	·12	·06	·64		·02	·03	·02	·09	·28	·28			27
28		·08	·25			·02			·02	·36		·77	28
29		·40				·40		1·66		·42		·68	29
30		X								·47		·01	30
31		X		X		X		·02	X	·08	X	·03	31
Total	2·56	3·80	3·17	1·25	3·02	2·25	1·73	3·94	1·18	5·15	2·63	3·42	YEAR'S TOTAL 34·10
Rain Days.	17	25	18	11	18	18	9	13	8	23	17	14	191

W. 8,000, VIII. 16

2179

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Kendleshire

in the County of Gloucestershire

by James Marsh

Lat. 51½ Long. 2½ W

Time of Observation 8. a.m

Nearest Railway Station Winterbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.20	.25		.15		.54	.28		.02		1
2			.04	.04		.12		.15			.08		2
3				.05			.11	.05		.88	.01		3
4		.11	.05				.16	.20		.51			4
5	.19		.07	.24		.14			.30	.39	.14		5
6			.41							.12	.38		6
7	.20			.05				.25		.07	.01	.04	7
8	.15		.05	.15			.57	.64		.43	.10	.05	8
9			.15	.05	.18			.50	.05	.11	.15		9
10	.16		.21	.17	.01			.23	.02	.03			10
11	.04		.31	.20	.02			.05	.74	.11			11
12	.07		.01	.05	.63		—	.25		.61	.01		12
13			.15	.12		.05		.15	.08	.11			13
14			.10	.09		—		.43	.03				14
15							.08	.37	.01	.02			15
16	.01	.18		.09			.05			.13		.20	16
17				.21	.38	.05	.29	.06	.29	.22			17
18		.09			.01		.43	.08	.77				18
19		.30	.01			.06			.07		.01		19
20		.19	.04		.20	.12			.01				20
21		.04	.25							.02			21
22			.02			.76		.09		.13			22
23		.14			.06			.40				.02	23
24		.04				.22		.35		.14			24
25		.01	.03				.01		.01				25
26					.03			.61	.20	.08	.03		26
27					.94	.06		.83					27
28			.10		.08	.75		.75					28
29			.09			.56	.05	.01		.34			29
30			.01				.06	.26					30
31			.14					.05		.01			31
Total	.82	1.10	2.44	1.76	2.54	3.04	1.81	7.30	2.86	4.46	.94	.31	YEAR'S TOTAL 29.37
Rain Days.	7	9	21	14	11	12	10	24	14	20	11	4	157

W. 8,000, IX. 17.

72

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
15.1.19

Kept at Kendleshire
in the County of Gloucester
by James Marsh

Lat. 51½ Long. 2½ W.
Time of Observation 8 a.m.
Nearest Railway Station Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		(1st) .04											
1		(2nd) .05		.08	.03			.14			.39		1
2		(3rd) .01		.12				.45		.05	.01	.05	2
3		(4th) .11		.08	.34			.45	.14			.02	3
4				.04				.02	.06		.68	.03	4
5		(6th) .50			.34			.20	.75	.30	.12		5
6	.14	(7th) .12		.20				.03	.04	.03		.08	6
7		(8th) .06		.02	.56	.02			.47	.43	.28	.15	7
8									.33	.15		.07	8
9		.21		.20		.14	.10		.50	.15	.01	.21	9
10	.01			.09			.54	—	.75	.05		.15	10
11	.02	.11			—		.13		1.32		.04	.18	11
12		.14	.32		.22		.03					.09	12
13	.05		.01		.07		.02		.48	.03		.12	13
14	.55		.01			.03	.76		.26	.12		.10	14
15	.78			.07	.10	.16	.31		.01	.02		.95	15
16	.34			.60		.15	.01		.13		—		16
17	.30		.04	.07			.71	.08	.24	.01		.13	17
18	.74					.79	.12		.58	.02		.11	18
19	.04		.14	.01			.08	.02	.13	.03		.06	19
20	.01	.15		.30		.02	.14		.58	.02			20
21	.02	.02					.03		.75	.03			21
22							.30		.15	.04		.35	22
23	.09				.23		.46						23
24		.15					.10		.09		.02		24
25							.22	.80		.03	.02		25
26				.20			.35		.13	.01	.09	.15	26
27		.01					.01	.28	.46		.06	.04	27
28		.07	.31								.15	.09	28
29			.10						.95		.04	.05	29
30		X	.41		—				.03	.04	.02	.05	30
31		X	.20	X		X			X	.08	X	.04	31
Total	3.09	1.75	1.54	2.08	1.89	1.31	4.42	2.47	9.32	1.64	1.93	3.27	YEAR'S TOTAL 34.71
Rain Days.	13	15	9	14	8	7	19	10	24	20	14	23	176

A Record

W, 6,500. VII. 18. w w c

Exd 70.

1916

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Kendleshire, Winterbourne
in the County of Gloucester
by James Marsh

Lat. 51½ Long. 2½ W
Time of Observation 8 a m
Nearest Railway Station Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34				.05				.01	.08		.58	1
2					.01		.08		.03		.08	.28	2
3	.70		.13						.13		.06	.56	3
4	.21	.05	.50		.03	.08	.06	.02	.10			.11	4
5	.01		.58		.05				.58		.06	.28	5
6	.23		.12								.06	.02	6
7	.06		.38	.08								.01	7
8	.05		.12	.04									8
9	.12		.03	.13							.14		9
10	.05		.30	.08						.05		.14	10
11	.02		.44	.05	.07		.26					.02	11
12	.01		.18	.01		.26				.05	.02	.05	12
13	.14			.26						.01		.05	13
14	.67	.02		.62								.02	14
15	.55			.02			.13			.02		.30	15
16	.12	.71									.19		16
17		.22				.03					.07	.01	17
18			.51					.28			.03	.02	18
19	.07	.14	1.05			.16	1.78	.38	.02		.11	.05	19
20	.46	.13	.44			.13	.01	.28				.06	20
21		.60	.01						.02		.02		21
22		.21					.13		.28			.08	22
23									.08	.81	.06		23
24				.06						1.03	.16	.37	24
25	.14							.32			.06	.02	25
26	.14		.08	.03			.02	.05	.16			.48	26
27	.11	.02		.24		.54		.36				.02	27
28	.05		.20					.34			.25	.33	28
29	.05			.10						.06		.38	29
30				.18				.28		.02	.31	.33	30
31			.04		.04								31
TOTAL	4.30	2.13	5.11	1.89	.25	1.20	2.47	2.31	1.41	2.13	1.68	4.57	YEAR'S TOTAL 29.45
Days with ·01 in. or more	23	9	14	14	6	6	8	9	10	9	16	25	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1908

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Kendleshire, Winterbourne

in the County of Gloucester

by James Marsh

Lat. 51 Long. 2½ W

Time of Observation 8 a.m

Nearest Railway Station Winterbourne

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·40	·46		·19	·07		·17	·13	·43	1
2			·01	·12	·03		·05	·25	·13	·13		·11	2
3	·08	·05		·07			·46		·01	·23		·07	3
4				·05				·47		·19			4
5			·11	·03	·05		·27			·03			5
6			·17		·25		·18			·29			6
7	·08		·02	·03	·23		·05						7
8		·03		·48	·10		·44				·01		8
9	·38	·12		·68		·04	·04	·08	·09				9
10	1·04	·24	·12	·20		·19	·30						10
11	·29	·03		·27	·34	·05	·05						11
12	·15	·08	·08	·08	·03	1·05	·08				·03		12
13	·05	·05	·33	·18								·03	13
14	·01	·04	·55	·38		·29			·07	·32	·52		14
15	·01	·15	·01	·18	·03	·19			·09	·44	·22		15
16	·01			·04	·23	·19	·18		·35	·13	·23		16
17	·07			17th ·04 18th ·08	·13	·44			·25	·03			17
18	·17			19th ·42	·06			·22	·23				18
19	·03	·08		20th ·18		·06							19
20	·01	·20				·33						·09	20
21				—			·01	·07				·07	21
22				·11		·01	·02	·02				·12	22
23							·58					·47	23
24	·02		·20									·13	24
25	·01	·10	·10				·51				·05		25
26	·23		·30				·03				·01	·02	26
27	·27	·03	·02	·10		·57	·07					·17	27
28	·79		·05	·03	·10	·05	·03						28
29	·13		·14			·04					·07	·31	29
30	·03		·03			·17	·35		·33		·25	·27	30
31	·13				·03		·07			·37		·26	31
													YEAR'S TOTAL
TOTAL	4·03	1·20	2·24	4·15	2·07	3·67	3·96	1·18	1·55	2·33	1·52	2·55	30·45
Days with ·01 in. or more	23	13	16	22	14	15	21	7	9	11	10	14	175
Days with ·04 in. or more	15	10	11	19	10	14	17	6	8	9	7	12	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WITCOMBE

RESERVOIR

GLOUCESTER

1911 - 1920

459378

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

REC

Kept at Witcombe

in the County of Gl

by R. Read, A.M.I.C
City Su

uary

in.

round 3 ft. 0 in.

a Level 294 ft.

a.m.

ame Gloucester

istance 5 miles Direction East.

IMPORTANT NOTE previous day. If an Obse requested to add the readi for it at the end of this the selection and placing Organization are given in ' Dr. H. R. Mill, 62, Camden Square, London, N.W.

ne result entered to the sal rule, he is earnestly r in the space provided nt of rain, sh Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.	.04	.14	.	.	.03	.05	.	.	.02	.06	1
2	.02	.	.	.07	.30	.	.01	.19	.	.14	.22	.22	2
3	.	.	.	.	.32	.	.	.	.	.	.07	.04	3
4	.05	.	.19	.02	.	.32	.	.	.03	.14	.29	.39	4
5	.08	.	.04	.	.	.	.	.20	.	.	.02	.03	5
6	.25	.	.08	.	.	.	.	.	.	.	.08	.88	6
7	.	.	.	.	.	.	.	.	.	.	.34	.	7
8	.27	.	.13	.	.	.	.	.	.	.	.11	.27	8
9	.16	.	.	.	.	.	.	.	.	.	.10	.30	9
10	.02	.10	.26	.	.	.	.	.02	.	.	.03	.22	10
11	.18	.06	.	.	.02	.	.	.	.	.	.45	.	11
12	.	.	.65	.	.	.	.	.	.10	.	.25	.14	12
13	.	.	.	.	.08	.	.	.	.39	.08	.01	.41	13
14	.	.	.	.	.	.	.	.	.	.	.	.69	14
15	.	.	.07	.	.	.	.	.	.	.	.19	.13	15
16	.	.	.	.	.	.21	.	.	.	.	.32	.24	16
17	.	.	.	.	.10	.06	.	.	.	.	.12	.26	17
18	.	.24	.07	.06	.	.23	.	.	.	.02	.	.30	18
19	.02	.	.	.03	.	.23	.	.	.18	.14	.02	.14	19
20	.	.08	.12	.02	.	.	.	.	.08	.06	.	.65	20
21	.	.12	.03	.	.	.	.	.24	.04	.46	.	.10	21
22	.	.	.21	.	.	.54	.	.01	.	.10	.	.50	22
23	.	.15	.05	.	.	.03	.	.	.15	.20	.	.16	23
24	.	.06	.	.	.	.52	.	.21	.	.20	.	.15	24
25	.	.07	.01	.04	.03	.13	.	.03	.02	.02	.	.09	25
26	.	.16	.	.21	.02	.02	.07	.03	.	.20	.25	.16	26
27	.	.12	.21	.09	.11	.	.	.42	.46	.	.03	.06	27
28	.	.34	.	.25	.	.	.	.03	.	.	.02	.	28
29	.	X	.	.	.	.26	.	.	.09	.27	.	.	29
30	.	X	.01	.11	.10	.02	.	.04	.03	.16	.02	.	30
31	.	X	.	X	.04	X	.	.	X	.02	X	:	31
Total	1.09	1.50	2.17	1.04	1.12	2.57	.11	1.47	1.57	2.21	2.96	6.59	TOTAL for year 24.40
No. of Rain Days.	10	11	16	11	10	12	3	12	11	15	21	25	157

W. 8,000, X. '11.

459378

FORM A2.

BRITISH RAINFALL.

6 - JAN 1912

REG

Kept at Witcombe Reservoirs,

in the County of Gloucester 3

by R. Read, A.M.I.C.E.,
City Surveyor,
Gloucester

RAIN GAUGE
Pattern Ordinary
Diameter of top 8 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 297 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester
Distance 5 miles Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·	·04	·14	·	·	·03	·05	·	·	·02	·06	1
2	·02	·	·	·07	·30	·	·01	·19	·	·14	·22	·22	2
3	-	·	·	·	·32	·	·	·	·	·	·07	·04	3
4	·05	·	·19	·02	·	·32	·	·	·03	·14	·29	·39	4
5	·08	·	·04	·	·	·	·	·20	·	·	·02	·03	5
6	·25	·	·08	·	·	·	·	·	·	·	·08	·88	6
7	·	·	·	·	·	·	·	·	·	·	·34	·	7
8	·27	·	·13	·	·	·	·	·	·	·	·11	·27	8
9	·16	·	·	·	·	·	·	·	·	·	·10	·30	9
10	·02	·10	·26	·	·	·	·	·02	·	·	·03	·22	10
11	·18	·06	·	·	·02	·	·	·	·	·	·45	·	11
12	·	·	·65	·	·	·	·	·	·10	·	·25	·14	12
13	·	·	·	·	·08	·	·	·	·39	·08	·01	·41	13
14	·	·	·	·	·	·	·	·	·	·	·	·69	14
15	// ·	·	·07	·	·	·	·	·	·	·	·19	·13	15
16	·	·	·	·	·	·21	·	·	·	·	·32	·24	16
17	·		·	·	·10	·06	·	·	·	·	·12	·26	17
18	·	·24	·07	·06	·	·23	·	·	·	·02	·	·30	18
19	·02	·	·	·03	·	·23	·	·	·18	·14	·02	·14	19
20	·	·08	·12	·02	·	·	·	·	·08	·06	·	·65	20
21	·	·12	·03	·	·	·	·	·24	·04	·46	·	·10	21
22	·	·	·21	·	·	·54	·	·01	·	·10	·	·50	22
23	·	·15	·05	·	·	·03	·	·	·15	·20	·	·16	23
24	·	·06	·	·	·	·52	·	·21	·	·20	·	·15	24
25	·	·07	·01	·04	·03	·13	·	·03	·02	·02	·	·09	25
26	·	·16	·	·21	·02	·02	·07	·03	·	·20	·25	·16	26
27	·	·12	·21	·09	·11	·	·	·42	·46	·	·03	·06	27
28	·	·34	·	·25	·	·	·	·03	·	·	·02	·	28
29	·	X	·	·	·	·26	·	·	·09	·27	·	·	29
30	·	X	·01	·11	·10	·02	·	·04	·03	·16	·02	·	30
31	·	X	·	X	·04	X	·	·	X	·02	X	:	31
Total	1·09	1·50	2·17	1·04	1·12	2·57	·11	1·47	1·57	2·21	2·96	6·59	TOTAL for year 24·40
No. of Rain Days.	10	11	16	11	10	12	3	12	11	15	21	25	157

W. 8,000, X. '11.

459378

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Witcombe Reservoirs,

in the County of Gloucester. 3

by R. Read a.m.I.C.E.
City Surveyor
Gloucester

RAIN GAUGE
Pattern Ordinary
Diameter of top 8 in.
Height of top above Ground 3 ft. 0 in.
" " " Sea Level 297 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester
Distance 5 miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·06	-	·	·46	·40	-	·03	·31	·	·08	1
2	-	-	·19	·09	-	·22	·42	·	·	·	·	-	2
3	·04	-	·11	·	·04	·28	·07	·33	·	·	·	·03	3
4	·13	-	·88	-	·04	·81	-	·07	·	-	·25	-	4
5	·43	·05	·09	·	·12	·06	-	·47	·	·	·	·08	5
6	·22	·08	·	-	·05	·02	1·04	·60	·	·	·	·03	6
7	-	·13	·06	-	·03	·75	·86	·03	-	·	-	·06	7
8	·31	·10	·32	-	·	·25	·15	·06	·	·	·	·10	8
9	·06	·06	·37	·08	·	·08	-	·16	·	·	·	·18	9
10	·05	·08	·02	-	·	·02	·03	·06	·01	-	·06	-	10
11	·07	·04	·	-	·	·06	-	·11	·	·	-	·49	11
12	·03	·51	·09	·02	·01	·02	·02	-	·	·	·01	·	12
13	-	·10	-	-	-	-	·02	·21	·	·02	·	·	13
14	·09	-	·60	-	·13	-	-	·14	-	·	·	·	14
15	·17	·10	·02	-	·26	·32	-	·03	-	-	-	·32	15
16	·53	-	·22	-	·	-	-	·10	·	·08	·06	-	16
17	·92	-	·23	-	-	·04	-	·59	·	-	-	·48	17
18	·14	·03	·21	-	-	-	-	·10	·	·02	-	·04	18
19	·02	·06	-	-	-	-	·43	·25	·	-	-	·	19
20	-	·	·67	-	·15	-	·26	·70	·	·42	·09	·	20
21	-	-	·33	-	·45	·	-	·29	·	·37	-	·	21
22	·52	·11	·03	-	·16	·17	1·04	·11	-	·06	·	·03	22
23	·11	·50	·27	-	·	·26	·37	·17	-	·09	·06	·41	23
24	·04	-	-	-	-	·25	-	·14	·	-	-	·09	24
25	-	-	-	-	-	·87	-	·68	-	-	·41	·31	25
26	-	·04	·02	-	-	-	·39	·73	-	·41	·36	·14	26
27	-	-	·	-	-	·14	·38	-	-	·82	-	·31	27
28	-	·07	-	-	-	·35	·45	·76	·17	·26	·18	·51	28
29	-	·15	-	-	·	·42	·52	·08	·50	·35	·	·08	29
30	·	×	-	-	-	·05	·14	-	·07	·17	-	· · ·	30
31	-	×	·13	×	·16	×	·45	·09	×	·02	×	·21	31
Total	3·88	2·21	4·92	·19	1·60	5·90	7·44	7·06	·78	3·40	1·48	3·98	TOTAL for year 42·84
No. of Rain Days.	18	17	21	3	12	22	19	26	5	14	9	20	186

W. 8,000, X. '11.

454378

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Witcombe Reservoirs

in the County of Gloucester 3

by R. Read, A.M.I.C.E., City Surveyor Gloucester

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Gloucester

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 0 in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·16	·20	·04	-	-	-	-	·95	-	·08	.	1
2	-	·13	·04	·08	-	-	·02	-	·15	·59	·06	.	2
3	·22	-	·03	.	·56	-	-	-	-	-	.	·10	3
4	1·02	-	·03	-	·32	-	-	-	·15	·86	·06	·13	4
5	·02	·03	·03	-	·02	·27	·15	-	·02	·11	·07	-	5
6	·05	-	·15	.	·26	·11	·56	-	-	·24	·27	·38	6
7	-	·27	-	-	·31	·06	·03	-	-	·17	·15	-	7
8	-	·08	-	-	·25	·04	-	-	-	·32	.	-	8
9	-	·17	-	-	·09	·05	·14	·49	·18	-	·04	·03	9
10	·22	-	-	·02	·02	-	-	·16	-	-	·17	-	10
11	·85	-	-	·22	·05	.	-	·01	-	·09	·64	-	11
12	·03	-	-	-	·13	.	-	-	-	-	·47	-	12
13	·02	-	·07	-	·03	.	-	-	·15	-	·31	-	13
14	·14	-	·30	·03	-	-	·10	·04	-	·13	-	-	14
15	·28	·19	·33	·45	-	-	.	-	·27	-	-	-	15
16	·16	-	·64	·06	-	-	-	·03	-	-	-	-	16
17	·03	·03	·07	·16	.	·05	·23	-	·18	-	·02	-	17
18	·06	-	·13	·07	-	-	·10	-	·05	-	·02	-	18
19	·25	.	·05	-	.	·22	·05	-	·17	-	-	·03	19
20	·19	.	·16	·06	.	-	-	.	·05	·08	·16	-	20
21	.	.	·16	·16	·09	-	·03	.	-	·06	·34	-	21
22	·34	-	·50	·16	-	·06	-	·13	·32	-	-	-	22
23	.	.	·03	-	-	·04	-	-	-	-	·02	·08	23
24	·02	-	-	·07	-	-	-	-	-	-	-	-	24
25	-	-	.	·31	-	-	-	-	-	-	-	-	25
26	-	·06	.	·42	.	-	.	·31	-	·02	-	·28	26
27	-	-	·11	·56	·04	-	-	-	-	·14	-	-	27
28	·18	.	·09	·36	-	-	-	-	-	·13	-	-	28
29	·01	X	·40	·48	-	-	-	-	-	·16	-	-	29
30	·20	X	-	.	-	-	-	-	-	·35	·07	-	30
31	·04	X	·09	X	·18	X	-	·02	X	..	X	-	31
Total	4·33	1·12	3·61	3·71	2·35	·90	1·41	1·19	2·64	3·45	2·95	1·03	YEAR'S TOTAL 28·69
Rain Days.	21	9	21	18	14	9	10	8	12	15	17	7	161

W.7,000, XI. 13

Ex LMcC

459378

FORM A.
BRITISH RAINFALL
5 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Witcombe Reservoys

in the County of Gloucester, 3

by R. Read, AMICE.
City Surveyor, Gloucester

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gloucester
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10			·09	·52			·03	·04	1
2							·54	·07			·84	·50	2
3			·04	·12	·37		·07				·17	·03	3
4	·19			·20	·06		·07	·02			·44	·49	4
5	·03		·06	·19	·24		·25				·20		5
6		·17	·04	·04	·04	·10	·04	·05				·22	6
7		·25	·19	·13	·35	·14	·15	·12				·09	7
8			·30		·08	·96		·07				·20	8
9	·09	·03	·25	·26	·08	1·25		·08	·04				9
10		·25	·02	·11	·09	·09			·27				10
11		·12	·30	·03	·27	·50					·16	·45	11
12		·15	·14				·33		·24		·01	·25	12
13		·32	·38						·21	·15	·04	·55	13
14		·33	·27				·04			·36	·16		14
15	·03	·03	·09					·09	·16	·03	·20		15
16	·03						·02		·11				16
17		·16	·17						·06			·39	17
18							·08					·37	18
19		·04	·10				·78	·04			·12	·10	19
20		·29	·14			·05						·27	20
21		·50	·02				·03	·43		·21		·10	21
22		·05			·18	·05		·04		·11			22
23		·07	·14		·14		·04			·09			23
24		·01	·13				·04			·01	·12		24
25	·16		·24		·07			·29		·22	·03	·12	25
26			·07				·06			·09	·13	·41	26
27	·08										·31	·24	27
28		·19	·14		·03						·10	·78	28
29	·03		·16		·10					·34	·38		29
30	·04		·15							·16	·52	·72	30
31	·04				·02		·34			·07			31
Total	·72	2·96	3·54	1·18	2·12	3·14	2·97	1·82	1·09	1·84	3·93	6·32	YEAR'S TOTAL 31·63
Rain Days.	10	17	23	9	15	8	17	12	7	12	18	20	168

W. 8,000. X. 14.

459378 2259

FORM A. BRITISH RAINFALL

8 JAN 1916

REGISTER OF ~~RAINFALL~~ IN 1915.

45 Wme

Kept at Witcombe Reservoirs,

in the County of Gloucester,

by R.Read, A.M.I.C.E.
City Surveyor, Gloucester.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gloucester.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.42	.07	..	..	.23	..	.11	.42	.24	.19	..	.04	1
2	.24	.24	.14	.19	..	.05	..	1.44	..	.04	..	.08	2
3	1.24	.05	.09	.05	.04	..	.09	.68	..	..	..	.10	3
4	.03	..	..	..	..	..	.46	.07	..	..	..	.56	4
5	..	.80	..	..	..	..	.38	.07	..	..	..	.41	5
6	.19	.06	..	.19	..	..	.44	.05	..	..	..	.25	6
7	.08	.56	..	..	..	.09	.19	.03	..	..	..	.26	7
8	.24	.20	..	..	..	..	.16	.04	..	..	..	..	8
9	.12	.05	..	.12	..	..	..	.14	..	..	.17	.38	9
10	.13	..	.05	.06	..	..	..	..	..	..	..	..	10
11	..	..	..	.15	..	..	..	..	..	..	.88	..	11
12	.09	.16	..	.22	.42	..	..	.01	..	.04	.34	.07	12
13	..	.66	..	..	.61	..	..	..	.02	..	..	.05	13
14	.02	..	..	..	..	..	.15	.20	.06	.02	..	.57	14
15	.19	..	..	.02	.07	..	.03	.05	..	.09	.05	.06	15
16	..	.86	..	..	.22	..	.55	.09	..	..	..	.07	16
17	..	.27	..	..	1.09	..	..	1.65	..	..	..	.03	17
18	..	.15	.03	..	..	..	..	..	..	..	.03	..	18
19	..	..	..	..	.08	..	.23	..	..	..	..	..	19
20	.22	..	..	.10	..	..	..	..	..	..	..	.17	20
21	.10	.07	..	..	..	..	.03	..	..	.11	..	.09	21
22	.14	.10	.23	.02	..	..	.25	..	..	..	..	.24	22
23	..	.09	.52	..	..	.08	.07	..	.04	1.36	..	.31	23
24	..	..	.06	.05	..	..	.59	..	.50	.33	..	.27	24
25	...	..	..	..	..	.69	..	..	..	.06	..	.20	25
26	...	.08	..	..	..	..	.09	..	..	..	..	.43	26
27	..	..	..	..	..	.07	.05	..	..	.40	..	..	27
28	..	.04	..	..	..	.05	.01	.05	.39	..	..	..	28
29	..	~~..~~	..	..	..	..	.36	.11	..	..	.06	.03	29
30	.17		..	..	..	.04	..	..	..	.24	.31	.20	30
31	..		..		..		.05	.05		1.14		.21	31
													YEAR'S TOTAL
Total	3.62	4.51	1.12	1.17	2.76	1.07	4.29	5.15	1.25	4.02	1.84	5.08	35.88
Rain Days.	16	18	7	11	8	7	20	17	6	12	7	24	153

W. 8,000. X. 15.

Exd CFE

459378

2194

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Witcombe Reservoirs,

in the County of Gloucester,

by R. Read, A.M.I.C.E.,
Consulting Engineer, Gloucester.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Gloucester.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	-	.05	-	.08	.08	.29	-	-	.12	.27	-	1
2	.32	.05	.18	-	.54	.04	-	-	-	.62	.03	-	2
3	-	.81	-	-	-	-	.04	-	.11	.38	.10	-	3
4	.47	.04	-	-	.50	.23	-	-	.17	.06	.57	-	4
5	-	-	.05	-	.22	.20	.16	-	-	.06	.19	-	5
6	.04	.27	.04	-	.32	.23	.38	-	-	.19	.59	-	6
7	-	-	.16	-	.09	-	.53	-	-	.14	.82	.17	7
8	.07	-	.04	-	.23	-	-	-	-	-	.12	.19	8
9	-	-	-	-	.03	.17	-	-	-	.13	-	-	9
10	-	.48	.05	.11	-	.25	-	-	.04	.06	-	-	10
11	.03	.03	.04	.12	.09	.29	-	-	.01	-	-	.27	11
12	.03	-	.03	-	.43	-	.22	.02	-	.22	-	-	12
13	-	.34	.10	.03	-	-	.11	.16	-	-	-	-	13
14	-	.35	.06	-	.14	-	-	.13	-	.05	-	-	14
15	-	.20	.20	-	.09	-	-	.35	-	.03	-	-	15
16	-	-	-	.22	-	-	.20	.76	-	.05	-	-	16
17	.20	.16	-	.14	-	-	-	.04	.39	.35	-	-	17
18	-	.07	.03	-	-	-	-	-	.09	.14	.53	.15	18
19	.22	-	.23	.55	-	-	-	-	.05	-	.16	.06	19
20	.05	-	.42	.03	-	-	-	-	-	-	.02	.29	20
21	.06	-	.52	-	.11	-	.46	-	-	-	-	.35	21
22	-	-	-	.10	.06	.05	-	-	-	.10	-	.73	22
23	.05	.23	-	-	-	-	-	.07	-	.05	.03	.11	23
24	-	.10	.07	.02	.30	.29	-	.05	-	.37	-	.21	24
25	-	.48	.25	-	-	-	-	.38	-	-	.19	-	25
26	-	.09	.05	-	.02	.07	-	-	.02	.30	-	-	26
27	.02	.07	.70	-	.05	.07	-	.48	.18	.46	-	-	27
28	-	.48	.15	-	-	.03	-	-	.36	.15	-	.18	28
29	-	.20	-	-	-	.23	-	1.89	-	.41	-	.22	29
30	-	✕	-	-	-	.09	-	-	-	.29	-	-	30
31	-	✕	-	✕	-	✕	-	-	✕	.35	✕	-	31
Total	1.64 ✓	4.45 ✓	3.42 ✓	1.32 ✓	3.10 ✓	2.32 ✓	2.39 ✓	4.33 ✓	1.42 ✓	5.08 ✓	3.62 ✓	2.93 ✓	YEAR'S TOTAL 36.02 ✓
Rain Days.	13 ✓	18 ✓	21 ✓	9 ✓	17 ✓	15 ✓	9 ✓	11 ✓	10 ✓	24 ✓	13 ✓	12 ✓	172 ✓

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

459378

FORM A.
BRITISH RAINFALL.

16. JAN 1918

Kept at Witcombe Reservoirs,

in the County of Gloucester

by R.READ, A.M.I.C.E.,
Acting City Surveyor, Gloucester.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Gloucester.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.14	.08	.	.08	.	.97	.34	.	.12	.	1
2	.	.	.	.04	.	.29	.	.08	.	.	.	.	2
3	.07	.08	.	.08	.	.	.	.14	.	.61	.	.	3
4	.	.06	.09	.	.	.	.04	.32	.	.36	–	–	4
5	.25	.	.15	.22	.	.	.	.81	.02	.27	.07	.	5
6	.	.	.25	.	.	.60	.	.	.	.24	.16	.	6
7	.17	.	.	.	.	.	.23	.13	.	.18	–	.	7
8	.22	.	.	.17	.	.	.64	.78	.04	.37	.07	.29	8
9	.	.	.03	.02	.17	.	.	.17	.02	.	.02	.	9
10	.22	.	.25	.31	.	.	.	.25	.	.10	.	.	10
11	.04	.	.18	.30	.	.	.	.40	.42	.14	.	.	11
12	.	.	.	.	.12	.	.	.04	.	.15	.	.	12
13	.	.	.07	.03	.	.03	.	.20	.08	.08	.	.	13
14	.	.	.16	.05	.	.	.	.03	.	.	.	.02	14
15	.	.	.	.	.	.	.02	.17	.	.02	.	.25	15
16	.03	.	.	.12	.	.	.	.	.	.05	.	.17	16
17	.	.	.	.10	.62	.10	.23	.04	.12	.09	.	.	17
18	.	.	.	.	.	.	.25	.	1.58	.	.	.	18
19	.	.32	.40	.	.	.05	.	.15	.	.	.	.	19
20	.	.10	.	.	.51	.09	.04	.	.04	.	.	.	20
21	.	.	.16	.	.	.	.	.	.	.	.10	.	21
22	.	.	.03	.	.	.25	.	.07	.	.10	.	.	22
23	.	.25	.	.	.10	.	.	.43	.	.03	.	.04	23
24	.	.	.	.	.	.11	.	.20	.	.17	.	.	24
25	.	.12	.	.	.	.	.	.	.	.	.	.	25
26	.	.	.	.	.14	.04	.	.29	.12	.	.10	.	26
27	.	.	.	.	1.25	.01	.	.76	.	.	.	.	27
28	.	.	.05	.	.	.66	.	.24	.	.	.	.03	28
29	.	~~.~~	.15	.	.06	.28	.10	.	.	.45	,	.22	29
30	.		.09	.	.	.	.29	.27	.	.04	.	.	30
31	.		.26		.		.	.12		.		.	31
Total	1.00	.93	2.46	1.52	2.97	2.59	1.84	7.06	2.78	3.45	.64	1.02	YEAR'S TOTAL 28.26
Rain Days.	7	6	16	12	8	13	9	24	10	18	7	7	137

W. 8,000, IX. 17.

Exe 8/ 459378 39

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at WITCOMBE RESERVOIRS

in the County of GLOUCESTER,

by R. READ, A.M.I.C.E.,
Acting City Surveyor, Gloucester.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Gloucester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.02	-	.02	.13	-	-	.07	-	.02	.45	.04	1
2	-	.14	-	-	-	-	-	.68	.13	-	-	.05	2
3	-	.11	.03	.21	.07	-	-	.05	.27	-	-	-	3
4	-	.09	-	-	-	-	-	.07	.06	-	.75	.11	4
5	-	-	-	-	.22	-	-	.05	.19	.07	.09	-	5
6	.04	.20	-	.09	-	.03	-	-	-	.05	-	.08	6
7	-	.14	-	.04	.51	.02	-	-	.16	.07	.31	-	7
8	-	.19	-	-	-	-	-	-	.03	.12	-	.08	8
9	-	.14	-	.13	-	.23	.05	-	.43	.18	-	.15	9
10	-	-	-	.16	-	-	.28	-	.35	.15	-	.21	10
11	.06	-	-	-	-	-	.04	-	.09	.14	.03	.11	11
12	-	.06	.14	-	.12	-	.14	-	.03	-	-	-	12
13	-	-	-	-	.04	-	.03	-	.15	.05	-	.23	13
14	.42	-	.06	-	-	.11	.23	-	.60	.05	-	.09	14
15	.87	-	-	.37	.01	-	.22	-	.02	.02	-	.28	15
16	.15	-	.04	.46	-	.05	.02	-	.14	-	-	.05	16
17	.10	-	-	.10	.07	-	.20	-	-	.05	-	.10	17
18	.61	-	-	-	-	.39	.37	-	.70	.06	-	.47	18
19	.05	.06	.12	.09	-	-	.08	-	.02	.10	-	.06	19
20	.03	.09	-	.34	-	.04	-	-	.34	.02	-	.03	20
21	.08	-	-	.04	-	-	-	-	.49	.03	-	.03	21
22	.03	-	-	-	.17	-	.06	-	.17	.20	-	.17	22
23	.03	-	-	-	.40	-	.08	-	-	-	-	.03	23
24	[illegible]	.09	-	-	-	[illegible]	.26	[illegible]	.03	[illegible]	.08	-	24
25	-	-	-	-	-	-	.27	.30	-	-	-	-	25
26	-	-	-	-	-	-	.90	-	.03	.02	.10	.10	26
27	-	-	-	-	-	.04	-	.13	.17	-	.12	.04	27
28	-	.14	.25	-	-	-	-	-	-	-	.11	.03	28
29	-	✕	.07	-	-	-	-	-	1.52	-	-	-	29
30	-	✕	.24	-	-	-	-	-	-	-	.06	.03	30
31	-	✕	.25	✕	-	✕	-	.05	✕	-	✕	-	31
Total	2.47	1.47	1.20	2.05	1.74	.91	3.23	1.40	6.12	1.40	2.10	2.57	YEAR'S TOTAL 26.66
Rain Days.	12	13	9	12	10	8	16	8	23	18	10	23	162

W. 6,500, VII. 18. w w c

454378 1963

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Witcombe Reservoirs

in the County of Gloucester

by E. W. A. Carter, City Surveyor, Gloucester

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Gloucester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·03	·04	-	·03	·06	·15	-	-	·11	-	·64	1
2	·17	-	-	-	·13	-	·23	·04	·17	·03	·14	·07	2
3	·61	-	·14	-	·03	-	·04	-	·10	-	·09	·32	3
4	·09	·04	·54	-	-	·14	-	·03	·26	-	-	·10	4
5	-	·23	·45	-	·08	-	·03	-	·41	-	·03	·13	5
6	·13	-	·10	-	·21	-	-	-	-	-	·03	·09	6
7	·22	-	·20	·16	-	-	-	-	-	-	·10	-	7
8	·15	-	-	·26	-	·03	-	-	-	-	-	-	8
9	·27	-	·02	·13	-	-	-	-	-	-	·06	-	9
10	-	-	·43	·02	-	-	-	-	-	·03	-	·13	10
11	·02	-	·40	·03	·05	-	·39	-	-	-	-	·02	11
12	-	-	·03	-	-	·64	-	-	-	·11	-	·03	12
13	·12	-	-	·39	-	-	-	-	-	·03	-	·10	13
14	·46	-	-	·18	-	-	·17	-	·03	-	-	·03	14
15	·23	-	-	-	·09	-	-	-	-	·07	-	·26	15
16	·12	·71	-	-	-	-	-	-	-	-	·12	-	16
17	-	·55	-	-	-	·02	-	-	-	-	·10	-	17
18	-	-	·47	-	·05	-	-	·32	·10	-	·05	·05	18
19	·27	·17	1·07	-	-	·16	1·39	·42	·07	-	-	·03	19
20	·25	·08	·12	-	-	·04	-	·20	-	-	-	-	20
21	·07	·80	·02	-	-	·06	·17	-	-	-	-	·08	21
22	-	·25	-	-	-	-	·08	-	·15	-	·01	·13	22
23	-	-	-	-	-	-	-	·07	·05	·62	·10	-	23
24	-	-	-	-	-	·05	-	-	-	·73	·12	·03	24
25	·11	-	-	-	·11	·10	-	·18	-	-	-	·09	25
26	·09	-	·14	·03	-	·02	·18	·04	·17	-	-	·27	26
27	·05	-	-	·56	-	-	-	·47	-	-	-	·04	27
28	·03	-	·24	-	-	-	-	·28	-	-	·36	·22	28
29	·04		-	·07	-	·03	-	-	-	·17	-	·46	29
30	-		-	·23	-	·25	-	·25	-	·05	·20	·43	30
31	-		-		-		-	-		-		-	31
TOTAL	3·84	2·86	4·41	2·06	·78	1·60	2·83	2·30	1·51	1·95	1·51	3·75	YEAR'S TOTAL 29·40
Days with ·01 in. or more	21	9	16	11	9	13	10	11	10	10	14	23	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

459378
877

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 1921

Kept at Witcombe Reservoirs,
in the County of Gloucester
by E. W. A. Carter
City Surveyor, Gloucester.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Gloucester
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. - in.
" " " " Sea Level 297 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	·03	·26	·35	.	·25	.	.	·22	.	·41	1
2	·17	.	·05	·13	.	.	·11	·10	·05	·04	.	·23	2
3	·07	·10	.	·33	·04	·02	·76	.	·06	·36	.	.	3
4	.	.	·05	·07	.	.	.	·48	.	·22	.	.	4
5	.	.	·31	·12	·09	.	·25	·03	.	·13	.	.	5
6	.	.	·27	.	·13	.	·22	.	.	·24	.	.	6
7	.	.	·05	·12	.	.	·07	.	.	.	.	.	7
8	·04	·15	.	·38	.	.	·52	.	.	.	.	·14	8
9	·15	.	.	·58	.	.	·01	·01	.	.	.	.	9
10	·87	·06	·08	·07	.	·17	·15	.	.	.	.	.	10
11	·14	.	·16	·35	·36	·04	·05	.	.	.	.	.	11
12	·15	·07	.	·14	·02	·56	.	·01	.	.	·03	.	12
13	·09	·04	·34	·12	.	.	.	.	.	.	.	.	13
14	.	·02	·59	·41	.	·23	.	.	·09	·07	·44	.	14
15	.	·09	·05	·42	.	·04	.	.	·07	·14	·03	.	15
16	.	.	.	·02	·05	·19	·33	.	·63	·11	.	.	16
17	·02	.	.	.	·18	·10	.	.	·56	·09	.	.	17
18	·36	.	.	·10	·12	.	·09	·39	·57	.	.	.	18
19	·02	·19	.	·27	.	·11	.	·02	.	.	.	.	19
20	·05	·15	.	·16	.	·18	.	.	·02	.	.	·11	20
21	.	.	.	·08	.	.	·02	.	.	.	.	·04	21
22	.	.	.	·15	.	.	.	.	.	.	.	·27	22
23	.	.	.	.	.	.	·57	·20	.	.	.	·23	23
24	.	.	·30	.	.	.	.	·01	.	.	·04	·17	24
25	.	·11	·14	.	.	.	·58	·03	.	.	.	.	25
26	·22	.	·33	.	.	·20	·06	.	.	.	·05	·13	26
27	·52	·03	·09	·17	.	·49	·04	.	.	.	.	·28	27
28	1·09	.	·10	.	·20	.	·05	.	.	.	.	.	28
29	·20	.	·18	.	·03	·12	·04	.	.	.	·09	·38	29
30	.	X	·13	·08	.	·09	·25	.	·20	.	·27	·32	30
31	·11	X	·20	X	·02	X	·01	.	X	·31	X	·06	31
TOTAL	4·27	1·01	3·45	4·53	1·59	2·54	4·43	1·28	2·25	1·93	·95	2·77	YEAR'S TOTAL 31·00
Days with ·01 in. or more	17	11	19	22	12	14	21	10	9	11	7	13	166
Days with ·04 in. or more	15	9	18	21	9	13	18	4	8	11	5	13	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.

WYCK RISSINGTON

1911- 1914

REG ... 1911

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

? see sketch

Kept at Wyck Rissing

f top 5 in.

op above Ground 1 ft. – in.

in the County of Glouces

,, Sea Level 500 ft.

h 9 a.m.

by Rev. P. H. Kemp

ation { Name Bourton on the Water
Distance 2¼ m. Direction W.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·04	·09			·03	·03			·04	·02	1
2	·06.		·04	·07	·28			·23		·29	·21	·14	2
3				·03	·37					·01	·10		3
4	·04		·14	·02			·01			·16	·33	Two days ·43	4
5	·15.		·01	·03				·25			Two days ·22		5
6	·35.		·01	·01.						·01	–	·75	6
7	·02			·01						·16	–		7
8	·16		·05									·29	8
9	·06		·07	·01							Three days ·43	·27	9
10		·14	·36					·03			·05	·19	10
11	·35				·01						·53	·03	11
12	·01		·58		·06				·45		·48	·07	12
13					·21					·03	·01	·30	13
14			·05		·01						~~·28~~	·57	14
15		·01	·01							·03	·28 ~~40~~	·05	15
16	·01		·01			·26					·40	·25	16
17				·08		·05					·05	·41	17
18		·28	·10	~~·05~~ ·01	·01	·02				·04		·23	18
19	·01	·08		·01		·56			·18	·32	·21	·08	19
20	·02	·09	·16	·03	~~·25~~	·01		·13	·08	·05	·01	·60	20
21		·12	·02							·40		·10	21
22	·02		·06.	·01		·26		·20		·23	·~~26~~	·76	22
23		·09	·30.			·57	·21		·21			·26	23
24	·01	·10	·05.			·42		·10		·36		·16	24
25		·11	·01.	·03	·16	·05			·06	·44		·15	25
26		·25.		—						·03	·22	·15	26
27		·33	·23	Two days ·20	·01	·00					·08	·23	27
28		·09		·21	·01	·00	·38	·37	·33	·02		·01	28
29				·02			·03		·29	·20	·01		29
30			·06	·06	·18	for 5 days ·28		·17		·42	·05	·01	30
31					·02								31
Total	1·29	1·69	2·36	·93	1·33	2·41	·66	1·51	1·60	3·10	3·71	6·51	TOTAL for year 27·10 ~~27·60~~
No. of Rain Days.	15	12	21	·93 19	12	12	5	9	7 ~~23~~	18	22	27	179.

W. 8,000, X. '11. Days on which no rain fell are left blank

✓

REG 1911

W 1585

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Wyck Rissington (Cotswold Hills)

in the County of Gloucester

by Rev. R. H. Kempthorne F.R.A.S

RAIN GAUGE
Pattern ? see sketch
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bourton on the Water
Distance 2¼ m. Direction W.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·04	·09			·03	·03			·04	·02	1
2	·06		·04	·07	·28			·23		·29	·21	·14	2
3			..	·03	·37					·01	·10	—	3
4	·04		·14	·02			·01			·16	·33	Two days ·43	4
5	·15		·01	·03				·25			Two days ·22		5
6	·35		·01	·01						·01	—	·75	6
7	·02			·01						·16	—		7
8	·16		·05									·29	8
9	·06		·07	·01							Three days ·43	·27	9
10		·14	·36					·03			·05	·19	10
11	·35				·01						·53	·03	11
12	·01		·58		·06				·45		·48	·07	12
13					·21					·03	·01	·30	13
14			·05		·01						~~·28~~	·57	14
15		·01	·01							·03	·28 ~~·40~~	·05	15
16	·01		·01			·26					·40	·25	16
17				·08		·05					·05	·41	17
18		·28	·10	·01 ~~·05~~	·01	·02				·04		·23	18
19	·01	·08		·01		·55			·18	·22	·21	·08	19
20	·02	·09	·16	·03	~~·05~~	·01		·13	·08	·05	·01	·60	20
21		·12	·02							·40		·10	21
22	·02		·06	·01		·26		·20		·23	~~·21~~	·76	22
23		·09	·30			·57	·21		·21			·26	23
24	·01	·10	·05			·42		·10		·36		·16	24
25		·11	·01	·03	·16	·05			·06	·44		·15	25
26		·25		—						·03	·22	·15	26
27		·33	·23	Two days ·20	·01	·02					·08	·23	27
28		·09		·21	·01	·00	·38	·37	·33	·02		·01	28
29				·02			·03		·29	·20	·01		29
30			·06	·06	·18	for 5 days ·28		·17		·42	·05	·01	30
31					·02	nil							31
Total	1·29	1·69	2·36	·93	1·33	2·41	·66	1·51	1·60	3·10	3·71	6·51	Total for year 27·10
No. of Rain Days.	15	12	21	19	12	12	5	9	7 ~~23~~	18	22	27	179.

W. 8,000, X. '11. Days on which no rain fell are left blank

Ex DL

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
7. JAN 1913

Kept at Wyck Rissington
in the County of Gloucester
by Rev. P. H. Kempthorne. F.R.A.S.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bourton-on-Water or Stow G.W.R.
Distance 2½ miles Direction Bourton W. Stow N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·06	-	-	·24	·25	·01	·01	·36		·33	1
2	~~·16~~	·02	·15	·04	-	·17	·51	·01	-	-		·03	2
3	~~·17~~	-	·12	-	·02	·10	·04	·68	·02	-	·02	·10	3
4	~~·18~~	-	·66	-	·16	·96	-	·03	-	-	·21	·01	4
5	·49	·09	·06	-	·16	·02	-	·60	·04	-		·10	5
6	-	·13	·02	-	·04	·01	·01	·57	-	-	·01	·03	6
7	-	·14	·31	-	·05	·81	·16	·06	-	-		·04	7
8	·36	·16	·14	-	-	·06	·04	·10	·03	-		·08	8
9	·07	·06	·26	·08	-	·49	-	·03	·01	-		·25	9
10	·14	·08	-	·01	-	·06	-	·03	-	-	·15	·00	10
11	·03	·10	-	-	-	·04	·14	·15	-	-	·11	·44	11
12	·06	·20	-	-	·02	·01		-	-	-	·04	·03	12
13	-	·18	·02	-	-	·01	·05	·01	-	·02	·02	·03	13
14	·19	·03	·63	-	·16	-		·08	-	-			14
15	·20	·06	·03	-	·28	·25		·02	-	-		·26	15
16	·50	-	·24	-	·18	·02		·07	-	·10			16
17	·80	·01	·12	-	-	·09		·41	-	-		·29	17
18	·25	-	·40	-	-	-		·01	-	·06		·01	18
19	·13	·05	·02	-	~~·02~~	-	·18	·24	-	-	·01		19
20	·03	·01	·44	-	·02 ~~·82~~	-	·21	·58	-	·29			20
21	·03	·04	·24	-	·82	-	·01	·25	-	·37			21
22	·73	·10	·21	-	·21	·26	1·32	·21	-	-		·06	22
23	·11	·38	·18	-	-	·16	·02	·14	-	-		·38	23
24	·05	·04	·01	-	-	·24	·19	·07	·01	-	·06	·12	24
25	·01	-		-	-	·27	-	·44	-	-	·31	·51	25
26	-	·04	·03	-	-	·01	·08	·54	-	·53	·31	·20	26
27	-	·01		-	-	·11	·40	-	-	·64	-	·40	27
28	-	·09		-	·01	·12	·27	·83	·20	·43	·25	·61	28
29	-	·11	·03	-	-	·35	·26	·01	·48	·25	·02	·06	29
30	-			-	·02	·31	·18	·01	·12	·20			30
31	·01		·06		·12		·71	·09		·04		·09	31
Total	4·19	2·13	4·44	·13	2·27	5·17	5·03	6·28	·92	3·29	1·52	4·46	TOTAL for Year 39·83 39·83
No. of Rain Days.	19	23	24	3	15	25	18 20	29	9	12	13	24	~~214~~ 216

W. 8,000, X. '11.

Crd forwarded 26·III·14 ~~W.~~ 7 16

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Wyck Risington
in the County of Gloucester
by Rev. P. H. Kempthorne.

7

Lat. 51° 53′ 29″ Long. 1° 43′ 20″ W.
Time of Observation 9 a.m.
Nearest Railway Station Bourton-on-the-Water
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06	·18	·19	·02				·94	·01	·18		1
2	·01	·11 ~~[illegible]~~	·04 ~~[illegible]~~	·17	·01		·01		·13	1·68	·07		2
3	·15	·01	·10 ~~·17~~		·70								3
4	·91	·01	·05		·13				·03	·33	·04	·25	4
5	·02	·02				·14	·09		·02	·20	·08		5
6	·02	·09	·21		·21	·11	·90			·34		·27	6
7		·42			·24	·16				·59	·21		7
8		·04			·20					·03			8
9		·21		·01	·02	·10	·09	·17	·16		·05	·01	9
10	·29			·10	·02		·04	·06					10
11	1·12			·44						·06			11
12	··	·02			·35					·01	1·30		12
13	·07	·01			·06				·26		·28 3 days		13
14	·15		·33	·01			·15	·16	·11	·09			14
15	·06	·11	·47	·75			·25						15
16			·57	·02					~~[illegible]~~		·01		16
17	·12	·03	·05	·05		·09	·17		·01	·06	·02	·01	17
18	·05		·20	·15			·06		·47		·04	·01	18
19	·38		·11			·20	·02		·20			·07	19
20	·18		·09	·08						·25	·27		20
21	·01		·22	·08	·17		·06			·04	·40		21
22	x ·34		·44			·02		·19	·40		·01		22
23	·01					·03						·07	23
24	·05											·01	24
25		·09		·21									25
26		·05		·30				·11		·17		·26	26
27	·05	·03	·15	·22	·19					·28		·05	27
28	·30		·09	·44								·27	28
29	·05		·50	·53				·12		·28		·05	29
30										·25	·05		30
31	·40		·07					·01					31
Total	4·74	1·31	3·87	3·75	2·32	·85	1·84	·82	2·73	4·67	3·01	1·28	YEAR'S TOTAL 31·~~2~~9 31·19
Rain Days.	22	16	18	17	13	8	11	7	11	17	17	11	168

W.7,000, XI. 13

cnd for arith 25.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Wyck Rissington Rectory

in the County of Gloucester

7

by Rev. P. H. Kempthorne

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Bourton-on-the-Water

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04		·10			·17	·34			·08	·03	1
2			·03				·43	·17		·88	1·02	·23	2
3			·06	·05	·31		·07	·02		·69	·05	·03	3
4	·29		·01	·21	·04		·04	·37		·88	·50	·47	4
5	·29		·04	·29	·19	·01	·43	·02			·38		5
6			·06	·04	·05	·06		·01			·12	·27	6
7		·68	·26	-	·20	·25	·16	·16	·02			·09	7
8	·05	·01	·30	two ·15	·35	·72	·17	·10					8
9	·17		·32	·11	·05	·98		·06	·08			·05	9
10	·05	·34	·02	·12	·02	·01			·29			·01	10
11		·15	·34	·04	·20	·56	·04				·28	·37	11
12			·14			·01	·03		·30	·08	·08	·41	12
13		·46	·34						·23	·69	·04	·43	13
14	·02	·26	·26				·16			·08	·24	·03	14
15	·06	·01	·13					·01	·23		·10		15
16	·05		·11						·21		·08	·01	16
17		·25							·13			·47	17
18		·05	·01			·01	·18					·32	18
19		·01	·21				·91		·03			·08	19
20		·25	·15			·08					·09	·22	20
21		·40	·14				·01	·14		·18			21
22					·10	·01		·03		·15		·14	22
23	·07	·08	·10		·15			·01		·09		·02	23
24			·08		·09		·05			·13	·08		24
25	·07	·01	·23				·09	·34		·37	·02		25
26			·16					·01		·08	·18	·46	26
27	·04										·20	·28	27
28		·11	·14		·04						·04	1·15	28
29	·05		·15		·01					·33	·60	·03	29
30	·04	✗	·15			·07	·30			·14	·58	·49	30
31	·04	✗		✗		✗			✗	·02	✗	·10	31
Total	1·29	3·11	3·94	1·11	1·80	2·77	3·24	1·79	1·52	2·34	4·71	6·19 6·19.	33·81 YEAR'S TOTAL 38·48 33·81
Rain Days.	14	16	26	~~10~~ 9	14	12	16	15	9	12	20	25	188

W. 8,000. X. 14.

1.5 mm   cndy c. 22.iii.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

Kept at Wyck Rissington Rectory
in the County of Gloucester
by The Rev. P. H. Kempthorne

Lat. 51° 53' 29" Long. 1° 43' 20"
Time of Observation 9 a.m
Nearest Railway Station Bourton-on-the-Water
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	**Jan.**	Feb.	**March.**	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·18	·09		·10			·05	·44	~~·9~~	·03	·02	1
2	·23	·20	·27	·22		·05		·87		·72		·13	2
3	·60			·12	·03	~~·82~~		·18				·11	3
4					·02	~~·8x~~	·56					·60	4
5		·65			·01	~~1·22~~		·05			·03	·40	5
6	·20	·24		·15		~~·02~~	·50	·04				·24	6
7	·12	·65		·07	·17	·02	·35	·05				·15	7
8	·19	·25		·05			·03	·03			·10		8
9	·12	·01		·16							·07	·51	9
10	·25		·02			·01		·01					10
11	·04		·06	·11	·03					·03	1·01	·02	11
12	·07	·25		·15 ·15	·56						·49	·11	12
13		·35			1·06							·07	13
14	·04	·07					·05	·30	·01	·09		·70	14
15	·32				·09		·05	·20			·05		15
16	·02	·71			·23		·48	·04	·03			·13	16
17		·59			·90		·12					·01	17
18		·43	·08										18
19			·02		·09		·11					·01	19
20	·25	~~·0x~~		·06						·10		·13	20
21	·18	·01					·12					·04	21
22	·20	·32	·23	·04			·35		·02			·26	22
23			·15				·10		·10	·50		·38	23
24	·09		·15	·08		·03	·16		·45	·31		·31	24
25			·01			1·22	·12			·04		·17	25
26		·16				·02	·05					·45	26
27		·08				·02	·15			·50		·02	27
28		·07							·48				28
29							·07	·14			·13	·04	29
30	·06	✕				·80	·04			·15	·30	·15	30
31		✕		✕		✕	·03	·04	✕	·79	✕	·39	31
Total	3·27	5·22	1·08	1·21 ✓	3·29	2·17	3·44	2·00	1·53	3·23	2·21	5·55	YEAR'S TOTAL 34·20
Rain Days.	18	18	10	10	12	8	19	13	7	10	9	26	160

W. 8,000. X. 15.

Exd CJS

2258

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Wyck Rissington (Rectory)

in the County of B. Gloucester

by Rev. P. H. Kempthorne

Lat. Long.

Time of Observation as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~0~~ 1 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19		·03		·14	·08	·47			·14	·18		1
2	·38	·04	·21	·02	·45	·03			·02	·58	·06		2
3		·86			·07	·01			·10	·39	·29		3
4	·48	·08			·17	·40			·03	·02	·30		4
5	·01	·05			·16	·04	·11			·11	·21		5
6	·03	·18	·21		·14	·19	·36			·20	·56		6
7	·01		·25		·05	·01	·26			·02	·30	·15	7
8	·01	·02	·03		·20							·32	8
9					·06	·28				·04			9
10		·40	·11	·11	·02	·06	·03			·07	·02		10
11	·02		·09	·09	·06	·10			·02			·44	11
12			·01	·25	·34	·01	·31			·15		·01	12
13		·36	·05	·09			·04	·11					13
14	·08	·38	·12	·01	·04			·08		·06			14
15		·32	·49	·12	·14		·02	·16		·02			15
16	·03	·05	·21	·08	·05		·11	·15					16
17	·16	·19		·28				·15	·41	·58		·15	17
18		·07	·02	·30					·17	·07	·45		18
19	·41		·08	·10					·20	·02	·50		19
20	·12		·37	·07							·03	·73	20
21	·11		·76	·03	·14		·04					·64	21
22		·03	·02		·07	·02				·10	·03	·76	22
23	·04	·60		·01		·11				·03	·09	·16	23
24		·25 ~~·30~~		·01	·11	·11		·09		·37		·20	24
25		·38	·10			–		·37	·68		·25	·01	25
26		·08	·15		·01	–			·21	·18			26
27	·06	·25	·63			–		·30	·07	·55	–		27
28		·49	·60	·06		50			·24	·21			28
29			·07			4 days. 44		1·99		·37		·34	29
30		X		·01	·02	·08				·39		·06	30
31		X		X		X		·02	X	·47	X	·00	31
Total	2·14	5·08	4·61	1·64	2·43	2·47	1·75	3·42	2·15	5·14	3·27	3·91	YEAR'S TOTAL 38·01
Rain Days.	16	20	22.	17.	~~12.~~ 20	20	10	~~12.~~ 10	11	24	14	~~12.~~ 13	197

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Wych, Rissington Rectory

in the County of

by D. W. Horner

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.09	–			.70	.25	–			1
2			.08	.05									2
3	.04	.05	.02	.02				.32					3
4		.09		.10				.20					4
5	.34		.11	.14					.14				5
6			.05										6
7	.26		.16					.19					7
8	.71		.03	.17			.32	.32	.01				8
9				.07			.82	.10					9
10	.23		.16	.32				.15					10
11	.12		.21	.22				.06	.69				11
12	.18			.07				.10					12
13	.05			.08				.13	.07				13
14	.02		.41	.02				.06					14
15	.01			.05				.02					15
16	.03	.12		.39			.04		.18				16
17				.11			.04	.08	1.18				17
18	.04	.05		.02			.33		.01				18
19		.24					.27	.03					19
20		.21	.18	.01									20
21	.01		.07				.02						21
22	.01		.10					.08					22
23		.17	.09					.43					23
24		.05						.25					24
25		.11											25
26							.02	.56	.13				26
27		.01	.15					.68					27
28								.22					28
29	.04						.02						29
30		X	.09				.04	.23					30
31		X	.21	X		X	.37	.25	X		X		31
Total	2.09	1.10	2.12	1.93			2.29	5.16	2.66				YEAR'S TOTAL
Rain Days.	15	10	16	17			11	22	9				

W. 8,000, VIII. 16